Chemical Book India PDF

Chemical Safety Data Sheet MSDS / SDS

Maleic acid SDS

Revision Date: 2024-04-25 Revision Number: 1

Section 2 Section 3 Section 6 Section 1 Section 4 Section 5 Section 7 Section 8 Section 9 Section 10 Section 11 Section 12 Section 13 Section 14 Section 15 Section 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name: Maleic acid
CAS: 110-16-7

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified For R&D use only. Not for medicinal, household or other use.

uses:

Uses advised none

against:

Company Identification

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

SECTION 2: Hazards identification

Classification of the substance or mixture

Acute toxicity - Category 4, Oral Skin irritation, Category 2

Eye irritation, Category 2 Skin sensitization, Category 1 Specific target organ toxicity - single exposure, Category 3

GHS label elements, including precautionary statements

Pictogram(s)

(

Signal word

Warning

Hazard statement(s)

H302 Harmful if swallowed

H315 Causes skin irritation

H319 Causes serious eye irritation

H317 May cause an allergic skin reaction

H335 May cause respiratory irritation

Precautionary statement(s)

Prevention

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P271 Use only outdoors or in a well-ventilated area.

Response

P301+P317 IF SWALLOWED: Get medical help.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P321 Specific treatment (see ... on this label).

P332+P317 If skin irritation occurs: Get medical help.

P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P317 If skin irritation or rash occurs: Get medical help.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P319 Get medical help if you feel unwell.

Storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

Substance

Chemical name: Maleic acid

Common names and Maleic acid

synonyms:

CAS number: 110-16-7
EC number: 203-742-5
Concentration: 100%

SECTION 4: First aid measures

Description of necessary first-aid measures

If inhaled

Fresh air, rest. Half-upright position. Refer for medical attention.

Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower.

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth. Do NOT induce vomiting. Give one or two glasses of water to drink. Refer for medical attention.

Most important symptoms/effects, acute and delayed

Inhalation causes irritation of nose and throat. Contact with eyes or skin causes irritation. (USCG, 1999)

Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Organic acids and related compounds

SECTION 5: Firefighting measures

Suitable extinguishing media

Wear self-contained breathing apparatus for firefighting if necessary.

Specific hazards arising from the chemical

Special Hazards of Combustion Products: Irritating smoke containing maleic anhydride may form in fire. (USCG, 1999)

Special protective actions for fire-fighters

Use water spray, powder, foam, carbon dioxide.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT wash away into sewer. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Wash away remainder with plenty of water.

Environmental precautions

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT wash away into sewer. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Wash away remainder with plenty of water.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

Precautions for safe handling

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Provision to contain effluent from fire extinguishing. Separated from food and feedstuffs. Dry. Keep container tightly closed in a dry and well-ventilated place. Keep in a dry place. Storage class (TRGS 510): Non Combustible Solids

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety goggles or eye protection in combination with breathing protection.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state: Solid. Crystalline.

Colour: White.

Odour: Faint acidulous odor

Melting 132.5 °C. Atm. press.:1 atm. Remarks: Standard deviation 0.14, 3 determinations.

point/freezing

point:

Boiling point or 157.8 °C. Atm. press.:99.7 kPa.

initial boiling point and boiling range:

Flammability: Combustible. Gives off irritating or toxic fumes (or gases) in a fire.

Lower and upper

no data available

explosion

limit/flammability

limit:

Flash point: 127°C

Auto-ignition

no data available

temperature:

Decomposition 135°C

temperature:

pH: no data available

Kinematic no data available

viscosity:

Solubility: greater than or equal to 100 mg/mL at 66° F (NTP, 1992)

Partition log Pow = -1.3. Temperature:20 °C.

coefficient noctanol/water:

Vapour pressure: 0.001 Pa. Temperature: 20 °C.; 0.002 Pa. Temperature: 25 °C.

Density and/or relative density:

1.59 g/cm3. Temperature:20 °C.

- . . .

Relative vapour

4 (NTP, 1992) (Relative to Air)

density:

Particle no data available

characteristics:

SECTION 10: Stability and reactivity

Reactivity

Decomposes on heating and on burning. This produces highly irritating fumes including maleic anhydride. The solution in water is a medium strong acid.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Combustible when exposed to heat or flame. MALEIC ACID is a colorless to white crystalline solid. Moderately toxic. When heated to decomposition it emits irritating fumes and acrid smoke [Lewis, 3rd ed., 1993, p. 790].

Conditions to avoid

no data available

Incompatible materials

Oxidizing agents

Hazardous decomposition products

When heated to decomp it emits acrid smoke and irritating fumes.

SECTION 11: Toxicological information

Acute toxicity

Oral: LD50 - rat (male/female) - 2 870 mg/kg bw.

Inhalation: LC50 - rat - > 0.72 mg/L air. Dermal: LD100 - rabbit - 1000 mg/kg bw.

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

The substance is severely irritating to the eyes, skin and respiratory tract.

STOT-repeated exposure

Repeated or prolonged contact with skin may cause dermatitis. The substance may have effects on the kidneys.

Aspiration hazard

Evaporation at 20°C is negligible; a harmful concentration of airborne particles can, however, be reached quickly when dispersed, especially if powdered.

SECTION 12: Ecological information

Toxicity

Toxicity to fish: LC50 - Oncorhynchus mykiss (previous name: Salmo gairdneri) - 75 - 96 h.

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna - 42.81 mg/L - 48 h.

Toxicity to algae: EC50 - Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricomutum) - 74.35 mg/L - 72 h.

Toxicity to microorganisms: EC10 - Pseudomonas putida - 44.6 mg/L - 18 h.

Persistence and degradability

AEROBIC: Maleic acid, present at 100 mg/L, reached 87% of its theoretical BOD in 2 weeks using an activated sludge inoculum at 30 mg/L in the Japanese MTI test which classified the compound as readily biodegradable(1). Using OECD Guideline 301B (Ready Biodegradability: CO2 Evolution Test) and an inoculum from a domestic sewage treatment plant, maleic acid at 33.3 mg/L reached 13.25% CO2 evolution in 2 days and 97.08% CO2 evolution in 28 days which classified the compound as readily biodegradable(2). In another OECD Guideline 301B test using an activated sludge inoculum, maleic acid, at 10 mg/L, achieved 93% CO2 evolution in 11 days(2).

Bioaccumulative potential

The BCF of maleic acid in fish (golden ide) was measured as <10 after 3 days of exposure(1). According to a classification scheme(2), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC). The BCF in algae (Chorella fusca)

was 11 after a 24 hour exposure period(1).

Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of maleic acid can be estimated to be 7(SRC). According to a classification scheme(2), this estimated Koc value suggests that maleic acid is expected to be very mobility in soil. The pKa values of maleic acid are 1.94 and 6.22(3), indicating that this compound will exist almost entirely in anion form in the environment and anions generally do not adsorb more strongly to soils containing organic carbon and clay than their neutral counterparts(4).

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN3077 (For reference only, please check.) IMDG: UN3077 (For reference only, please check.) IATA: UN3077 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (For reference only, please check.)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (For reference only, please check.) IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 9 (For reference only, please check.) IMDG: 9 (For reference only, please check.) IATA: 9 (For reference only, please check.)

Packing group, if applicable

ADR/RID: III (For reference only, please check.)
IMDG: III (For reference only, please check.)
IATA: III (For reference only, please check.)

Environmental hazards

ADR/RID: Yes IMDG: Yes IATA: Yes

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Not Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

(PICCS)

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:

http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any