

Chemical Safety Data Sheet MSDS / SDS

1,2-dichlorobenzene SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name: 1,2-dichlorobenzene

CAS: 95-50-1

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: For R&D use only. Not for medicinal, household or other use.

Uses advised against: none

Company Identification

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

SECTION 2: Hazards identification**Classification of the substance or mixture**

Acute toxicity - Category 4, Oral

Skin irritation, Category 2

Eye irritation, Category 2
Specific target organ toxicity - single exposure, Category 3
Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Warning

Hazard statement(s)

H302 Harmful if swallowed
H315 Causes skin irritation
H319 Causes serious eye irritation
H335 May cause respiratory irritation
H410 Very toxic to aquatic life with long lasting effects

Precautionary statement(s)

Prevention

P264 Wash ... thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.

Response

P301+P317 IF SWALLOWED: Get medical help.
P330 Rinse mouth.
P302+P352 IF ON SKIN: Wash with plenty of water/...
P321 Specific treatment (see ... on this label).
P332+P317 If skin irritation occurs: Get medical help.
P362+P364 Take off contaminated clothing and wash it before reuse.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P319 Get medical help if you feel unwell.
P391 Collect spillage.

Storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

Substance

Chemical name:	1,2-dichlorobenzene
Common names and synonyms:	1,2-dichlorobenzene
CAS number:	95-50-1
EC number:	202-425-9
Concentration:	100%

SECTION 4: First aid measures

Description of necessary first-aid measures

If inhaled

Fresh air, rest. Refer for medical attention.

Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention .

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth. Give one or two glasses of water to drink. Do NOT induce vomiting. Refer for medical attention .

Most important symptoms/effects, acute and delayed

Chronic inhalation of mist or vapors may result in damage to lungs, liver, and kidneys. Acute vapor exposure can cause symptoms ranging from coughing to central nervous system depression and transient anesthesia. Irritating to skin, eyes, and mucous membranes. May cause dermatitis. (USCG, 1999)

Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Lindane and related compounds

SECTION 5: Firefighting measures**Suitable extinguishing media**

Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Use water spray, dry chemical, foam, or carbon dioxide. Use water spray to keep fire-exposed containers cool. Extinguish fire using agent suitable for surrounding fire.

Specific hazards arising from the chemical

Special Hazards of Combustion Products: Poisonous vapors including hydrogen chloride gas, chlorocarbons, chlorine (USCG, 1999)

Special protective actions for fire-fighters

Use water spray, powder, foam, carbon dioxide.

SECTION 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

Environmental precautions

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

Methods and materials for containment and cleaning up

Land spill: Dig a pit, pond, lagoon, or holding area to contain liquid or solid material. /SRP: If time permits, pits, ponds, lagoons, soak holes or holding areas should be sealed with an impermeable flexible membrane liner. / Dike surface flow using soil, sand bags, foamed polyurethane, or concrete. Absorb bulk liquid with fly ash, or cement powder. Apply "universal" gelling agent to immobilize spill.

SECTION 7: Handling and storage

Precautions for safe handling

NO open flames. Above 66°C use a closed system and ventilation. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Separated from aluminium, oxidants and food and feedstuffs. Store in cool, dry, well-ventilated location. Separate from oxidizing materials.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

TLV: 25 ppm as TWA; 50 ppm as STEL; A4 (not classifiable as a human carcinogen). MAK: 61 mg/m³, 10 ppm; peak limitation category: II(2); skin absorption (H); pregnancy risk group: C. EU-OEL: 122 mg/m³, 20 ppm as TWA; 306 mg/m³, 50 ppm as STEL; (skin)

Biological limit values

no data available

Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear face shield.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use ventilation, local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state:	Liquid.
Colour:	Colorless liquid
Odour:	Pleasant odor
Melting point/freezing point:	Ca. -17.03 °C.
Boiling point or initial boiling point and boiling range:	Ca. 180.5 °C. Atm. press.:1 013.25 hPa.
Flammability:	Class IIIA Combustible Liquid: FL.P. at or above 140°F and below 200°F.

Lower and upper explosion limit/flammability limit:	2 TO 9% BY VOL IN AIR
Flash point:	Ca. 151 °F.;Ca. 66 °C.
Auto-ignition temperature:	Ca. 640 °C. Remarks:Pressure not reported.
Decomposition temperature:	no data available
pH:	no data available
Kinematic viscosity:	dynamic viscosity (in mPa s) = Ca. 1.324. Temperature:25.0°C.
Solubility:	less than 1 mg/mL at 76.1° F (NTP, 1992)
Partition coefficient n-octanol/water:	log Pow = Ca. 3.433. Temperature:25 °C. Remarks:PH value.
Vapour pressure:	Ca. 1.56 mm Hg. Temperature:Ca. 25 °C. Remarks:This is equivalent to 2.08 hPa.
Density and/or relative density:	Ca. 1.306 g/cm ³ . Temperature:20 °C.;Ca. 1.3 g/cm ³ . Temperature:25 °C.
Relative vapour density:	5.1 (vs air)
Particle characteristics:	no data available

SECTION 10: Stability and reactivity

Reactivity

Decomposes on burning. This produces toxic and corrosive gases including hydrogen chloride. Reacts with aluminium and oxidants. Attacks plastics and rubber.

Chemical stability

no data available

Possibility of hazardous reactions

Combustible liquid. O-DICHLOROBENZENE is sensitive to prolonged exposure to light. This chemical can react vigorously with oxidizers. It is incompatible with aluminum and aluminum alloys. It attacks some forms of plastics, rubber and coatings. (NTP, 1992).

Conditions to avoid

no data available

Incompatible materials

Strong oxidizers, aluminum, chlorides, acids, acid fumes.

Hazardous decomposition products

When heated to decomposition it emits toxic /hydrogen/ chloride fumes.

SECTION 11: Toxicological information

Acute toxicity

Oral: LD50 - rat (male/female) - > 2 000 mg/kg bw.

Inhalation: LC50 - mouse (female) - 1 236 ppm.

Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

NTP: Reasonably anticipated to be a human carcinogen

Reproductive toxicity

no data available

STOT-single exposure

The substance is irritating to the eyes, skin and respiratory tract. The substance may cause effects on the central nervous system and liver. Exposure could cause lowering of consciousness.

STOT-repeated exposure

The substance defats the skin, which may cause dryness or cracking. The substance may have effects on the kidneys and blood.

Aspiration hazard

A harmful contamination of the air will be reached rather slowly on evaporation of this substance at 20°C.

SECTION 12: Ecological information

Toxicity

Toxicity to fish: LC50 - *Oncorhynchus mykiss* (previous name: *Salmo gairdneri*) - 1.58 mg/L - 96 h.

Toxicity to daphnia and other aquatic invertebrates: EC50 - *Ceriodaphnia dubia* - 4.5 µmol/L - 48 h.

Toxicity to algae: EC50 - *Pseudokirchneriella subcapitata* (previous names: *Raphidocelis subcapitata*, *Selenastrum capricornutum*) - 2.2 mg/L - 96 h.

Toxicity to microorganisms: IC50 - *Nitrosomonas* sp. - 47 mg/L - 24 h.

Persistence and degradability

AEROBIC: 1,2-Dichlorobenzene at 100 mg/L achieved 0% of its theoretical BOD using an activated sludge inoculum at 30 mg/L over a 4 week incubation period in the Japanese MITI test(1). 1,2-Dichlorobenzene was resistant to biodegradation in another Japanese

MTI test study(2). Dichlorobenzene isomers were slowly biodegraded (6.3% of theoretical CO₂ evolution in 10 weeks) in an alkaline soil sample(3). The rate constant for 1,2-dichlorobenzene in a heterogeneous aquifer at the Columbus Air Force Base, Mississippi was 0.0059 days⁻¹, corresponding to a biodegradation half-life of about 117 days(4). 1,2-Dichlorobenzene is resistant to biodegradation in soils, with half-lives expected to be greater than 9 months(5).

Bioaccumulative potential

The sorption of 8 organic compounds by a representative green alga, *Selenastrum capricornutum*, was determined by GLC by a series of linear model experiments. The log₁₀ bioconcentration factors (BCF), defined as the ratio of the concentration on/in the algae to the concentration in the aqueous medium, were as follows: benzene 3.32, toluene 3.18, chlorobenzene 3.69, 1,2-dichlorobenzene 4.17. The relation of log₁₀ BCF correlation with log₁₀ octanol-water partition coefficient (P) was determined to be $\log_{10} \text{BCF} = 0.46 \log_{10} P + 2.36$.

Mobility in soil

Experimental K_{oc} values of 280(1) and 320(2) were determined for 1,2-dichlorobenzene in silt loam soils. A log K_{oc} value of 3.7 was reported for 1,2-dichlorobenzene in sediment obtained from the Ise Bay, Japan(3) and a log K_{oc} value of 4.3 was measured from sediment of Lake Ketelmeer, Netherlands(4). According to a recommended classification scheme(5), these soil K_{oc} values suggest that 1,2-dichlorobenzene has moderate mobility in soil(SRC).

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN1591 (For reference only, please check.)

IMDG: UN1591 (For reference only, please check.)

IATA: UN1591 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: o-DICHLOROBENZENE (For reference only, please check.)

IMDG: o-DICHLOROBENZENE (For reference only, please check.)

IATA: o-DICHLOROBENZENE (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

Packing group, if applicable

ADR/RID: III (For reference only, please check.)

IMDG: III (For reference only, please check.)

IATA: III (For reference only, please check.)

Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

(PICCS)

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:
http://www.echemportal.org/echemportal/index?pagelD=0&request_locale=en

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any