

Chemical Safety Data Sheet MSDS / SDS

2,3-xylylidine SDS

Revision Date:2024-04-25 Revision Number:1

| | | | | | | | |
|-----------|------------|------------|------------|------------|------------|------------|------------|
| Section 1 | Section 2 | Section 3 | Section 4 | Section 5 | Section 6 | Section 7 | Section 8 |
| Section 9 | Section 10 | Section 11 | Section 12 | Section 13 | Section 14 | Section 15 | Section 16 |

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name: 2,3-xylylidine

CAS: 87-59-2

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: For R&D use only. Not for medicinal, household or other use.

Uses advised against: none

Company Identification

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

SECTION 2: Hazards identification**Classification of the substance or mixture**

Acute toxicity - Category 3, Oral

Acute toxicity - Category 3, Dermal

Acute toxicity - Category 3, Inhalation
Specific target organ toxicity - repeated exposure, Category 2
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 2

GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

Hazard statement(s)

H301 Toxic if swallowed
H311 Toxic in contact with skin
H331 Toxic if inhaled
H373 May cause damage to organs through prolonged or repeated exposure
H411 Toxic to aquatic life with long lasting effects

Precautionary statement(s)

Prevention

P264 Wash ... thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P273 Avoid release to the environment.

Response

P301+P316 IF SWALLOWED: Get emergency medical help immediately.
P321 Specific treatment (see ... on this label).
P330 Rinse mouth.
P302+P352 IF ON SKIN: Wash with plenty of water/...
P316 Get emergency medical help immediately.
P361+P364 Take off immediately all contaminated clothing and wash it before reuse.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P319 Get medical help if you feel unwell.
P391 Collect spillage.

Storage

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

Substance

Chemical name: 2,3-xylydine

Common names and synonyms: 2,3-xylydine

CAS number: 87-59-2

EC number: 201-755-0

Concentration: 100%

SECTION 4: First aid measures

Description of necessary first-aid measures

If inhaled

Fresh air, rest. Refer for medical attention.

Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention .

Following eye contact

Rinse with plenty of water for several minutes (remove contact lenses if easily possible).

Following ingestion

Rinse mouth. Refer for medical attention .

Most important symptoms/effects, acute and delayed

SYMPTOMS: Exposure to this compound can cause local irritation of skin, eyes and mucous membranes. Other symptoms include anoxia and cyanosis; lung, liver and kidney damage. **ACUTE/CHRONIC HAZARDS:** This compound may cause irritation of skin, eyes and mucous membranes upon contact. (NTP, 1992)

Indication of immediate medical attention and special treatment needed, if necessary

no data available

SECTION 5: Firefighting measures

Suitable extinguishing media

Use dry chemical, foam, carbon dioxide, or water spray. Water may be ineffective. Water or foam may cause frothing. Approach fire from upwind to avoid hazardous vapors and toxic decomposition products.

Specific hazards arising from the chemical

This compound is combustible. (NTP, 1992)

Special protective actions for fire-fighters

Use water spray, carbon dioxide, foam, powder.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal protection: chemical protection suit and filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

Environmental precautions

Personal protection: chemical protection suit and filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

Methods and materials for containment and cleaning up

Environmental considerations - land spill: Dig a pit, pond, lagoon, holding area to contain liquid or solid material. /SRP: If time permits, pits, ponds, lagoons, soak holes, or holding areas should be sealed with an impermeable flexible membrane liner. / Dike surface flow using soil, sand bags, foamed polyurethane, or foamed concrete. Absorb bulk liquid with fly ash, cement powder, or commercial sorbents. Xylidines

SECTION 7: Handling and storage

Precautions for safe handling

NO open flames. Above 96°C use a closed system and ventilation. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Separated from strong oxidants, acids, acid anhydrides, acid chlorides, hypochlorites, halogens and food and feedstuffs. Well closed. Provision to contain effluent from fire extinguishing. Store in an area without drain or sewer access.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

MAK: skin absorption (H); carcinogen category: 3A

Biological limit values

no data available

Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety spectacles or eye protection in combination with breathing protection.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use ventilation, local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

| | |
|---|--|
| Physical state: | Liquid. Viscous. |
| Colour: | Yellowish to red-brown. |
| Odour: | no data available |
| Melting point/freezing point: | $\geq 2 - \leq 4$ °C. |
| Boiling point or initial boiling point and boiling range: | $\geq 221 - \leq 224$ °C. |
| Flammability: | Combustible. Gives off irritating or toxic fumes (or gases) in a fire. |
| Lower and upper explosion limit/flammability limit: | Lower limit 1.0 % by volume |
| Flash point: | $\geq 96 - \leq 102$ °C. |

| | |
|--|--|
| Auto-ignition temperature: | 545°C |
| Decomposition temperature: | no data available |
| pH: | no data available |
| Kinematic viscosity: | no data available |
| Solubility: | 1 to 5 mg/mL at 75° F (NTP, 1992) |
| Partition coefficient n-octanol/water: | log Pow = >= 1.74 - <= 1.94. Remarks:No details on Temp. and pH available. |
| Vapour pressure: | 20 hPa. Temperature:106 °C. |
| Density and/or relative density: | >= 0.99 - <= 1 g/cm3. Temperature:20 °C. |
| Relative vapour density: | 4.2 (vs air) |
| Particle characteristics: | no data available |

SECTION 10: Stability and reactivity

Reactivity

Decomposes on burning. This produces toxic and corrosive fumes including nitrogen oxides. Reacts violently with strong oxidants. Reacts with hypochlorites. This produces explosive chloroamines. Reacts with acids, acid anhydrides, acid chlorides and halogens. Attacks plastic and rubber.

Chemical stability

no data available

Possibility of hazardous reactions

2,3-XYLIDINE reacts with strong oxidizing agents and hypochlorite bleaches (NTP, 1992). Neutralizes acids in exothermic reactions to form salts plus water. May be incompatible with isocyanates, halogenated organics, peroxides, phenols (acidic), epoxides,

anhydrides, and acid halides. Flammable gaseous hydrogen may be generated in combination with strong reducing agents, such as hydrides.

Conditions to avoid

no data available

Incompatible materials

Strong oxidizers, hypochlorite bleaches Xylidines

Hazardous decomposition products

Combustion by-products include oxides of nitrogen and other irritants and toxic gases.

SECTION 11: Toxicological information

Acute toxicity

Oral: LD50 - rat (male) - 930 mg/kg bw.

Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

A3; Confirmed animal carcinogen with unknown relevance to humans. Xylidine (mixed isomers)

Reproductive toxicity

no data available

STOT-single exposure

Exposure at high levels could cause lowering of consciousness and formation of methaemoglobin. The effects may be delayed. Medical observation is indicated.

STOT-repeated exposure

The substance may have effects on the blood. This may result in anaemia.

Aspiration hazard

A harmful contamination of the air will be reached slowly on evaporation of this substance at 20°C; on spraying or dispersing, however, much faster.

SECTION 12: Ecological information

Toxicity

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: IC50 - *Desmodesmus subspicatus* (previous name: *Scenedesmus subspicatus*) - 44 mg/L - 48 h.

Toxicity to microorganisms: EC50 - *Tetrahymena pyriformis* - 327 mg/L - 48 h.

Persistence and degradability

2,3-Xylidine, initially present at 200 mg/L COD, reached 96.5% degradation (measured as removal of COD) with a rate of biodegradation of 12.7 mg COD/g-hr using an activated sludge inoculum(1).

Bioaccumulative potential

An estimated BCF value of 26 was calculated for 2,3-xylidine(SRC), using an estimated log Kow of 2.2(1,SRC) and a recommended regression-derived equation(2). According to a classification scheme(3), this BCF value suggests that bioconcentration in aquatic organisms is low(SRC).

Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc for 2,3-xylidine can be estimated to be about 120(SRC). According to a recommended classification scheme(2), this estimated Koc value suggests that 2,3-xylidine has high mobility in soil(SRC). However, anilines are expected to bind strongly to humus or soil organic matter in soils due to the high reactivity of the aromatic amino group(3,4). Low adsorption is observed at a neutral pH with pure clay minerals or soils for substituted anilines(4).

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN1711 (For reference only, please check.)

IMDG: UN1711 (For reference only, please check.)

IATA: UN1711 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: XYLIDINES, LIQUID (For reference only, please check.)

IMDG: XYLIDINES, LIQUID (For reference only, please check.)

IATA: XYLIDINES, LIQUID (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

Packing group, if applicable

ADR/RID: II (For reference only, please check.)

IMDG: II (For reference only, please check.)

IATA: II (For reference only, please check.)

Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

(PICCS)

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:
http://www.echemportal.org/echemportal/index?pagelD=0&request_locale=en

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Other Information

Depending on the degree of exposure, periodic medical examination is suggested. Specific treatment is necessary in case of poisoning with this substance; the appropriate means with instructions must be available. TLV only established for mixed isomers. See ICSCs 0453, 0600, 1519, 1686 and 1687.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any