

## Chemical Safety Data Sheet MSDS / SDS

## 2-chloro-1-(3-ethoxy-4-nitrophenoxy)-4-(trifluoromethyl)benzene SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name: 2-chloro-1-(3-ethoxy-4-nitrophenoxy)-4-(trifluoromethyl)benzene

CAS: 42874-03-3

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses: For R&amp;D use only. Not for medicinal, household or other use.

Uses advised against: none

**Company Identification**

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

**SECTION 2: Hazards identification****Classification of the substance or mixture**

Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1

Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

## GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Warning

Hazard statement(s)

H410 Very toxic to aquatic life with long lasting effects

Precautionary statement(s)

Prevention

P273 Avoid release to the environment.

Response

P391 Collect spillage.

Storage

none

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in classification

no data available

## SECTION 3: Composition/information on ingredients

Substance

Chemical name: 2-chloro-1-(3-ethoxy-4-nitrophenoxy)-4-(trifluoromethyl)benzene

Common names and synonyms: 2-chloro-1-(3-ethoxy-4-nitrophenoxy)-4-(trifluoromethyl)benzene

CAS number: 42874-03-3  
EC number: 255-983-0  
Concentration: 100%

#### **SECTION 4: First aid measures**

##### **Description of necessary first-aid measures**

###### **If inhaled**

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

###### **Following skin contact**

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

###### **Following eye contact**

Rinse with pure water for at least 15 minutes. Consult a doctor.

###### **Following ingestion**

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

##### **Most important symptoms/effects, acute and delayed**

Excerpt from ERG Guide 171 [Substances (Low to Moderate Hazard)]: Inhalation of material may be harmful. Contact may cause burns to skin and eyes. Inhalation of Asbestos dust may have a damaging effect on the lungs. Fire may produce irritating, corrosive and/or toxic gases. Some liquids produce vapors that may cause dizziness or suffocation. Runoff from fire control may cause pollution. (ERG, 2016)

##### **Indication of immediate medical attention and special treatment needed, if necessary**

no data available

#### **SECTION 5: Firefighting measures**

##### **Suitable extinguishing media**

Excerpt from ERG Guide 171 [Substances (Low to Moderate Hazard)]: **SMALL FIRE:** Dry chemical, CO<sub>2</sub>, water spray or regular foam. **LARGE FIRE:** Water spray, fog or regular foam. Do not scatter spilled material with high-pressure water streams. Move containers from fire area if you can do it without risk. Dike fire-control water for later disposal. **FIRE INVOLVING TANKS:** Cool containers with flooding quantities of water until well after fire is out. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. **ALWAYS** stay away from tanks engulfed in fire. (ERG, 2016)

#### **Specific hazards arising from the chemical**

Excerpt from ERG Guide 171 [Substances (Low to Moderate Hazard)]: Some may burn but none ignite readily. Containers may explode when heated. Some may be transported hot. For UN3508, be aware of possible short circuiting as this product is transported in a charged state. (ERG, 2016)

#### **Special protective actions for fire-fighters**

Wear self-contained breathing apparatus for firefighting if necessary.

### **SECTION 6: Accidental release measures**

#### **Personal precautions, protective equipment and emergency procedures**

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### **Environmental precautions**

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

#### **Methods and materials for containment and cleaning up**

If a spill occurs, clean it up promptly. Don't wash it away. Instead, sprinkle the spill with sawdust, vermiculite, or kitty litter. Sweep it into a plastic garbage bag, and dispose of it as directed on the pesticide product label.

### **SECTION 7: Handling and storage**

#### **Precautions for safe handling**

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust

and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

#### **Conditions for safe storage, including any incompatibilities**

Safe Storage of Pesticides. Always store pesticides in their original containers, complete with labels that list ingredients, directions for use, and first aid steps in case of accidental poisoning. Never store pesticides in cabinets with or near food, animal feed, or medical supplies. Do not store pesticides in places where flooding is possible or in places where they might spill or leak into wells, drains, ground water, or surface water.

### **SECTION 8: Exposure controls/personal protection**

#### **Control parameters**

#### **Occupational Exposure limit values**

no data available

#### **Biological limit values**

no data available

#### **Appropriate engineering controls**

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

#### **Individual protection measures, such as personal protective equipment (PPE)**

#### **Eye/face protection**

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

#### **Skin protection**

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### **Respiratory protection**

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

## Thermal hazards

no data available

## SECTION 9: Physical and chemical properties and safety characteristics

Physical state:	Oxyfluorfen is an orange crystalline solid. Non corrosive. Used as an herbicide.
Colour:	Orange crystalline solid at room temperature
Odour:	no data available
Melting point/freezing point:	83-84° C
Boiling point or initial boiling point and boiling range:	>240° C
Flammability:	no data available
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	187.9° C
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH:	no data available
Kinematic viscosity:	no data available
Solubility:	Readily soluble in most organic solvents, e.g. acetone 72.5, cyclohexanone, isophorone 61.5, dimethylformamide >50, chloroform 50-55, mesityl oxide 40-50 (all in g/100 g, 25 deg C)

Partition coefficient n-octanol/water:	log Kow = 4.73
Vapour pressure:	2X10-7 mm Hg at 25 deg C
Density and/or relative density:	1.402 g/cm <sup>3</sup>
Relative vapour density:	no data available
Particle characteristics:	no data available

## SECTION 10: Stability and reactivity

### Reactivity

no data available

### Chemical stability

no data available

### Possibility of hazardous reactions

A trifluoromethyl diphenyl ether derivative.

### Conditions to avoid

no data available

### Incompatible materials

no data available

### Hazardous decomposition products

When heated to decomposition it emits toxic fumes of /hydrogen chloride, hydrogen fluoride, and nitrogen oxides/.

## **SECTION 11: Toxicological information**

### **Acute toxicity**

Oral: no data available

Inhalation: no data available

Dermal: no data available

### **Skin corrosion/irritation**

no data available

### **Serious eye damage/irritation**

no data available

### **Respiratory or skin sensitization**

no data available

### **Germ cell mutagenicity**

no data available

### **Carcinogenicity**

no data available

### **Reproductive toxicity**

no data available

### **STOT-single exposure**

no data available

### **STOT-repeated exposure**

no data available



## Aspiration hazard

no data available

## SECTION 12: Ecological information

### Toxicity

Toxicity to fish: LC50; Species: *Lepomis macrochirus* (Bluegill, juvenile); Conditions: freshwater; flow through; Concentration: 200 ug/L for 96 hr (95% confidence interval: 130-310 ug/L) /95% purity

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

### Persistence and degradability

AEROBIC: Oxyfluorfen biodegradation rate constant in non-sterile sediment was much greater ( $p=0.01$ ) than sterile sediment rate constant(1). Biodegradation half-lives were given for oxyfluorfen in non-sterile estuarine sediment as 17 days and non-sterile estuarine water as 27.5 days(2). In a field study, oxyfluorfen had a half-life of 12 days in soil (20.7% sand, 32.8% silt, 46.5% clay, 7.1 pH, 5.84 g/kg organic content) with an application rate of 0.12 kg ai/ha(3).

### Bioaccumulative potential

An estimated BCF of 880 was calculated in fish for oxyfluorfen(SRC), using a log Kow of 4.73(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is high, provided the compound is not metabolized by the organism(SRC).

### Mobility in soil

The Koc of oxyfluorfen is estimated as 8900(SRC), using a log Kow of 4.73(1) and a regression-derived equation(2). According to a classification scheme(3), this estimated Koc value suggests that oxyfluorfen is expected to be immobile in soil(SRC). Oxyfluorfen is strongly absorbed to organic soils and only minimally leached(10). Oxyfluorfen had reported Kd values of 52-755 and 111-829 at 25 and 37 deg C, respectively in 6 different soils with moisture contents of 30-90%(4). Oxyfluorfen stayed in the top 0-10 cm of soil 28 days after application(5). Oxyfluorfen remained in the top 0-5 cm in a 1992 and 1993 study with an application rate of 1.2 kg ai/ha(6). Oxyfluorfen penetrated to 5.41-8.89 cm with 3.2-12.8 cm of rain and had a half-life in the soil of 35 days(7). Soil half-lives of 30-103 days were calculated for oxyfluorfen at different application rates and rainfall amounts(8). Oxyfluorfen has been noted as persistent and immobile in soil(9).

**Other adverse effects**

no data available

**SECTION 13: Disposal considerations****Disposal methods****Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

**Contaminated packaging**

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

**SECTION 14: Transport information****UN Number**

ADR/RID: UN1145 (For reference only, please check.)

IMDG: UN1145 (For reference only, please check.)

IATA: UN1145 (For reference only, please check.)

**UN Proper Shipping Name**

ADR/RID: CYCLOHEXANE (For reference only, please check.)

IMDG: CYCLOHEXANE (For reference only, please check.)

IATA: CYCLOHEXANE (For reference only, please check.)

**Transport hazard class(es)**

ADR/RID: 3 (For reference only, please check.)

IMDG: 3 (For reference only, please check.)

IATA: 3 (For reference only, please check.)

**Packing group, if applicable**

ADR/RID: II (For reference only, please check.)  
IMDG: II (For reference only, please check.)  
IATA: II (For reference only, please check.)

#### **Environmental hazards**

ADR/RID: Yes  
IMDG: Yes  
IATA: Yes

#### **Special precautions for user**

no data available

#### **Transport in bulk according to IMO instruments**

no data available

### **SECTION 15: Regulatory information**

#### **Safety, health and environmental regulations specific for the product in question**

##### **European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

##### **EC Inventory**

Listed.

##### **United States Toxic Substances Control Act (TSCA) Inventory**

Not Listed.

##### **China Catalog of Hazardous chemicals 2015**

Not Listed.

##### **New Zealand Inventory of Chemicals (NZIoC)**

Listed.

##### **(PICCS)**

Not Listed.

**Vietnam National Chemical Inventory**

Listed.

**IECSC)**

Not Listed.

**Korea Existing Chemicals List (KECL)**

Listed.

## SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:  
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any