

## Chemical Safety Data Sheet MSDS / SDS

## 2-ethylbutan-1-ol SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name: 2-ethylbutan-1-ol

CAS: 97-95-0

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses: For R&amp;D use only. Not for medicinal, household or other use.

Uses advised against: none

**Company Identification**

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

**SECTION 2: Hazards identification****Classification of the substance or mixture**

Acute toxicity - Category 4, Oral

Acute toxicity - Category 4, Dermal

## GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Warning

### Hazard statement(s)

H302 Harmful if swallowed

H312 Harmful in contact with skin

### Precautionary statement(s)

### Prevention

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

### Response

P301+P317 IF SWALLOWED: Get medical help.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P317 Get medical help.

P321 Specific treatment (see ... on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

### Storage

none

### Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

### Other hazards which do not result in classification

no data available

### SECTION 3: Composition/information on ingredients

#### Substance

Chemical name:	2-ethylbutan-1-ol
Common names and synonyms:	2-ethylbutan-1-ol
CAS number:	97-95-0
EC number:	202-621-4
Concentration:	100%

### SECTION 4: First aid measures

#### Description of necessary first-aid measures

##### If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

##### Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

##### Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

##### Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

#### Most important symptoms/effects, acute and delayed

Liquid causes eye burns. Vapors may be mildly irritating to nose and throat. (USCG, 1999)

#### Indication of immediate medical attention and special treatment needed, if necessary

#### Absorption, Distribution and Excretion

Rabbits excreted 40% of ingested dose of 2-ethylbutyl alcohol as urinary glucuronide...small amt of methyl n-propyl ketone is also excreted in rabbit urine following ingestion of 2-ethylbutyl alcohol.

## SECTION 5: Firefighting measures

### Suitable extinguishing media

Dry chemical, CO<sub>2</sub>, foam, fog.

### Specific hazards arising from the chemical

Excerpt from ERG Guide 129 [Flammable Liquids (Water-Miscible / Noxious)]: HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Those substances designated with a (P) may polymerize explosively when heated or involved in a fire. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Many liquids are lighter than water. (ERG, 2016)

### Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance

with appropriate laws and regulations.

## **SECTION 7: Handling and storage**

### **Precautions for safe handling**

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### **Conditions for safe storage, including any incompatibilities**

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

## **SECTION 8: Exposure controls/personal protection**

### **Control parameters**

#### **Occupational Exposure limit values**

no data available

#### **Biological limit values**

no data available

### **Appropriate engineering controls**

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### **Individual protection measures, such as personal protective equipment (PPE)**

#### **Eye/face protection**

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

#### **Skin protection**

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived

from it.

### Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

### Thermal hazards

no data available

## SECTION 9: Physical and chemical properties and safety characteristics

Physical state:	Flash point of 137°F. Less dense than water and slightly soluble in water. Vapors are heavier than air. Used as a solvent and in the manufacture of pharmaceuticals.
Colour:	COLORLESS LIQUID
Odour:	no data available
Melting point/freezing point:	227°C(lit.)
Boiling point or initial boiling point and boiling range:	146°C
Flammability:	no data available
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	57°C(lit.)
Auto-ignition temperature:	580° F (USCG, 1999)
Decomposition temperature:	no data available
pH:	no data available
Kinematic viscosity:	no data available

Solubility:	SLIGHTLY SOL IN WATER; SOL IN ALCOHOL, ETHER
Partition coefficient n-octanol/water:	no data available
Vapour pressure:	3.62 mm Hg (USCG, 1999)
Density and/or relative density:	0.83
Relative vapour density:	no data available
Particle characteristics:	no data available

## SECTION 10: Stability and reactivity

### Reactivity

Flammable. Slightly soluble in water.

### Chemical stability

no data available

### Possibility of hazardous reactions

COMBUSTIBLE. Flammable and/or toxic gases are generated by the combination of alcohols, such as 2-ETHYLBUTANOL, with alkali metals, nitrides, and strong reducing agents. Alcohols react with oxoacids and carboxylic acids to form esters plus water. Oxidizing agents convert them to aldehydes or ketones. Alcohols exhibit both weak acid and weak base behavior. They may initiate the polymerization of isocyanates and epoxides.

### Conditions to avoid

no data available

### Incompatible materials

no data available

## **Hazardous decomposition products**

no data available

## **SECTION 11: Toxicological information**

### **Acute toxicity**

Oral: no data available

Inhalation: no data available

Dermal: no data available

### **Skin corrosion/irritation**

no data available

### **Serious eye damage/irritation**

no data available

### **Respiratory or skin sensitization**

no data available

### **Germ cell mutagenicity**

no data available

### **Carcinogenicity**

no data available

### **Reproductive toxicity**

no data available

### **STOT-single exposure**

no data available



**STOT-repeated exposure**

no data available

**Aspiration hazard**

no data available

**SECTION 12: Ecological information**

**Toxicity**

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

**Persistence and degradability**

no data available

**Bioaccumulative potential**

no data available

**Mobility in soil**

no data available

**Other adverse effects**

no data available

**SECTION 13: Disposal considerations**

**Disposal methods**

## Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

## Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

## SECTION 14: Transport information

### UN Number

ADR/RID: UN2275 (For reference only, please check.)  
IMDG: UN2275 (For reference only, please check.)  
IATA: UN2275 (For reference only, please check.)

### UN Proper Shipping Name

ADR/RID: 2-ETHYLBUTANOL (For reference only, please check.)  
IMDG: 2-ETHYLBUTANOL (For reference only, please check.)  
IATA: 2-ETHYLBUTANOL (For reference only, please check.)

### Transport hazard class(es)

ADR/RID: 3 (For reference only, please check.)  
IMDG: 3 (For reference only, please check.)  
IATA: 3 (For reference only, please check.)

### Packing group, if applicable

ADR/RID: III (For reference only, please check.)  
IMDG: III (For reference only, please check.)  
IATA: III (For reference only, please check.)

### Environmental hazards

ADR/RID: No  
IMDG: No

IATA: No

**Special precautions for user**

no data available

**Transport in bulk according to IMO instruments**

no data available

**SECTION 15: Regulatory information**

**Safety, health and environmental regulations specific for the product in question**

**European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

**EC Inventory**

Listed.

**United States Toxic Substances Control Act (TSCA) Inventory**

Listed.

**China Catalog of Hazardous chemicals 2015**

Listed.

**New Zealand Inventory of Chemicals (NZIoC)**

Listed.

**(PICCS)**

Listed.

**Vietnam National Chemical Inventory**

Listed.

**IECSC)**

Listed.

## Korea Existing Chemicals List (KECL)

Listed.

### SECTION 16: Other information

#### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

#### References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any