

## Chemical Safety Data Sheet MSDS / SDS

## 3-iodo-2-propynyl butylcarbamate SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name: 3-iodo-2-propynyl butylcarbamate

CAS: 55406-53-6

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses: For R&amp;D use only. Not for medicinal, household or other use.

Uses advised against: none

**Company Identification**

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

**SECTION 2: Hazards identification****Classification of the substance or mixture**Acute toxicity - Category 4, Oral  
Serious eye damage, Category 1

Skin sensitization, Category 1  
Acute toxicity - Category 3, Inhalation  
Specific target organ toxicity - repeated exposure, Category 1  
Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1  
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

### GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

### Hazard statement(s)

H302 Harmful if swallowed  
H318 Causes serious eye damage  
H317 May cause an allergic skin reaction  
H331 Toxic if inhaled  
H372 Causes damage to organs through prolonged or repeated exposure  
H410 Very toxic to aquatic life with long lasting effects

### Precautionary statement(s)

#### Prevention

P264 Wash ... thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P271 Use only outdoors or in a well-ventilated area.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P273 Avoid release to the environment.

#### Response

P301+P317 IF SWALLOWED: Get medical help.  
P330 Rinse mouth.  
P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P317 Get medical help.

P302+P352 IF ON SKIN: Wash with plenty of water/...  
P333+P317 If skin irritation or rash occurs: Get medical help.  
P321 Specific treatment (see ... on this label).  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P316 Get emergency medical help immediately.  
P319 Get medical help if you feel unwell.  
P391 Collect spillage.

#### **Storage**

P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

#### **Disposal**

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### **Other hazards which do not result in classification**

no data available

### **SECTION 3: Composition/information on ingredients**

#### **Substance**

Chemical name:	3-iodo-2-propynyl butylcarbamate
Common names and synonyms:	3-iodo-2-propynyl butylcarbamate
CAS number:	55406-53-6
EC number:	259-627-5
Concentration:	100%

### **SECTION 4: First aid measures**

**Description of necessary first-aid measures**

**If inhaled**

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

**Following skin contact**

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

**Following eye contact**

Rinse with pure water for at least 15 minutes. Consult a doctor.

**Following ingestion**

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

**Most important symptoms/effects, acute and delayed**

Excerpt from ERG Guide 171 [Substances (Low to Moderate Hazard)]: Inhalation of material may be harmful. Contact may cause burns to skin and eyes. Inhalation of Asbestos dust may have a damaging effect on the lungs. Fire may produce irritating, corrosive and/or toxic gases. Some liquids produce vapors that may cause dizziness or suffocation. Runoff from fire control may cause pollution. (ERG, 2016)

**Indication of immediate medical attention and special treatment needed, if necessary**

Basic treatment: Establish a patent airway. Suction if necessary. Watch for signs of respiratory insufficiency and assist ventilations if needed. Administer oxygen by nonrebreather mask at 10 to 15 L/min. Monitor for pulmonary edema and treat if necessary . Monitor for shock and treat if necessary . Anticipate seizures and treat if necessary . For eye contamination, flush eyes immediately with water. Irrigate each eye continuously with normal saline during transport . Do not use emetics. For ingestion, rinse mouth and administer 5 ml/kg up to 200 ml of water for dilution if the patient can swallow, has a strong gag reflex, and does not drool . Cover skin burns with dry sterile dressings after decontamination . Poison A and B

**SECTION 5: Firefighting measures****Suitable extinguishing media**

Excerpt from ERG Guide 171 [Substances (Low to Moderate Hazard)]: **SMALL FIRE:** Dry chemical, CO<sub>2</sub>, water spray or regular foam. **LARGE FIRE:** Water spray, fog or regular foam. Do not scatter spilled material with high-pressure water streams. Move containers from fire area if you can do it without risk. Dike fire-control water for later disposal. **FIRE INVOLVING TANKS:** Cool containers with flooding quantities of water until well after fire is out. Withdraw immediately in case of rising sound from venting safety devices

or discoloration of tank. ALWAYS stay away from tanks engulfed in fire. (ERG, 2016)

### **Specific hazards arising from the chemical**

Excerpt from ERG Guide 171 [Substances (Low to Moderate Hazard)]: Some may burn but none ignite readily. Containers may explode when heated. Some may be transported hot. For UN3508, be aware of possible short circuiting as this product is transported in a charged state. (ERG, 2016)

### **Special protective actions for fire-fighters**

Wear self-contained breathing apparatus for firefighting if necessary.

## **SECTION 6: Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### **Environmental precautions**

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### **Methods and materials for containment and cleaning up**

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

## **SECTION 7: Handling and storage**

### **Precautions for safe handling**

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### **Conditions for safe storage, including any incompatibilities**

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

## SECTION 8: Exposure controls/personal protection

### Control parameters

### Occupational Exposure limit values

Component	3-iodo-2-propynyl butylcarbamate			
CAS No.	55406-53-6			
	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Germany (AGS)	0,005 (1)	0,058 (1)	0,01 (1)(2)	0,116 (1)(2)
Germany (DFG)	0,005	0,058	0,01 (1)	0,116 (1)
Switzerland	0,01	0,12	0,02	0,24
	Remarks			
Germany (AGS)	(1) Inhalable fraction and vapour (2) 15 minutes average value			
Germany (DFG)	(1) 15 minutes average value			

### Biological limit values

no data available

### Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

#### Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

**Thermal hazards**

no data available

**SECTION 9: Physical and chemical properties and safety characteristics**

Physical state:	3-iodo-2-propynyl butylcarbamate is an off-white solid.
Colour:	Off-white, dull color powder
Odour:	Sharp pungent odor
Melting point/freezing point:	162°C(lit.)
Boiling point or initial boiling point and boiling range:	103°C/50.3mmHg
Flammability:	no data available
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	85°C(lit.)
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH:	no data available
Kinematic viscosity:	no data available
Solubility:	In water, 156 mg/L at 20 deg C

Partition coefficient n-octanol/water:	log Kow = 2.4 /Estimated/
Vapour pressure:	5.25X10-5 mm Hg at 30 deg C
Density and/or relative density:	1.606 g/cm <sup>3</sup>
Relative vapour density:	no data available
Particle characteristics:	no data available

## SECTION 10: Stability and reactivity

### Reactivity

No rapid reaction with air. No rapid reaction with water.

### Chemical stability

no data available

### Possibility of hazardous reactions

3-IODO-2-PROPYNYL BUTYLCARBAMATE is a carbamate ester. Carbamates are chemically similar to, but more reactive than amides. Like amides they form polymers such as polyurethane resins. Carbamates are incompatible with strong acids and bases, and especially incompatible with strong reducing agents such as hydrides. Flammable gaseous hydrogen is produced by the combination of active metals or nitrides with carbamates. Strongly oxidizing acids, peroxides, and hydroperoxides are incompatible with carbamates.

### Conditions to avoid

no data available

### Incompatible materials

no data available



## **Hazardous decomposition products**

no data available

## **SECTION 11: Toxicological information**

### **Acute toxicity**

Oral: LD50 Rat oral (female) 1.1 g/kg /99% Technical/ from table

Inhalation: no data available

Dermal: no data available

### **Skin corrosion/irritation**

no data available

### **Serious eye damage/irritation**

no data available

### **Respiratory or skin sensitization**

no data available

### **Germ cell mutagenicity**

no data available

### **Carcinogenicity**

Cancer Classification: Not Likely to be Carcinogenic to Humans

### **Reproductive toxicity**

no data available

### **STOT-single exposure**

no data available

**STOT-repeated exposure**

no data available

**Aspiration hazard**

no data available

**SECTION 12: Ecological information****Toxicity**

Toxicity to fish: LC50 Pimephales promelas (Fathead minnow) 0.2 ppm/96 hr (95% confidence interval: 0.18-0.23 ppm); flow-through /formulated product

Toxicity to daphnia and other aquatic invertebrates: LC50 Daphnia magna (Water flea) 40 ppb/48 hr; renewal /Polyphase P-100, 97% 3-iodo-2-propynyl butyl carbamate

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

**Persistence and degradability**

AEROBIC: 3-Iodo-2-propynyl butylcarbamate (1 ug/g) was degraded in nonsterile Blackoar soil with a half-life of 2.13 hours at 22 deg C(1). The primary degradate was propargyl butyl carbamate. Ninety percent of 3-iodo-2-propynyl butylcarbamate remained after 4 days and 50 percent remained after 28 days in sterile Blackoar soil at 22 deg C(1). The shorter half-life of 3-iodo-2-propynyl butylcarbamate in non-sterile soil demonstrates the presence of microbial degradation.

**Bioaccumulative potential**

An estimated BCF of 36 was calculated for 3-iodo-2-propynyl butylcarbamate(SRC), using a water solubility of 156 mg/L(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is moderate(SRC), provided the compound is not altered physically or chemically once released into the environment(SRP).

**Mobility in soil**

Reported Koc values for 3-iodo-2-propynyl butylcarbamate range from 62-310(1). According to a classification scheme(2), this Koc range suggests that 3-iodo-2-propynyl butylcarbamate is expected to have high to moderate mobility in soil.

### **Other adverse effects**

no data available

## **SECTION 13: Disposal considerations**

### **Disposal methods**

#### **Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### **Contaminated packaging**

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

## **SECTION 14: Transport information**

### **UN Number**

ADR/RID: no data available

IMDG: no data available

IATA: no data available

### **UN Proper Shipping Name**

ADR/RID: no data available

IMDG: no data available

IATA: no data available

### **Transport hazard class(es)**

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

### **Packing group, if applicable**

ADR/RID: III (For reference only, please check.)  
IMDG: III (For reference only, please check.)  
IATA: III (For reference only, please check.)

#### **Environmental hazards**

ADR/RID: Yes  
IMDG: Yes  
IATA: Yes

#### **Special precautions for user**

no data available

#### **Transport in bulk according to IMO instruments**

no data available

### **SECTION 15: Regulatory information**

**Safety, health and environmental regulations specific for the product in question**

**European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

**EC Inventory**

Listed.

**United States Toxic Substances Control Act (TSCA) Inventory**

Listed.

**China Catalog of Hazardous chemicals 2015**

Not Listed.

**New Zealand Inventory of Chemicals (NZIoC)**

Listed.

**(PICCS)**

Listed.

**Vietnam National Chemical Inventory**

Listed.

**IECSC)**

Listed.

**Korea Existing Chemicals List (KECL)**

Listed.

## **SECTION 16: Other information**

### **Abbreviations and acronyms**

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### **References**

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:  
[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:  
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any