

## Chemical Safety Data Sheet MSDS / SDS

## 4-chlorophenol SDS

Revision Date:2024-04-25 Revision Number:1

|           |            |            |            |            |            |            |            |
|-----------|------------|------------|------------|------------|------------|------------|------------|
| Section 1 | Section 2  | Section 3  | Section 4  | Section 5  | Section 6  | Section 7  | Section 8  |
| Section 9 | Section 10 | Section 11 | Section 12 | Section 13 | Section 14 | Section 15 | Section 16 |

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name: 4-chlorophenol

CAS: 106-48-9

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses: For R&amp;D use only. Not for medicinal, household or other use.

Uses advised against: none

**Company Identification**

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

**SECTION 2: Hazards identification****Classification of the substance or mixture**

Acute toxicity - Category 4, Oral

Acute toxicity - Category 4, Dermal

Acute toxicity - Category 4, Inhalation  
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 2

### GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Warning

### Hazard statement(s)

H302 Harmful if swallowed  
H312 Harmful in contact with skin  
H332 Harmful if inhaled  
H411 Toxic to aquatic life with long lasting effects

### Precautionary statement(s)

### Prevention

P264 Wash ... thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.

### Response

P301+P317 IF SWALLOWED: Get medical help.  
P330 Rinse mouth.  
P302+P352 IF ON SKIN: Wash with plenty of water/...  
P317 Get medical help.  
P321 Specific treatment (see ... on this label).  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P391 Collect spillage.

### Storage

none

## Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

## Other hazards which do not result in classification

no data available

## SECTION 3: Composition/information on ingredients

### Substance

Chemical name: 4-chlorophenol

Common names and synonyms: 4-chlorophenol

CAS number: 106-48-9

EC number: 203-402-6

Concentration: 100%

## SECTION 4: First aid measures

### Description of necessary first-aid measures

#### If inhaled

Fresh air, rest. Refer for medical attention.

#### Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention .

#### Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

#### Following ingestion

Rinse mouth. Do NOT induce vomiting. Refer for medical attention .

### **Most important symptoms/effects, acute and delayed**

Inhalation causes headache, dizziness, weak pulse. Ingestion causes irritation of mouth and stomach; headache, dizziness, weak pulse. Contact with eyes causes severe irritation and burning. Contact with skin causes irritation and burn; if absorbed, causes same symptoms as inhalation. (USCG, 1999)

### **Indication of immediate medical attention and special treatment needed, if necessary**

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Phenols and related compounds

## **SECTION 5: Firefighting measures**

### **Suitable extinguishing media**

Water, spray, mist, fog, foam, dry chemical

### **Specific hazards arising from the chemical**

Special Hazards of Combustion Products: Toxic and irritating hydrogen chloride and chlorine gases may form in fires. (USCG, 1999)

### **Special protective actions for fire-fighters**

Use water spray, powder, foam, carbon dioxide.

## **SECTION 6: Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

Personal protection: chemical protection suit and filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. Carefully collect remainder. Then store and dispose of according to local regulations.

### **Environmental precautions**

Personal protection: chemical protection suit and filter respirator for organic gases and vapours adapted to the airborne

concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. Carefully collect remainder. Then store and dispose of according to local regulations.

#### Methods and materials for containment and cleaning up

Phenolic compd in wastewater are oxidized with hydrogen peroxide catalyzed by iron(3+)-iron(2+). When the wt ratio of phenol:hydrogen peroxide is 1:3 and iron 5-100 ppm, more than 95% of the phenols are removed in 30 min from a 500 ppm phenol soln at pH 5-6 and 25-50 deg C. Phenolic compd

## SECTION 7: Handling and storage

### Precautions for safe handling

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### Conditions for safe storage, including any incompatibilities

Separated from strong oxidants and food and feedstuffs. Well closed. Store in tightly closed containers in a cool, well ventilated area. Metal containers involving the transfer of this chemical should be grounded and bonded. Where possible, automatically pump liquid from drums or other storage containers to process containers. Drums must be equipped with self-closing valves, pressure vacuum bungs, and flame arresters. Use only non-sparking tools and equipment, especially when opening and closing containers of this chemical. Sources of ignition such as smoking and open flames, are prohibited where this chemical is used, handled, or stored in a manner that could create a potential fire or explosion hazard. Monochlorophenols

## SECTION 8: Exposure controls/personal protection

### Control parameters

### Occupational Exposure limit values

|           |                           |                   |                          |                   |
|-----------|---------------------------|-------------------|--------------------------|-------------------|
| Component | 4-chlorophenol            |                   |                          |                   |
| CAS No.   | 106-48-9                  |                   |                          |                   |
|           | Limit value - Eight hours |                   | Limit value - Short term |                   |
|           | ppm                       | mg/m <sup>3</sup> | ppm                      | mg/m <sup>3</sup> |
| Denmark   | ?                         | 0,5               | ?                        | 1,0               |
| Latvia    | ?                         | 1                 | ?                        | ?                 |
| Poland    | ?                         | 0,5               | ?                        | 1,5               |
|           | Remarks                   |                   |                          |                   |

### Biological limit values

no data available

### Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear face shield or eye protection in combination with breathing protection.

#### Skin protection

Protective gloves. Protective clothing.

#### Respiratory protection

Use ventilation (not if powder), local exhaust or breathing protection.

#### Thermal hazards

no data available

## SECTION 9: Physical and chemical properties and safety characteristics

|                                                           |                                                                                           |
|-----------------------------------------------------------|-------------------------------------------------------------------------------------------|
| Physical state:                                           | Solid. Crystalline.                                                                       |
| Colour:                                                   | White to straw-coloured.                                                                  |
| Odour:                                                    | Characteristic phenolic odor                                                              |
| Melting point/freezing point:                             | 42.8 °C.                                                                                  |
| Boiling point or initial boiling point and boiling range: | 218 °C. Atm. press.:1 013 mBar.;125 °C. Atm. press.:24 mBar.;88 °C. Atm. press.:6.7 mBar. |
| Flammability:                                             | Combustible. Gives off irritating or toxic fumes (or gases) in a fire.                    |

|                                                     |                                                                                  |
|-----------------------------------------------------|----------------------------------------------------------------------------------|
| Lower and upper explosion limit/flammability limit: | no data available                                                                |
| Flash point:                                        | 121 °C.                                                                          |
| Auto-ignition temperature:                          | no data available                                                                |
| Decomposition temperature:                          | no data available                                                                |
| pH:                                                 | 1% solution is acidic to litmus                                                  |
| Kinematic viscosity:                                | dynamic viscosity (in mPa s) = 5. Temperature:50.0°C. Remarks:Cited value: 5 cP. |
| Solubility:                                         | Partially miscible with water                                                    |
| Partition coefficient n-octanol/water:              | log Pow = 2.39.                                                                  |
| Vapour pressure:                                    | 0.087 mm Hg. Temperature:25 °C.                                                  |
| Density and/or relative density:                    | 1.306. Temperature:20 °C.                                                        |
| Relative vapour density:                            | 4.4 (NTP, 1992) (Relative to Air)                                                |
| Particle characteristics:                           | no data available                                                                |

## SECTION 10: Stability and reactivity

### Reactivity

Decomposes on burning. This produces toxic and corrosive fumes of hydrochloric acid and chlorine. Reacts with oxidants.

### Chemical stability

Volatile with steam

### **Possibility of hazardous reactions**

COMBUSTIBLE WHEN EXPOSED TO HEAT OR FLAME. CHLOROPHENOLS, SOLID are incompatible with acid chlorides, acid anhydrides and oxidizing agents. Also incompatible with iron (NTP, 1992). Liquefy and darken in color at temperatures above 108°F.

### **Conditions to avoid**

no data available

### **Incompatible materials**

no data available

### **Hazardous decomposition products**

When heated to decomposition it emits toxic fumes of /hydrogen chloride/.

## **SECTION 11: Toxicological information**

### **Acute toxicity**

Oral: LD50 - rat (male) - 1 258 mg/kg bw. Remarks: B (regression coefficient) =5.92.

Inhalation: LC50 - rat - 11 mg/m<sup>3</sup> air.

Dermal: LD50 - rat - 1 500 mg/kg bw.

### **Skin corrosion/irritation**

no data available

### **Serious eye damage/irritation**

no data available

### **Respiratory or skin sensitization**

no data available

### **Germ cell mutagenicity**



no data available

#### **Carcinogenicity**

no data available

#### **Reproductive toxicity**

no data available

#### **STOT-single exposure**

The substance is severely irritating to the eyes, skin and respiratory tract. The substance may cause effects on the central nervous system.

#### **STOT-repeated exposure**

The substance may have effects on the central nervous system.

#### **Aspiration hazard**

No indication can be given about the rate at which a harmful concentration of this substance in the air is reached on evaporation at 20°C.

### **SECTION 12: Ecological information**

#### **Toxicity**

Toxicity to fish: LC50 - *Oncorhynchus mykiss* (previous name: *Salmo gairdneri*) - 1.9 mg/L - 96 h.

Toxicity to daphnia and other aquatic invertebrates: EC50 - *Daphnia magna* - 2.5 mg/L - 48 h.

Toxicity to algae: IC50 - *Skeletonema costatum* - 13.8 mg/L - 96 h.

Toxicity to microorganisms: IC50 - methanogens; activated sludge; *Nitrosomonas*; *Photobacterium phosphoreum* - 270 mg/L - 96 h.

#### **Persistence and degradability**

Complete dechlorination and aromatic ring degradation of ... 4-chlorophenol ... by 2,4-D grown cells of an *Arthrobacter* species isolated from slit loam.

### **Bioaccumulative potential**

BCFs of 6.0 to 18 for a test concn of 40 ppb and BCFs of 11 to 52 for test concn of 4 ppb was determined for 4-chlorophenol in carp and 42 days exposure(1). The BCF of 4-chlorophenol in goldfish ranged from 10 to 15(2,3). According to a classification scheme(4), these BCF's suggest the potential for bioconcentration in aquatic organisms is low(SRC).

### **Mobility in soil**

Experimentally determined Kocs in various soil conditions range from 70 to 485.6(1,3,6). The Koc in clay loam soil was determined to be 71(1). A Koc of 70 was reported for 4-chlorophenol in Brookston clay loam soil(3). Adsorption of 4-chlorophenol to the organo-clay Bentone 24 has been shown to be pH sensitive; it was 48.5% adsorbed by Bentone 24 in aqueous solution at pH 8.0 and 7.7% adsorbed by Bentone 18C at pH 7.7(4). 4-Chlorophenol did not appear to be sorbed in an experiment in a sandy aquifer(5). A Koc of 485.6 was reported in a European silt loam soil(6). According to a classification scheme(2), Koc values of zero to 50 are very highly mobile, 50 to 150 are highly mobile, and 150 to 500 are moderately mobile.

### **Other adverse effects**

no data available

## **SECTION 13: Disposal considerations**

### **Disposal methods**

#### **Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### **Contaminated packaging**

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

## **SECTION 14: Transport information**

### **UN Number**

ADR/RID: UN2020 (For reference only, please check.)

IMDG: UN2020 (For reference only, please check.)

IATA: UN2020 (For reference only, please check.)

#### **UN Proper Shipping Name**

ADR/RID: CHLOROPHENOLS, SOLID (For reference only, please check.)

IMDG: CHLOROPHENOLS, SOLID (For reference only, please check.)

IATA: CHLOROPHENOLS, SOLID (For reference only, please check.)

#### **Transport hazard class(es)**

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

#### **Packing group, if applicable**

ADR/RID: III (For reference only, please check.)

IMDG: III (For reference only, please check.)

IATA: III (For reference only, please check.)

#### **Environmental hazards**

ADR/RID: Yes

IMDG: Yes

IATA: Yes

#### **Special precautions for user**

no data available

#### **Transport in bulk according to IMO instruments**

no data available

### **SECTION 15: Regulatory information**

**Safety, health and environmental regulations specific for the product in question**

**European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

**EC Inventory**

Listed.

**United States Toxic Substances Control Act (TSCA) Inventory**

Listed.

**China Catalog of Hazardous chemicals 2015**

Listed.

**New Zealand Inventory of Chemicals (NZIoC)**

Listed.

**(PICCS)**

Listed.

**Vietnam National Chemical Inventory**

Listed.

**IECSC)**

Listed.

**Korea Existing Chemicals List (KECL)**

Listed.

**SECTION 16: Other information**

**Abbreviations and acronyms**

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:  
[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:  
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any