

Chemical Safety Data Sheet MSDS / SDS

Aluminium sulphate SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name: Aluminium sulphate
CAS: 10043-01-3

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: For R&D use only. Not for medicinal, household or other use.
Uses advised against: none

Company Identification

Company: Chemicalbook.in
Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090
Telephone: +91 9550333722

SECTION 2: Hazards identification**Classification of the substance or mixture**

Corrosive to metals, Category 1
Serious eye damage, Category 1

GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

Hazard statement(s)

H290 May be corrosive to metals

H318 Causes serious eye damage

Precautionary statement(s)

Prevention

P234 Keep only in original packaging.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

Response

P390 Absorb spillage to prevent material damage.

P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P317 Get medical help.

Storage

P406 Store in a corrosion resistant/...container with a resistant inner liner.

Disposal

none

Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

Substance

Chemical name:	Aluminium sulphate
Common names and synonyms:	Aluminium sulphate
CAS number:	10043-01-3
EC number:	233-135-0
Concentration:	100%

SECTION 4: First aid measures

Description of necessary first-aid measures

If inhaled

Fresh air, rest. Refer for medical attention.

Following skin contact

Rinse skin with plenty of water or shower.

Following eye contact

Rinse with plenty of water for several minutes (remove contact lenses if easily possible). Refer immediately for medical attention.

Following ingestion

Rinse mouth. Do NOT induce vomiting. Give one or two glasses of water to drink. Refer for medical attention .

Most important symptoms/effects, acute and delayed

Inhalation of dust irritates nose and mouth. Ingestion of large doses causes gastric irritation, nausea, vomiting, and purging. Dust irritates eyes and skin. (USCG, 1999)

Vapor irritates eyes, nose and respiratory tract due to formation of sulfuric acid. Ingestion of large doses causes gastric irritation, nausea, vomiting, and purging. Liquid irritates eyes and skin. (USCG, 1999)

Indication of immediate medical attention and special treatment needed, if necessary

Exposure to aluminum sulfate/: Call for medical aid. Dust: Irritating to eyes, nose and throat. If inhaled will cause difficult breathing. If in eyes, hold eyelids open and flush with plenty of water. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen. Solid: Irritating to skin and eyes. If swallowed with cause nausea or vomiting. Remove contaminated clothing and shoes. Flush affected areas with plenty of water. If in eyes, hold eyelids open and flush with plenty of

water. If swallowed and victim is conscious, have victim drink water or milk. If swallowed and victim is unconscious or having convulsions, do nothing except keep victim warm.

SECTION 5: Firefighting measures

Suitable extinguishing media

If material involved in fire: Extinguish fire using agent suitable for type of surrounding fire. (Material itself does not burn or burns with difficulty.)

Specific hazards arising from the chemical

Special Hazards of Combustion Products: Produces sulfuric acid upon decomposition. (USCG, 1999)

Special protective actions for fire-fighters

In case of fire in the surroundings, use appropriate extinguishing media.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into covered plastic containers. If appropriate, moisten first to prevent dusting. Store and dispose of according to local regulations.

Environmental precautions

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into covered plastic containers. If appropriate, moisten first to prevent dusting. Store and dispose of according to local regulations.

Methods and materials for containment and cleaning up

Environmental considerations: Land spill: Dig a pit, pond, lagoon, holding area to contain liquid or solid material. /SRP: If time permits, pits, ponds, lagoons, soak holes, or holding areas should be sealed with an impermeable flexible membrane liner. / Cover solids with a plastic sheet to prevent dissolving in rain or fire fighting water.

SECTION 7: Handling and storage

Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Separated from bases and strong oxidants. Dry. Store in an area without drain or sewer access. Provision to contain effluent from fire extinguishing. Ambient Octadecohydrate

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

Component	Aluminium sulphate			
CAS No.	10043-01-3			
	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m ³	ppm	mg/m ³
Finland	?	1 (1)	?	?
	Remarks			
Finland	(1) calculated as Al			

Biological limit values

no data available

Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety goggles.

Skin protection

Protective gloves.

Respiratory protection

Avoid inhalation of dust. Use local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state:	Solid. Crystalline.
Colour:	White, lustrous crystals, pieces, granules, or powder.
Odour:	ODORLESS
Melting point/freezing point:	> 770 °C. Atm. press.:Ca. 101 325 Pa.
Boiling point or initial boiling point and boiling range:	330°C at 760 mmHg
Flammability:	Not combustible. Gives off irritating or toxic fumes (or gases) in a fire.
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	770°C
pH:	> 1 - <= 2.9. Remarks:1 g/1 ml water) not less than 2.9.
Kinematic viscosity:	dynamic viscosity (in mPa s) = 17. Temperature:20°C. Remarks:Water solution of aluminium sulphate 1 g/1 ml water.
Solubility:	Freely soluble in water, insoluble in ethanol

Partition coefficient n-octanol/water:	no data available
Vapour pressure:	Essentially zero.
Density and/or relative density:	2 710 kg/m ³ . Temperature:20 °C.
Relative vapour density:	no data available
Particle characteristics:	no data available

SECTION 10: Stability and reactivity

Reactivity

Decomposes on heating and on burning. This produces toxic and corrosive fumes including sulfur oxides. Reacts with bases. Reacts violently with strong oxidants. This produces heat. This produces toxic and corrosive fumes including sulfur oxides. The solution in water is a medium strong acid. Attacks many metals in the presence of water.

Chemical stability

Stable in air.

Possibility of hazardous reactions

May burn, but will not ignite. Aqueous solutions of ALUMINUM SULFATE are acidic. The solid may corrode metals in presence of moisture.

Conditions to avoid

no data available

Incompatible materials

May corrode metals in presence of moisture. Aluminum sulfate octadecahydrate

Hazardous decomposition products

When heated to decomposition it emits toxic fumes of /sulfur oxides/.

SECTION 11: Toxicological information

Acute toxicity

Oral: LD50 Rat oral 1930 mg/kg

Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

A4: Not classifiable as a human carcinogen. Aluminum metal and insoluble compounds

Reproductive toxicity

no data available

STOT-single exposure

The substance is severely irritating to the eyes, respiratory tract and gastrointestinal tract. The substance is mildly irritating to the skin.

STOT-repeated exposure

The substance may have effects on the central nervous system. This may result in impaired functions.

Aspiration hazard

A harmful concentration of airborne particles can be reached quickly when dispersed, especially if powdered.

SECTION 12: Ecological information

Toxicity

Toxicity to fish: NOEC - Danio rerio (previous name: Brachydanio rerio) - > 1 000 mg/L - 96 h. Remarks:Low toxicity.

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna - > 100 mg/L - 48 h. Remarks:And immobilization.

Toxicity to algae: EC50 - Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) - > 100 mg/L - 72 h.

Toxicity to microorganisms: EC50 - Euglena sp. - 3 010.832 mg/L - 5 d. Remarks:Population.

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.)
IMDG: Not dangerous goods. (For reference only, please check.)
IATA: Not dangerous goods. (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For reference only, please check.)
IMDG: Not dangerous goods. (For reference only, please check.)
IATA: Not dangerous goods. (For reference only, please check.)

Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)
IMDG: Not dangerous goods. (For reference only, please check.)
IATA: Not dangerous goods. (For reference only, please check.)

Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)
IMDG: Not dangerous goods. (For reference only, please check.)
IATA: Not dangerous goods. (For reference only, please check.)

Environmental hazards

ADR/RID: No
IMDG: No

IATA: No

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Not Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

(PICCS)

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Other Information

Occurs in nature as the mineral alunogenite. Other CAS numbers: 16828-12-9 (14-hydrate); 16828-11-8 (16-hydrate); 7784-31-8 (18-hydrate); 17927-65-0 (x-hydrate). Aluminium sulfate hydrolyzes in water forming sulfuric acid and heat. Literature values for solubility of the substance are very different due to hydrolyzation process.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any