# Chemical Book India

		Chem	nical Safety	Data Shee	et MSDS / S	SDS		
				triisopropano 024-04-25 Revisio				
Section 1 Section 9	Section 2 Section 10	Section 3 Section 11	Section 4 Section 12	Section 5 Section 13	Section 6 Section 14	Section 7 Section 15	Section 8 Section 16	
SECTION 1 Product ide		ion of the su		xture and of	the compa	ny/undertak	ting	

Product name:	Aluminium triisopropanolate
CAS:	555-31-7

# Relevant identified uses of the substance or mixture and uses advised against

 Relevant identified
 For R&D use only. Not for medicinal, household or other use.

 uses:
 uses advised

 uses:
 none

 against:

# Company Identification

Company:	Chemicalbook.in
Address:	5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090
Telephone:	+91 9550333722

# **SECTION 2: Hazards identification**

Classification of the substance or mixture

Flammable solids, Category 1

# GHS label elements, including precautionary statements

Pictogram(s)

Signal word Danger

# Hazard statement(s)

H228 Flammable solid

### Precautionary statement(s)

### Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

### Response

P370+P378 In case of fire: Use ... to extinguish.

### Storage

none

### Disposal

none

# Other hazards which do not result in classification

no data available

# SECTION 3: Composition/information on ingredients

### Substance

Chemical name:Aluminium triisopropanolateCommon names and<br/>synonyms:Aluminium triisopropanolate

CAS number:	555-31-7
EC number:	209-090-8
Concentration:	100%

# **SECTION 4: First aid measures**

# Description of necessary first-aid measures

# If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

# Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

# Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

# Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

# Most important symptoms/effects, acute and delayed

no data available

# Indication of immediate medical attention and special treatment needed, if necessary

no data available

# **SECTION 5: Firefighting measures**

# Suitable extinguishing media

Stop flow of liquid before extinguishing fire. Use dry chemical or carbon dioxide. DO NOT use water as straight stream directly on spilled material. Water fog can be used to control fire. DO NOT use halogenated extinguishing agents on spilled material. Violent

reaction may result. Use water spray to keep fire-exposed containers cool. Fight fire from protected location or maximum possible distance. Aluminum Alkyls

#### Specific hazards arising from the chemical

no data available

#### Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

# **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

# SECTION 7: Handling and storage

### Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### Conditions for safe storage, including any incompatibilities

Extremely reactive with air, moisture and compounds containing active hydrogen and therefore must be kept under a blanket of inert gas. Aluminum alkyls

# SECTION 8: Exposure controls/personal protection

#### **Control parameters**

### Occupational Exposure limit values

Component	Aluminium triisopropanolate			
CAS No.	555-31-7			
	Recommended Exposure Limit: 10-Hr Time-Weighted Avg: 10 mg/cu m (total). /Aluminum/			
	Recommended Exposure Limit: 10 Hr Time-Weighted Avg: 5 mg/cu m (resp). /Aluminum/			
	Recommended Exposure Limit: 10 Hr Time-Weighted Avg: 2 mg/cu m. /Aluminum (soluble salts and alkyls, as Al)/			
	Recommended Exposure Limit: 10 Hr Time-Weighted Avg: 5 mg/cu m. /Aluminum (pyro powders and welding fumes, as Al)/			

### **Biological limit values**

no data available

### Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

# Individual protection measures, such as personal protective equipment (PPE)

### Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

### Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

### **Respiratory protection**

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

# Thermal hazards

no data available

# SECTION 9: Physical and chemical properties and safety characteristics

Physical state:Solid. Crystalline.Colour:Colourless (appearing white).Odour:no data availableMetting point.119 °C. Atm. press.:1 atm.Boiling point or initial boiling point and boiling range.135 °C. Atm. press.:10 mm Hg.Rammability.no data availableLower and upper explosion timit.*no data availablePash point:11.7 °C.Auto-ignition temperature.no data availablePH8.5. Remarks: Temperature reported is temperature after 2 hours.Kinematic viscosity:Soluble in ethanol, isopropanol, benzene, toluene, chloroform, carbon tetrachloride, petroleum hydrocarbors.Partition coefficient n- octanol/water:Soluble in ethanol, isopropanol, benzene, toluene, chloroform, carbon tetrachloride, petroleum hydrocarbors.Partition coefficient n- octanol/water:Soluble in ethanol, isopropanol, benzene, toluene, chloroform, carbon tetrachloride, petroleum hydrocarbors.Vapour pressure:>= 1 - <= 35 Torr. Temperature:>= 119 °C. Remarks: The temperature range is reported as 119 - 172.9 °C.		· · · · · · · · · · · · · · · · · · ·	
Odour:no data availableMelting119 °C. Atm. press.:1 atm.point/freezinginitial boiling pointBoiling point or135 °C. Atm. press.:10 mm Hg.initial boiling pointno data availableRammability:no data availableLower and upperexplosionexplosionno data availableItimt/flammabilityinitial boiling point:Flash point:11.7 °C.Auto-ignitionno data availabletemperature:percentariaDecompositionno data availabletemperature:s.5. Remarks: Temperature reported is temperature after 2 hours.Kinematicno data availableviscosity:Soluble in ethanol, isopropanol, berzene, toluene, chloroform, carbon tetrachloride, petroleum hydrocarbors.Partitionlog Pow = 0.05. Temperature:25 °C.Vapour pressure:>= 1 - <= 35 Torr. Temperature:>= 119 °C. Remarks:The temperature range is reported as	Ph	ysical state:	Solid. Crystalline.
Netting point/freezing point.119 °C. Atm. press.:1 atm.Boiling point or initial boiling point and boiling range:135 °C. Atm. press.:10 mm Hg.Flarmability:no data availableLower and upper explosion timit/flarmabilityno data availableLower and upper explosionno data availableImit/flarmability timit.no data availableFlash point:11.7 °C.Auto-ignition temperature:no data availableDecomposition temperature:no data availablepH:8.5. Remarks: Temperature reported is temperature after 2 hours.Kinematic viscosity:no data availableviscosity:Soluble in ethanol, isopropanol, benzene, toluene, chloroform, carbon tetrachloride, petroleum hydrocarbors.Partition coefficient n- octanol/water:log Pow = 0.05. Temperature:>= 119 °C. Remarks: The temperature range is reported as	Со	lour:	Colourless (appearing white).
point/freezing point:135 °C. Atm. press.:10 mm Hg.Boiling point or initial boiling range:135 °C. Atm. press.:10 mm Hg.Flammability:no data availableLower and upper explosion timit/flammabilityno data availableLower and upper explosion timit/flammabilityno data availableInterpretation timit.no data availablePartition temperature:no data availableDecomposition repretative:no data availablepH:8.5. Remarks: Temperature reported is temperature after 2 hours.Kinematic viscosity:no data availableSolubility:Soluble in ethanol, isopropanol, berzene, toluene, chloroform, carbon tetrachloride, petroleum hydrocarbors.Partition coefficient n- octanol/water:>= 1 - <= 35 Torr. Temperature:>= 119 °C. Remarks: The temperature range is reported as	Od	our:	no data available
initial boiling point and boiling range:no data availableFlammability:no data availableLower and upper explosion limit/flammability limit:no data availableFlash point:11.7 °C.Auto-ignition temperature:no data availableDecomposition temperature:no data availablepH:8.5. Remarks: Temperature reported is temperature after 2 hours.Kinematic viscosity:no data availableSolubility:Soluble in ethanol, isopropanol, berzene, toluene, chloroform, carbon tetrachloride, petroleum hydrocarbors.Partition coefficient n- octanol/water:log Pow = 0.05. Temperature:>= 119 °C. Remarks: The temperature range is reported as	poi	int/freezing	119 °C. Atm. press.:1 atm.
Lower and upper explosion limit/flammability limit:no data availableFlash point:11.7 °C.Auto-ignition temperature:no data availableDecomposition temperature:no data availableDecomposition temperature:no data availablePH:8.5. Remarks: Temperature reported is temperature after 2 hours.Kinematic viscosity:no data availableSolubility:Soluble in ethanol, isopropanol, benzene, toluene, chloroform, carbon tetrachloride, petroleum hydrocarbors.Partition coefficient n- octanol/water:log Pow = 0.05. Temperature:25 °C.Vapour pressure:>= 1 - <= 35 Torr. Temperature:>= 119 °C. Remarks: The temperature range is reported as	ini	tial boiling point	135 °C. Atm. press.:10 mm Hg.
explosion limit/flammability limit:11.7 °C.Flash point:11.7 °C.Auto-ignition temperature:no data availableDecomposition temperature:no data availableDecomposition temperature:no data availablepH:8.5. Remarks:Temperature reported is temperature after 2 hours.Kinematic viscosity:no data availableSolubility:Soluble in ethanol, isopropanol, benzene, toluene, chloroform, carbon tetrachloride, petroleum hydrocarbons.Partition coefficient n- octanol/water:log Pow = 0.05. Temperature:>= 119 °C. Remarks:The temperature range is reported as	Fla	mmability:	no data available
Auto-ignition temperature:no data availableDecomposition temperature:no data availablepH:8.5. Remarks: Temperature reported is temperature after 2 hours.pH:8.5. Remarks: Temperature reported is temperature after 2 hours.Kinematic viscosity:no data availableSolubility:Soluble in ethanol, isopropanol, benzene, toluene, chloroform, carbon tetrachloride, petroleum hydrocarbons.Partition coefficient n- octanol/water:log Pow = 0.05. Temperature: 25 °C.Vapour pressure:>= 1 - <= 35 Torr. Temperature:>= 119 °C. Remarks: The temperature range is reported as	exp lin	olosion nit/flammability	no data available
temperature:Decomposition temperature:no data availablepH:8.5. Remarks:Temperature reported is temperature after 2 hours.Kinematic viscosity:no data availableSolubility:Soluble in ethanol, isopropanol, benzene, toluene, chloroform, carbon tetrachloride, petroleum hydrocarbons.Partition coefficient n- octanol/water:log Pow = 0.05. Temperature:25 °C.Vapour pressure:>= 1 - <= 35 Torr. Temperature:>= 119 °C. Remarks:The temperature range is reported as	Fla	sh point:	11.7 °C.
temperature:pH:8.5. Remarks: Temperature reported is temperature after 2 hours.Kinematic viscosity:no data availableSolubility:Soluble in ethanol, isopropanol, benzene, toluene, chloroform, carbon tetrachloride, petroleum hydrocarbons.Partition coefficient n- octanol/water:log Pow = 0.05. Temperature:25 °C.Vapour pressure:>= 1 - <= 35 Torr. Temperature:>= 119 °C. Remarks: The temperature range is reported as		•	no data available
Kinematic viscosity:no data availableSolubility:Soluble in ethanol, isopropanol, benzene, toluene, chloroform, carbon tetrachloride, petroleum hydrocarbons.Partition coefficient n- octanol/water:log Pow = 0.05. Temperature:25 °C. > 1 - <= 35 Torr. Temperature:>= 119 °C. Remarks: The temperature range is reported as		•	no data available
viscosity:       Solubility:       Soluble in ethanol, isopropanol, benzene, toluene, chloroform, carbon tetrachloride, petroleum hydrocarbons.         Partition       log Pow = 0.05. Temperature:25 °C.         coefficient n-octanol/water:       >= 1 - <= 35 Torr. Temperature:>= 119 °C. Remarks: The temperature range is reported as	pН	:	8.5. Remarks: Temperature reported is temperature after 2 hours.
Partition       log Pow = 0.05. Temperature:25 °C.         coefficient n-       octanol/water:         Vapour pressure:       >= 1 - <= 35 Torr. Temperature:>= 119 °C. Remarks: The temperature range is reported as			no data available
coefficient n-         octanol/water:         Vapour pressure:       >= 1 - <= 35 Torr. Temperature:>= 119 °C. Remarks: The temperature range is reported as	Sol	ubility:	
	COE	efficient n-	log Pow = 0.05. Temperature:25 °C.
	Vaţ	oour pressure:	

Density and/or<br/>relative density:1.035 g/cm3. Temperature:20 °C.Relative vapour<br/>density:no data availableParticle<br/>characteristics:no data available

# **SECTION 10: Stability and reactivity**

Reactivity

no data available

# Chemical stability

Low melting solids or colorless, volatile liquids. Alkylaluminum halides

# Possibility of hazardous reactions

Certain polymerization catalysts, such as aluminum alkyls, react & burn violently on contact with water. Aluminum alkyls

# Conditions to avoid

no data available

# Incompatible materials

Extremely reactive with air, moisture, and compounds containing active hydrogen... Alkyl aluminum compounds

# Hazardous decomposition products

When heated to decomposition it emits acrid smoke and irritating fumes.

# SECTION 11: Toxicological information

Acute toxicity Oral: LD50 Rat oral 11300 mg/kg Inhalation: no data available Dermal: no data available

# Skin corrosion/irritation

no data available

# Serious eye damage/irritation

no data available

#### Respiratory or skin sensitization

no data available

# Germ cell mutagenicity

no data available

# Carcinogenicity

A4; Not classifiable as a human carcinogen. Aluminum metal and insoluble compounds

# Reproductive toxicity

no data available

# STOT-single exposure

no data available

# STOT-repeated exposure

no data available

### Aspiration hazard

no data available

# **SECTION 12: Ecological information**

# Toxicity

Toxicity to fish: LC50 - Pimephales promelas - > 218.64 mg/L - 96 h. Toxicity to daphnia and other aquatic invertebrates: LC50 - Daphnia magna - > 10 000 mg/L - 24 h. Toxicity to algae: EC50 - Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) - > 100 mg/L - 72 h. Toxicity to microorganisms: Toxicity threshold - Pseudomonas putida - 1 050 mg/L - 16 h.

### Persistence and degradability

no data available

#### Bioaccumulative potential

no data available

#### Mobility in soil

no data available

### Other adverse effects

no data available

# **SECTION 13: Disposal considerations**

#### Disposal methods

### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

# **SECTION 14: Transport information**

#### **UN Number**

ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

# **UN Proper Shipping Name**

ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

### Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

# Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

# Environmental hazards

ADR/RID: No IMDG: No IATA: No

### Special precautions for user

no data available

# Transport in bulk according to IMO instruments

no data available

# SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question European Inventory of Existing Commercial Chemical Substances (EINECS) Listed. **EC Inventory** Listed. United States Toxic Substances Control Act (TSCA) Inventory Listed. China Catalog of Hazardous chemicals 2015 Not Listed. New Zealand Inventory of Chemicals (NZIoC) Listed. (PICCS) Listed. Vietnam National Chemical Inventory Listed. IECSC) Listed. Korea Existing Chemicals List (KECL) Listed.

# **SECTION 16: Other information**

Abbreviations and acronyms CAS: Chemical Abstracts Service ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

#### References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=O&request\_locale=en

CAWEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any