# Chemical Safety Data Sheet MSDS / SDS

### **Argon SDS**

Revision Date: 2024-04-25 Revision Number: 1

Section 2 Section 3 Section 5 Section 6 Section 7 Section 8 Section 1 Section 4 Section 9 Section 10 Section 11 Section 12 Section 13 Section 14 Section 15 Section 16

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### Product identifier

Product name: Argon
CAS: 7440-37-1

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified For R&D use only. Not for medicinal, household or other use.

uses:

Uses advised none

against:

### Company Identification

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

### **SECTION 2: Hazards identification**

### Classification of the substance or mixture

Not classified.

# GHS label elements, including precautionary statements Pictogram(s) Signal word Warning Hazard statement(s) H280 Contains gas under pressure; may explode if heated Precautionary statement(s) Prevention none Response none Storage none Disposal none Other hazards which do not result in classification

# **SECTION 3: Composition/information on ingredients**

Substance

no data available

Chemical name: Argon
Common names and Argon

synonyms:

CAS number: 7440-37-1 EC number: 231-147-0

#### **SECTION 4: First aid measures**

### Description of necessary first-aid measures

#### If inhaled

Fresh air, rest. Artificial respiration may be needed. Refer for medical attention.

### Following skin contact

ON FROSTBITE: rinse with plenty of water, do NOT remove clothes. Refer for medical attention.

### Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

### Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

### Most important symptoms/effects, acute and delayed

Excerpt from ERG Guide 121 [Gases - Inert]: Vapors may cause dizziness or asphyxiation without warning. Vapors from liquefied gas are initially heavier than air and spread along ground. (ERG, 2016)

Excerpt from ERG Guide 120 [Gases - Inert (Including Refrigerated Liquids)]: Vapors may cause dizziness or asphyxiation without warning. Vapors from liquefied gas are initially heavier than air and spread along ground. Contact with gas or liquefied gas may cause burns, severe injury and/or frostbite. (ERG, 2016)

### Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Simple asphyxiants and related compounds

### Suitable extinguishing media

If material involved in fire: Extinguish fire using agent suitable for type of surrounding fire. Material itself does not burn or burns with difficulty. Cool all affected containers with flooding quantities of water. Apply water from as far a distance as possible. Argon, compressed; Argon, refrigerated liquid

### Specific hazards arising from the chemical

Excerpt from ERG Guide 121 [Gases - Inert]: Non-flammable gases. Containers may explode when heated. Ruptured cylinders may rocket. (ERG, 2016)

Excerpt from ERG Guide 120 [Gases - Inert (Including Refrigerated Liquids)]: Non-flammable gases. Containers may explode when heated. Ruptured cylinders may rocket. (ERG, 2016)

### Special protective actions for fire-fighters

In case of fire in the surroundings, use appropriate extinguishing media.

#### **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

Personal protection: self-contained breathing apparatus. Ventilation. NEVER direct water jet on liquid.

### **Environmental precautions**

Personal protection: self-contained breathing apparatus. Ventilation. NEVER direct water jet on liquid.

### Methods and materials for containment and cleaning up

Personal precautions: Avoid breathing vapors, mist or gas. Environmental precautions: No special environmental precautions required. Methods for cleaning up: Wipe up with absorbent material (e.g. cloth, fleece).

# **SECTION 7: Handling and storage**

### Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### Conditions for safe storage, including any incompatibilities

Fireproof if in building. Keep in a well-ventilated room. Keep container tightly closed in a dry and well-ventilated place. Contents under pressure.

### **SECTION 8: Exposure controls/personal protection**

### Control parameters

### Occupational Exposure limit values

Component	Argon				
CAS No.	7440-37-1				
	Limit value - Eight hours		Limit value - Short term		
	ppm	<sub>mg/m</sub> 3	ppm	<sub>mg/m</sub> 3	
Canada - Ontario	(1)	?	?	?	
New Zealand	(1)	?	?	?	
	Remarks				
Canada - Ontario	(1) Simple asphyxiant				
New Zealand	(1) Simple asphyxiant				

### Biological limit values

no data available

### Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### Individual protection measures, such as personal protective equipment (PPE)

### Eye/face protection

Wear safety goggles or face shield.

### Skin protection

Cold-insulating gloves. Protective clothing.

### Respiratory protection

Use ventilation.

#### Thermal hazards

no data available

# SECTION 9: Physical and chemical properties and safety characteristics

Physical state: Argon is a colorless odorless noncombustible gas. Heavier than air and can asphyxiate by

displacement of air. Exposure of the container to prolonged heat or fire can cause it to rupture violently and rocket. If liquefied, contact of the very cold liquid with water may cause violent boiling. If the water is hot, there is the possibility that a liquid "superheat" explosion may occur. Contacts with water in a closed container may cause dangerous

pressure to build.

Colorless monatomic gas

Odour: Odorless Melting -189°C

point/freezing

point:

-185.7°C(lit.)

Boiling point or initial boiling point and boiling range:

Flammability: Not combustible. Heating will cause rise in pressure with risk of bursting.

Lower and upper

explosion

limit/flammability

limit:

no data available

Flash point: no data available

Auto-ignition no data available

temperature:

Decomposition

no data available

temperature:

pH: no data availableKinematic no data available

viscosity:

Solubility: Soluble in organic liquids

Partition 0.74

coefficient noctanol/water:

Vapour pressure: no data available

relative density:

Relative vapour 1.38 (21 °C, vs air)

density:

Particle no data available

characteristics:

### **SECTION 10: Stability and reactivity**

### Reactivity

No rapid reaction with air. No rapid reaction with water.

### Chemical stability

no data available

### Possibility of hazardous reactions

The gas is heavier than air and may accumulate in lowered spaces causing a deficiency of oxygen. These substances undergo no chemical reactions under any known circumstances. They are nonflammable, noncombustible and nontoxic. They can asphyxiate.

#### Conditions to avoid

no data available

### Incompatible materials

CHEMICAL PROFILE: Contact of very cold liquefied gas with water may result in vigorous or violent boiling of the product and extremely rapid vaporization due to the large temperature differences involved. If the water is hot, there is the possibility that a liquid "superheat" explosion may occur. Pressures may build to dangerous levels if liquid gas contacts water in a closed container (Handling Chemicals Safely 1980). (REACTIVITY, 1999)

### Hazardous decomposition products

no data available

# **SECTION 11: Toxicological information**

### Acute toxicity

Oral: no data available

Inhalation: no data available

Dermal: no data available

### Skin corrosion/irritation

no data available

### Serious eye damage/irritation

no data available

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

# Carcinogenicity

no data available

### Reproductive toxicity

no data available

# STOT-single exposure

Asphyxiation. The liquid may cause frostbite.

### STOT-repeated exposure

no data available

### Aspiration hazard

On loss of containment this substance can cause suffocation by lowering the oxygen content of the air in confined areas.

# **SECTION 12: Ecological information**

### **Toxicity**

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

### Persistence and degradability

no data available

# Bioaccumulative potential

no data available

# Mobility in soil

no data available

#### Other adverse effects

no data available

# **SECTION 13: Disposal considerations**

### Disposal methods

#### **Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

### **SECTION 14: Transport information**

#### **UN Number**

ADR/RID: UN1951 (For reference only, please check.) IMDG: UN1951 (For reference only, please check.) IATA: UN1951 (For reference only, please check.)

### **UN Proper Shipping Name**

ADR/RID: ARGON, REFRIGERATED LIQUID (For reference only, please check.) IMDG: ARGON, REFRIGERATED LIQUID (For reference only, please check.) IATA: ARGON, REFRIGERATED LIQUID (For reference only, please check.)

### Transport hazard class(es)

ADR/RID: 2.2 (For reference only, please check.) IMDG: 2.2 (For reference only, please check.) IATA: 2.2 (For reference only, please check.)

### Packing group, if applicable

ADR/RID: (For reference only, please check.)
IMDG: (For reference only, please check.)
IATA: (For reference only, please check.)

#### Environmental hazards

ADR/RID: No IMDG: No

IATA: No Special precautions for user no data available Transport in bulk according to IMO instruments no data available **SECTION 15: Regulatory information** Safety, health and environmental regulations specific for the product in question European Inventory of Existing Commercial Chemical Substances (EINECS) Listed. **EC Inventory** Listed. United States Toxic Substances Control Act (TSCA) Inventory Listed. China Catalog of Hazardous chemicals 2015 Listed. New Zealand Inventory of Chemicals (NZIoC) Listed. (PICCS) Listed. Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

### Korea Existing Chemicals List (KECL)

Listed.

### **SECTION 16: Other information**

#### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

#### References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:

http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

#### Other Information

Other UN number: 1006 Argon, compressed. High concentrations in the air cause a deficiency of oxygen with the risk of unconsciousness or death. Check oxygen content before entering area.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any