

## Chemical Safety Data Sheet MSDS / SDS

## Benzo[ghi]perylene SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name: Benzo[ghi]perylene

CAS: 191-24-2

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses: For R&amp;D use only. Not for medicinal, household or other use.

Uses advised against: none

**Company Identification**

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

**SECTION 2: Hazards identification****Classification of the substance or mixture**

Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1

Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

## GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Warning

### Hazard statement(s)

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

### Precautionary statement(s)

#### Prevention

P273 Avoid release to the environment.

#### Response

P391 Collect spillage.

#### Storage

none

#### Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### Other hazards which do not result in classification

no data available

## SECTION 3: Composition/information on ingredients

### Substance

Chemical name: Benzo[ghi]perylene

Common names and synonyms: Benzo[ghi]perylene

CAS number: 191-24-2  
EC number: 205-883-8  
Concentration: 100%

## SECTION 4: First aid measures

### Description of necessary first-aid measures

#### If inhaled

Fresh air, rest.

#### Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap.

#### Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

#### Following ingestion

Rinse mouth. Refer for medical attention .

### Most important symptoms/effects, acute and delayed

Excerpt from ERG Guide 171 [Substances (Low to Moderate Hazard)]: Inhalation of material may be harmful. Contact may cause burns to skin and eyes. Inhalation of Asbestos dust may have a damaging effect on the lungs. Fire may produce irritating, corrosive and/or toxic gases. Some liquids produce vapors that may cause dizziness or suffocation. Runoff from fire control may cause pollution. (ERG, 2016)

### Indication of immediate medical attention and special treatment needed, if necessary

Immediate First Aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Aromatic hydrocarbons and related compounds

## SECTION 5: Firefighting measures

### Suitable extinguishing media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. [Sigma-Aldrich; Safety Data Sheet for Benzo

### Specific hazards arising from the chemical

Excerpt from ERG Guide 171 [Substances (Low to Moderate Hazard)]: Some may burn but none ignite readily. Containers may explode when heated. Some may be transported hot. For UN3508, be aware of possible short circuiting as this product is transported in a charged state. (ERG, 2016)

### Special protective actions for fire-fighters

In case of fire in the surroundings, use appropriate extinguishing media.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Sweep spilled substance into covered containers. Carefully collect remainder. Then store and dispose of according to local regulations. Do NOT let this chemical enter the environment.

### Environmental precautions

Sweep spilled substance into covered containers. Carefully collect remainder. Then store and dispose of according to local regulations. Do NOT let this chemical enter the environment.

### Methods and materials for containment and cleaning up

ACCIDENTAL RELEASE MEASURES: Personal precautions, protective equipment and emergency procedures: Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal. [Sigma-Aldrich; Safety Data Sheet for Benzo

## SECTION 7: Handling and storage

### Precautions for safe handling

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### Conditions for safe storage, including any incompatibilities

Well closed.Keep container tightly closed in a dry and well-ventilated place.[Sigma-Aldrich; Safety Data Sheet for Benzo

## SECTION 8: Exposure controls/personal protection

### Control parameters

### Occupational Exposure limit values

Component	Benzo[ghi]perylene
CAS No.	191-24-2
	Recommended Exposure Limit: 10 Hr Time-Weighted Avg: 0.1 mg/cu m (cyclohexane-extractable fraction). /Coal tar pitch volatiles/ NIOSH considers coal tar pitch volatiles to be potential occupational carcinogens. NIOSH usually recommends that occupational exposures to carcinogens be limited to the lowest feasible concentration. /Coal tar pitch volatiles/

### Biological limit values

no data available

### Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear safety spectacles or eye protection in combination with breathing protection if powder.

#### Skin protection

Protective gloves. Protective clothing.

#### Respiratory protection

Use local exhaust or breathing protection.

## Thermal hazards

no data available

## SECTION 9: Physical and chemical properties and safety characteristics

Physical state:	Benzo[ghi]perylene is a colorless to white crystalline solid. Water insoluble.
Colour:	Yellow-green fluorescent leaflets from benzene
Odour:	no data available
Melting point/freezing point:	273°C(lit.)
Boiling point or initial boiling point and boiling range:	542°C(lit.)
Flammability:	Combustible under specific conditions.
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	36°C(lit.)
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH:	no data available
Kinematic viscosity:	no data available
Solubility:	In water, $2.6 \times 10^{-4}$ mg/L at 25 deg C
Partition coefficient n-octanol/water:	log Kow = 6.63
Vapour pressure:	1.12E-09mmHg at 25°C

Density and/or relative density:	1.378g/cm <sup>3</sup>
Relative vapour density:	no data available
Particle characteristics:	no data available

## SECTION 10: Stability and reactivity

### Reactivity

NIOSH considers coal tar pitch volatiles to be potential occupational carcinogens. Coal tar pitch volatiles Upon heating, toxic fumes are formed. Decomposes on heating. This produces toxic fumes.

### Chemical stability

Stable under recommended storage conditions. [Sigma-Aldrich; Safety Data Sheet for Benzo

### Possibility of hazardous reactions

Combustible under specific conditions. Vigorous reactions, sometimes amounting to explosions, can result from the contact between aromatic hydrocarbons, such as BENZO[GHI]PERYLENE, and strong oxidizing agents. They can react exothermically with bases and with diazo compounds. Substitution at the benzene nucleus occurs by halogenation (acid catalyst), nitration, sulfonation, and the Friedel-Crafts reaction.

### Conditions to avoid

no data available

### Incompatible materials

Incompatible materials: Strong oxidizing agents. [Sigma-Aldrich; Safety Data Sheet for Benzo

### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions - Carbon oxides. [Sigma-Aldrich; Safety Data Sheet for Benzo

## SECTION 11: Toxicological information

### Acute toxicity

Oral: no data available

Inhalation: no data available

Dermal: no data available

### Skin corrosion/irritation

no data available

### Serious eye damage/irritation

no data available

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

### Carcinogenicity

CLASSIFICATION: D; not classifiable as to human carcinogenicity. BASIS FOR CLASSIFICATION: Based on no human data and inadequate animal data from lung implant, skin-painting and subcutaneous injection bioassays. HUMAN CARCINOGENICITY DATA: None. ANIMAL CARCINOGENICITY DATA: Inadequate.

### Reproductive toxicity

no data available

### STOT-single exposure

no data available

### STOT-repeated exposure



no data available

### **Aspiration hazard**

Evaporation at 20°C is negligible; a harmful concentration of airborne particles can, however, be reached quickly.

## **SECTION 12: Ecological information**

### **Toxicity**

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: LC50; Species: Daphnia magna (Water Flea) age <24 hr neonate; Conditions: freshwater, static, 20 deg C, simulated solar radiation; Concentration: 0.48 nM for 48 hr /98% purity

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

### **Persistence and degradability**

AEROBIC: The half-life of benzo(ghi)perylene in Kidman sandy loam soil was determined to be 173 days (oil refinery waste on soil), 600 days (synthetic mixture on soil), and 863 days (1% creosote on soil)(1). After 5 weeks of incubation, benzo(ghi)perylene was approximately 18% degraded from a soil sample collected at a former manufactured gas plant site(2). A study in which polyaromatic hydrocarbon contaminated sludge was applied to 4 soil samples collected in Lancaster, England resulted in biodegradation half-lives of 460, 365, 460, and 535 days for benzo(ghi)perylene(3). A long term field study in which polyaromatic hydrocarbon contaminated sludge was applied to agricultural plots in England resulted in average biodegradation half-lives of 9.1 and 9.5 years for benzo(ghi)perylene(4). Eighty-one and 76% of an initial concentration of 9.96 ug/g benzo(ghi)perylene remained after 240 days in an unacclimated agricultural sandy loam soil incubated at 10 and 20 deg C, respectively; corresponding half-lives were estimated to be about 650 and 600 days(5). After 1,280 days, 78.3% of an initial concentration of benzo(ghi)perylene at 3.1 ug/g remained in a soil treated with oil sludge at a concentration of 17.0 ug/g(6). Biodegradation of PAHs having five or more rings, including benzo(ghi)perylene, was slight to non-existent in three soils under field conditions(7). Laboratory studies using sediment and water from the Yellow River, China, known to be contaminated with PAHs, found that biodegradation rates of benzo(ghi)perylene increased as the suspended sediment content of the water was increased(8); the bacteria population on the sediment was found to be far greater than in the water phase alone(8); a biodegradation rate approaching 50% was reached over a 30-day incubation period using the highest sediment contents(8).

### **Bioaccumulative potential**

An estimated BCF of 11,000 was calculated in fish for benzo(ghi)perylene(SRC), using a log Kow of 6.63(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is

very high(SRC), provided the compound is not metabolized by the organism(SRC). However, it may not bioconcentrate in aquatic organisms which contain microsomal oxidase, such as fish, as this enzyme enables the rapid metabolism of certain polycyclic aromatic hydrocarbons(4). A measured fish biotransformation half-life of 1.1 days has been reported for the analogous compound benzo(a)pyrene(5). Benzo(ghi)perylene was shown to bioaccumulate in worms exposed to contaminated sediment over a 4 week incubation period, reaching a maximum concentration of 80 ng/g(6).

#### **Mobility in soil**

A measured log Koc values of 6.80 (Koc of  $6.3 \times 10^6$ )(1) and 4.61 (Koc of  $4.1 \times 10^4$ )(2) have been reported for benzo(ghi)perylene. The Koc of benzo(ghi)perylene in 16 historically contaminated sediments ranged from  $2.7 \times 10^5$  to  $8.1 \times 10^8$  with a median of  $1.3 \times 10^7$ (3). According to a classification scheme(4), these Koc values suggest that benzo(ghi)perylene is expected to be immobile in soil. The log Kdoc (partition coefficient for sorption to dissolved organic carbon) of benzo(ghi)perylene was reported to range from 6.93 to 7.08; the log Kpoc (partition coefficient for sorption to particulate organic material) was reported to be 6.8(5). The partition coefficient for sorption to dissolved organic carbon, Kdoc, of benzo(ghi)perylene to water-soluble soil organic matter in loam sand (from Newmarkt, Germany agriculture), clay loam (from Allersdorf, Germany forest), and humic acid (Aldrich) were determined to be 85710, 109570, and 614900, respectively(6).

#### **Other adverse effects**

no data available

### **SECTION 13: Disposal considerations**

#### **Disposal methods**

#### **Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### **Contaminated packaging**

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

### **SECTION 14: Transport information**

#### **UN Number**

ADR/RID: UN3077 (For reference only, please check.)  
IMDG: UN3077 (For reference only, please check.)  
IATA: UN3077 (For reference only, please check.)

#### **UN Proper Shipping Name**

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (For reference only, please check.)  
IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (For reference only, please check.)  
IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (For reference only, please check.)

#### **Transport hazard class(es)**

ADR/RID: 9 (For reference only, please check.)  
IMDG: 9 (For reference only, please check.)  
IATA: 9 (For reference only, please check.)

#### **Packing group, if applicable**

ADR/RID: III (For reference only, please check.)  
IMDG: III (For reference only, please check.)  
IATA: III (For reference only, please check.)

#### **Environmental hazards**

ADR/RID: Yes  
IMDG: Yes  
IATA: Yes

#### **Special precautions for user**

no data available

#### **Transport in bulk according to IMO instruments**

no data available

## **SECTION 15: Regulatory information**

Safety, health and environmental regulations specific for the product in question

**European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

**EC Inventory**

Listed.

**United States Toxic Substances Control Act (TSCA) Inventory**

Not Listed.

**China Catalog of Hazardous chemicals 2015**

Not Listed.

**New Zealand Inventory of Chemicals (NZIoC)**

Listed.

**(PICCS)**

Not Listed.

**Vietnam National Chemical Inventory**

Listed.

**IECSC)**

Not Listed.

**Korea Existing Chemicals List (KECL)**

Not Listed.

**SECTION 16: Other information**

**Abbreviations and acronyms**

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:  
[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:  
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

### Other Information

Benzo(ghi)perylene is present as a component of polycyclic aromatic hydrocarbons (PAH) content in the environment usually resulting from the incomplete combustion or pyrolysis of organic matters, especially fossil fuels and tobacco. Data are insufficiently available on the effect of this substance on human health, therefore utmost care must be taken.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any