Chemical Book India

Chemical Safety Data Sheet MSDS / SDS

Biphenyl-2-ol SDS

Revision Date: 2024-04-25 Revision Number: 1

Section 2 Section 3 Section 1 Section 4 Section 5 Section 6 Section 7 Section 8 Section 9 Section 10 Section 11 Section 12 Section 13 Section 14 Section 15 Section 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name: Biphenyl-2-ol

CAS: 90-43-7

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified For R&D use only. Not for medicinal, household or other use.

uses:

Uses advised none

against:

Company Identification

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

SECTION 2: Hazards identification

Classification of the substance or mixture

Skin irritation, Category 2 Eye irritation, Category 2 Specific target organ toxicity - single exposure, Category 3 Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1

GHS label elements, including precautionary statements

Pictogram(s)



Signal word Warning

Hazard statement(s)

H315 Causes skin irritation

H319 Causes serious eye irritation

H335 May cause respiratory irritation

H400 Very toxic to aquatic life

Precautionary statement(s)

Prevention

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

Response

P302+P352 IF ON SKIN: Wash with plenty of water/...

P321 Specific treatment (see ... on this label).

P332+P317 If skin irritation occurs: Get medical help.

P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P319 Get medical help if you feel unwell.

P391 Collect spillage.

Storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

Substance

Chemical name: Biphenyl-2-ol

Common names and Biphenyl-2-ol

synonyms:

CAS number:

90-43-7

EC number: 201-993-5

Concentration: 100%

SECTION 4: First aid measures

Description of necessary first-aid measures

If inhaled

Fresh air, rest. Seek medical attention if you feel unwell.

Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap. Seek medical attention if you feel unwell.

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth. Give one or two glasses of water to drink. Seek medical attention if you feel unwell.

Most important symptoms/effects, acute and delayed

SYMPTOMS: Symptoms of exposure to this compound include eye irritation with possible comeal injury (necrosis); paleness, cyanosis, weakness, sweating, headache, diarrhea, nausea, vomiting, diarrhea, dizziness, fainting, dark urine, central nervous system depression, and deoxyribonuclease inhibition. Chronic exposure may include irritation and lesions of the respiratory system. ACUTE/CHRONIC HAZARDS: This chemical is a skin and eye irritant. Comeal damage is possible upon eye contact. First check the victim for contact lenses and remove if present. Flush victim's eyes with water or normal saline solution for 20 to 30 minutes while simultaneously calling a hospital or poison control center. Do not put any ointments, oils, or medication in the victim's eyes without specific instructions from a physician. IMMEDIATELY transport the victim after flushing eyes to a hospital even if no symptoms (such as redness or irritation) develop. (NTP, 1992)

Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Phenols and related compounds

SECTION 5: Firefighting measures

Suitable extinguishing media

Special Protective Equipment for Firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance. DOWICIDE* 1 ANTIMICROBIAL

Specific hazards arising from the chemical

This chemical is combustible. (NTP, 1992)

Special protective actions for fire-fighters

Use water spray, powder, alcohol-resistant foam, carbon dioxide. In case of fire: keep drums, etc., cool by spraying with water.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into sealable containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

Environmental precautions

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into sealable containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

Methods and materials for containment and cleaning up

SRP: Wastewater from contaminant suppression, cleaning of protective clothing/equipment, or contaminated sites should be contained and evaluated for subject chemical or decomposition product concentrations. Concentrations shall be lower than applicable environmental discharge or disposal criteria. Alternatively, pretreatment and/or discharge to a permitted wastewater treatment facility is acceptable only after review by the governing authority and assurance that "pass through" violations will not occur. Due consideration shall be given to remediation worker exposure (inhalation, dermal and ingestion) as well as fate during treatment, transfer and disposal. If it is not practicable to manage the chemical in this fashion, it must be evaluated in accordance with EPA 40 CFR Part 261, specifically Subpart B, in order to determine the appropriate local, state and federal requirements for disposal.

SECTION 7: Handling and storage

Precautions for safe handling

NO open flames. Prevent deposition of dust. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Separated from strong oxidants, strong bases and food and feedstuffs. Store only in original container. Provision to contain effluent from fire extinguishing. Store in an area without drain or sewer access. Store in tightly closed containers in a cool, well-ventilated area away from water. Sources of ignition, such as smoking and open flames, are prohibited where o-phenylphenol is used, handled, or stored in a manner that could create a potential fire or explosion hazard.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

| Component | Biphenyl-2-ol | | | | |
|---------------|--|-------------------|--------------------------|-------------------|--|
| CAS No. | 90-43-7 | | | | |
| | Limit value - Eight hours | | Limit value - Short term | | |
| | ppm | _{mg/m} 3 | ppm | _{mg/m} 3 | |
| Germany (AGS) | ? | 5 (1) | ? | 5 (1)(2) | |
| Germany (DFG) | ? | 5 (1) | ? | 5 (1)(2) | |
| | Remarks | | | | |
| Germany (AGS) | (1) Inhalable fraction and vapour (2) 15 minutes average value | | | | |
| Germany (DFG) | (1) Inhalable fraction (2) 15 minutes average value | | | | |

Biological limit values

no data available

Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety goggles or face shield.

Skin protection

Protective gloves.

Respiratory protection

Avoid inhalation of dust and mist. Use ventilation (not if powder), local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state: Solid.

Colour: Needles from petroleum ether

Odour. Mild characteristic odor

Melting point/freezing

point:

56.7 °C.

287 °C.

Boiling point or initial boiling point

and boiling range:

Combustible. Gives off irritating or toxic fumes (or gases) in a fire.

Lower and upper

Flammability:

explosion

limit/flammability

limit:

124°C Flash point:

Auto-ignition

Ignition temperature: >=520 degree C

temperature:

Decomposition

no data available

no data available

temperature:

pH: 5.8. Remarks: Test item.

Kinematic

no data available

viscosity:

Solubility: less than 0.1 mg/mL at 68.9° F (NTP, 1992)

Partition log Pow = 3.18. Temperature:22.5 °C.

coefficient noctanol/water:

0.474 Pa. Temperature:20 °C.;0.906 Pa. Temperature:25 °C. Vapour pressure:

Density and/or relative density: 1.24. Temperature: 20 °C.

Relative vapour

density:

no data available

no data available Particle

characteristics:

SECTION 10: Stability and reactivity

Reactivity

Reacts with strong bases and strong oxidants. Decomposes on heating. This produces carbon dioxide, carbon monoxide and irritating fumes.

Chemical stability

Stable at normal conditions.

Possibility of hazardous reactions

This chemical is a combustible solid. Dust explosion possible if in powder or granular form, mixed with air.2-PHENYLPHENOL react as a weak organic acid. Exothermically neutralizes bases. May react with strong reducing substances such as hydrides, nitrides, alkali metals, and sulfides to generate flammable gas (H2) and the heat of the reaction may ignite the gas. Is sulfonated very readily (for example, by concentrated sulfuric acid at room temperature) in exothermic reactions. May be nitrated very rapidly. Nitrated phenols often explode when heated and also form metal salts that tend toward detonation by rather mild shock. Can react with oxidizing agents (NTP, 1992).

Conditions to avoid

no data available

Incompatible materials

Strong oxidizers, acids, alkalis.

Hazardous decomposition products

When heated to decomposition it emits acrid smoke and irritating fumes.

SECTION 11: Toxicological information

Acute toxicity

Oral: LD50 - rat (male/female) - 2 733 mg/kg bw.

Inhalation: LC50 - rat (male/female) - > 36 mg/m3 air.

Dermal: LD50 - rat (male/female) - > 2000 mg/kg bw.

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

Cancer Classification: Not Likely to be Carcinogenic to Humans

Reproductive toxicity

no data available

STOT-single exposure

The substance is severely irritating to the eyes. The substance is irritating to the skin and respiratory tract.

STOT-repeated exposure

Tumours have been detected in experimental animals but may not be relevant to humans.

Aspiration hazard

Evaporation at 20°C is negligible; a harmful concentration of airborne particles can, however, be reached quickly on spraying or when dispersed, especially if powdered.

SECTION 12: Ecological information

Toxicity

Toxicity to fish: LC50 - Danio rerio (previous name: Brachydanio rerio) - 4.5 mg/L - 96 h.

Toxicity to daphnia and other aquatic invertebrates: NOEC - Daphnia magna - 0.78 mg/L - 48 h.

Toxicity to algae: EC50 - Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) - 3.57 mg/L - 72 h.

Toxicity to microorganisms: EC50 - activated sludge of a predominantly domestic sewage - 56 mg/L - 3 h. Remarks: Respiration rate.

Persistence and degradability

Persistence of 50 ppm o-phenylphenol in an activated sludge screening test was less than 9 days(1); an initial concn of 50 ppm was reduced 30% in 7 days in an anaerobic digestion test(1); an initial concn of 100 ppm was reduced 43% in 54 hr in an aerated lagoon simulation(1); an initial concn of 100 ppm was reduced 20% in 168 hr in retention pond simulation(1). Acclimated treatment plant cultures completely degraded 50 ppm o-phenylphenol within 30 hr in a BOD study(2). In an aerobic BOD dilution study using an activated sludge inocula, 100-150 ppm were completely degraded in 8-16 days, although lag periods of 5-13 days were observed(3). Five-day theoretical BODs of 1.2-29.7% were measured using 1-50 ppm o-phenylphenol with the theoretical BOD generally decreasing with an increase in concn(4). In Sapromat respirometer studies using industrial activated sludge, inoculum from a communal clarification plant, or a sewage inocula, 5-day theoretical BODs ranged from 50-100%(5).

Bioaccumulative potential

An estimated BCF of 51 was calculated for o-phenylphenol(SRC), using a log Kow of 3.09(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is moderate. However, bioconcentration studies on compounds which are structurally similar suggest that bioconcentration may be lower than that indicated by the regression-derived equations due to the ability of aquatic organisms to readily metabolize this class of compounds. Animals excrete o-phenylphenol as the parent compound and as the glucuronide and sulfate conjugates(4).

Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc for o-phenylphenol can be estimated to be 6,700(SRC). According to a classification scheme(2), this estimated Koc value suggests that o-phenylphenol is expected to be immobile in soil. In laboratory aqueous sorption studies using two types of bentonite clay, between 47 and 96.4 percent of added o-phenylphenol was sorbed after 24 hr(3).

Other adverse effects

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN3077 (For reference only, please check.) IMDG: UN3077 (For reference only, please check.) IATA: UN3077 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (For reference only, please check.)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (For reference only, please check.)

IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 9 (For reference only, please check.)
IMDG: 9 (For reference only, please check.)
IATA: 9 (For reference only, please check.)

Packing group, if applicable

ADR/RID: III (For reference only, please check.)

IMDG: III (For reference only, please check.) IATA: III (For reference only, please check.)

Environmental hazards

ADR/RID: Yes IMDG: Yes IATA: Yes

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

(PICCS)

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

 ${\it HSDB-Hazardous\ Substances\ Data\ Bank,\ website:\ https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm}$

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:

http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Other Information

Carrier solvents used in commercial formulations may change physical and toxicological properties.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any