Chemical Book India

| | | Chem | ical Safety | Data Shee | t MSDS / S | SDS | | |
|--|---|-------------------------|-------------------------|------------------------------------|-------------------------|-------------------------|-------------------------|--|
| | | | | none oxime SI 24-04-25 Revision | | | | |
| Section 1 Section 9 | Section 2 Section 10 | Section 3 Section 11 | Section 4 Section 12 | Section 5 Section 13 | Section 6 Section 14 | Section 7 Section 15 | Section 8 Section 16 | |
| Product ide | SECTION 1: Identification of the substance/mixture and of the company/undertaking Product identifier | | | | | | | |
| Product name: | | Butanone oxime | | | | | | |
| CAS: | | 96-29-7 | | | | | | |
| Relevant ide | entified uses o | of the substance | or mixture and | l uses advised a | against | | | |
| Relevant ide uses: | entified | For R&D use only | . Not for medici | inal, household | or other use. | | | |
| Uses advised against: | t | none | | | | | | |
| Company Id | lentification | | | | | | | |
| Company: | | Chemicalbook.in | | | | | | |
| Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090 | | | | | | | | |
| Telephone: | | +91 9550333722 | | | | | | |

SECTION 2: Hazards identification

Classification of the substance or mixture

Acute toxicity - Category 4, Dermal Serious eye damage, Category 1 Skin sensitization, Category 1 Carcinogenicity, Category 2

GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

Hazard statement(s)

H312 Harmful in contact with skin H318 Causes serious eye damage H317 May cause an allergic skin reaction H351 Suspected of causing cancer

Precautionary statement(s)

Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/... P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P272 Contaminated work clothing should not be allowed out of the workplace. P203 Obtain, read and follow all safety instructions before use.

Response

P302+P352 IF ON SKIN: Wash with plenty of water/...
P317 Get medical help.
P321 Specific treatment (see ... on this label).
P362+P364 Take off contaminated clothing and wash it before reuse.
P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
P333+P317 If skin irritation or rash occurs: Get medical help.
P318 IF exposed or concerned, get medical advice.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

.

D (

| Su | bsta | anco | е | |
|----|------|------|-----|---|
| Ch | ~m | icəl | nom | ~ |

- -

| Chemical name: | Butanone oxime |
|----------------------------|----------------|
| Common names and synonyms: | Butanone oxime |
| CAS number: | 96-29-7 |
| EC number: | 202-496-6 |
| Concentration: | 100% |

SECTION 4: First aid measures

Description of necessary first-aid measures

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

Most important symptoms/effects, acute and delayed

SYMPTOMS: Symptoms of exposure to this compound may include slight eye and skin irritation. It may interfere with alcohol metabolism resulting in the formation of acetaldehyde, blotchy red marks, red eyes, tiredness and visible veins. ACUTE/CHRONIC HAZARDS: This compound may be harmful if swallowed, inhaled or absorbed through the skin. When heated to decomposition it emits toxic fumes of carbon monoxide, carbon dioxide and nitrogen oxides. (NTP, 1992)

Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on the left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Poisons A and B

SECTION 5: Firefighting measures

Suitable extinguishing media

Fires involving this material can be controlled with a dry chemical, carbon dioxide or Halon extinguisher. A water spray may also be used. (NTP, 1992)

Specific hazards arising from the chemical

This chemical is combustible. (NTP, 1992)

Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

SECTION 7: Handling and storage

Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

| Component | Butanone oxime | | | | |
|---------------|----------------------------|-------------------|--------------------------|-------------------|--|
| CAS No. | 96-29-7 | | | | |
| | Limit value - Eight hours | | Limit value - Short term | | |
| | ppm | _{mg/m} 3 | ppm | _{mg/m} 3 | |
| Denmark | 25 provisional | ? | ? | ? | |
| Germany (AGS) | 0,3 | 1 | 2,4 (1) | 8 (1) | |
| Ireland | 3 | 10 | 10 (1) | 33 (1) | |
| | Remarks | | · | | |
| Germany (AGS) | (1) 15 minutes reference p | period | | | |
| Ireland | (1) 15 minutes reference p | period | | | |

Biological limit values

no data available

Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

| Physical state: | Liquid. |
|---|-------------------------------------|
| Colour: | Liquid |
| Odour: | no data available |
| Melting point/freezing point: | < -25 °C. |
| Boiling point or initial boiling point and boiling range: | 95 - 266 °C. Atm. press.:101.3 kPa. |
| Flammability: | no data available |

| Lower and upper explosion limit/flammability limit: | no data available |
|--|---|
| Flash point: | 90 °C. |
| Auto-ignition temperature: | 310 °C. |
| Decomposition temperature: | no data available |
| pH: | no data available |
| Kinematic viscosity: | no data available |
| Solubility: | greater than or equal to 100 mg/mL at 72 $^\circ$ F (NTP, 1992) |
| Partition coefficient n- octanol/water: | log Kow = 0.63 |
| Vapour pressure: | 14 Pa. Temperature:25 °C. |
| Density and/or relative density: | 1. |
| Relative vapour density: | 3 (vs air) |
| Particle characteristics: | no data available |

SECTION 10: Stability and reactivity

Reactivity

Highly flammable. Water soluble.

Chemical stability

no data available

Possibility of hazardous reactions

METHYL ETHYL KETOXIME is sensitive to heat. Has exploded at least twice when heated in the presence of acidic impurities [Chem. Eng. News, 1974, 52(35), 3]. Reacts with oxidizing agents. Mixtures with strong acids may explode. Reacts with sulfuric acid to form an explosive product (NTP, 1992).

Conditions to avoid

no data available

Incompatible materials

no data available

Hazardous decomposition products

When heated to decomposition it emits toxic fumes of /oxides of nitrogen/.

SECTION 11: Toxicological information

Acute toxicity Oral: LD50 - 2 500 mg/kg bw. Inhalation: LC50 Rat inhalation 20 mg/L/4 hours Dermal: LD50 - > 2 000 mg/kg bw.

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

SECTION 12: Ecological information

Toxicity

Toxicity to fish: LC50 - Oncorhynchus mykiss (previous name: Salmo gairdneri) - 446 mg/L - 96 h. Toxicity to daphnia and other aquatic invertebrates: EC50 - other aquatic crustacea: - 330.6 mg/L - 48 h. Toxicity to algae: no data available Toxicity to microorganisms: no data available

Persistence and degradability

AEROBIC: 2-Butanone oxime, present at 30 mg/L, reached 24.7% of its theoretical BOD in 4 weeks using an activated sludge inoculum at 100 mg/L in the Japanese MITI test(1). 2-Butanone oxime, present at 30 mg/L, reached 14-19.5% of its theoretical BOD in 2 weeks using an activated sludge inoculum at 100 mg/L in the Japanese MITI test(2).

Bioaccumulative potential

Using 2-butanone oxime concentrations of 0.2 and 2.0 mg/L, a BCF range of 0.5 to 5.8 was measured in catfish over a 6-week exposure period(1).

Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of 2-butanone oxime can be estimated to be 116(SRC). According to a classification scheme(2), this estimated Koc value suggests that 2-butanone oxime is expected to have high mobility in soil.

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN1224 (For reference only, please check.) IMDG: UN1224 (For reference only, please check.) IATA: UN1224 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: KETONES, LIQUID, N.O.S. (For reference only, please check.) IMDG: KETONES, LIQUID, N.O.S. (For reference only, please check.) IATA: KETONES, LIQUID, N.O.S. (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 3 (For reference only, please check.) IMDG: 3 (For reference only, please check.) IATA: 3 (For reference only, please check.)

Packing group, if applicable

ADR/RID: II (For reference only, please check.) IMDG: II (For reference only, please check.) IATA: II (For reference only, please check.)

Environmental hazards

ADR/RID: No IMDG: No IATA: No

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

(PICCS)

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=O&request_locale=en

CAWEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any