

Chemical Safety Data Sheet MSDS / SDS

Carbon disulphide SDS

Revision Date:2024-04-25 Revision Number:1

| | | | | | | | |
|-----------|------------|------------|------------|------------|------------|------------|------------|
| Section 1 | Section 2 | Section 3 | Section 4 | Section 5 | Section 6 | Section 7 | Section 8 |
| Section 9 | Section 10 | Section 11 | Section 12 | Section 13 | Section 14 | Section 15 | Section 16 |

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name: Carbon disulphide

CAS: 75-15-0

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: For R&D use only. Not for medicinal, household or other use.

Uses advised against: none

Company Identification

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

SECTION 2: Hazards identification**Classification of the substance or mixture**

Flammable liquids, Category 2

Skin irritation, Category 2

Eye irritation, Category 2
Specific target organ toxicity - repeated exposure, Category 1
Reproductive toxicity, Category 2

GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour
H315 Causes skin irritation
H319 Causes serious eye irritation
H372 Causes damage to organs through prolonged or repeated exposure

Precautionary statement(s)

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
P264 Wash ... thoroughly after handling.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P270 Do not eat, drink or smoke when using this product.
P203 Obtain, read and follow all safety instructions before use.

Response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].
P370+P378 In case of fire: Use ... to extinguish.
P302+P352 IF ON SKIN: Wash with plenty of water/...
P321 Specific treatment (see ... on this label).
P332+P317 If skin irritation occurs: Get medical help.
P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P319 Get medical help if you feel unwell.
P318 IF exposed or concerned, get medical advice.

Storage

P403+P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

Substance

| | |
|----------------------------|-------------------|
| Chemical name: | Carbon disulphide |
| Common names and synonyms: | Carbon disulphide |
| CAS number: | 75-15-0 |
| EC number: | 200-843-6 |
| Concentration: | 100% |

SECTION 4: First aid measures

Description of necessary first-aid measures

If inhaled

Fresh air, rest. Refer for medical attention.

Following skin contact

First rinse with plenty of water for at least 15 minutes, then remove contaminated clothes and rinse again. Refer for medical attention .

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Give nothing to drink. Refer for medical attention .

Most important symptoms/effects, acute and delayed

The material affects the central nervous system, cardiovascular system, eyes, kidneys, liver, and skin. It may be absorbed through the skin as a vapor or liquid, inhaled or ingested. The probable oral lethal dose for a human is between 0.5 and 5 g/kg or between 1 ounce and 1 pint (or 1 pound) for a 70 kg (150 lb.) person. In chronic exposures, the central nervous system is damaged and results in the disturbance of vision and sensory changes as the most common early symptoms. Lowest lethal dose for humans has been reported at 14 mg/kg or 0.98 grams for a 70 kg person. Alcoholics and those suffering from neuropsychic trouble are at special risk. (EPA, 1998)

Indication of immediate medical attention and special treatment needed, if necessary

Basic treatment: Establish a patent airway (oropharyngeal or nasopharyngeal airway, if needed). Suction if necessary. Watch for signs of respiratory insufficiency and assist ventilations if necessary. Administer oxygen by nonrebreather mask at 10 to 15 L/min. Anticipate seizures and treat if necessary . Monitor for shock and treat if necessary . For eye contamination, flush eyes immediately with water. Irrigate each eye continuously with 0.9% saline (NS) during transport . Do not use emetics. For ingestion, rinse mouth and administer 5 mL/kg up to 200 mL of water for dilution if the patient can swallow, has a strong gag reflex, and does not drool. Administer activated charcoal . Cover skin burns with sterile dressings after decontamination . Carbon Disulfide and Related Compounds

SECTION 5: Firefighting measures

Suitable extinguishing media

To fight fire, use water, carbon dioxide, dry chemical, fog, mist.

Specific hazards arising from the chemical

Ignition temperature dangerously low: 212F. Vapors may be ignited by contact with ordinary light bulb, when heated to decomposition, it emits highly toxic fumes of oxides of sulfur. When heated to decomposition, emits highly toxic fumes of sulfur oxides and can react vigorously with oxidizing materials. Avoid air, rust, halogens, metal azides, metals, oxidants; when exposed

to heat or flame reacts violently with aluminum, chlorine, azides, hypochlorite, ethylamine diamine, ethylene imine, fluorine, metallic azides of lithium, potassium, cesium, rubidium and sodium, nitrogen oxides, potassium, zinc and (sulfuric acid plus permanganate). Decomposes on standing for a long time. (EPA, 1998)

Special protective actions for fire-fighters

Use water spray, powder, foam, carbon dioxide. In case of fire: keep drums, etc., cool by spraying with water.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Evacuate danger area! Consult an expert! Personal protection: complete protective clothing including self-contained breathing apparatus. Remove all ignition sources. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations. Do NOT wash away into sewer.

Environmental precautions

Evacuate danger area! Consult an expert! Personal protection: complete protective clothing including self-contained breathing apparatus. Remove all ignition sources. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations. Do NOT wash away into sewer.

Methods and materials for containment and cleaning up

1. remove all ignition sources. 2. ventilate area of spill or leak. 3. for small quantities, absorb on paper towels. evaporate in a safe place (such as a fume hood). allow sufficient time for evaporating vapors to completely clear the hood ductwork. burn the paper in a suitable location away from combustible materials. large quantities can be reclaimed or collected and atomized in a suitable combustion chamber equipped with an appropriate effluent gas cleaning device. carbon disulfide should not be allowed to enter a confined space, such as a sewer, because of the possibility of an explosion.

SECTION 7: Handling and storage

Precautions for safe handling

NO open flames, NO sparks and NO smoking. NO contact with hot surfaces. Closed system, ventilation, explosion-proof electrical equipment and lighting. Prevent build-up of electrostatic charges (e.g., by grounding). Do NOT use compressed air for filling, discharging, or handling. Do NOT expose to friction or shock. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Fireproof. Separated from oxidants and food and feedstuffs. Cool. Store in an area without drain or sewer access.... MUST BE STORED IN AIRTIGHT DRUMS, HANDLED WITH PRECAUTIONS, & IN SUMMER KEPT IN SHADE & SPRAYED WITH WATER TO PREVENT PRESSURE DEVELOPING. LARGE QUANTITIES ... MUST BE STORED UNDER WATER.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

TLV: 1 ppm as TWA; (skin); A4 (not classifiable as a human carcinogen); BEI issued. MAK: 16 mg/m³, 5 ppm; peak limitation category: II(2); skin absorption (H); pregnancy risk group: B. EU-OEL: 15 mg/m³, 5 ppm as TWA; (skin)

Biological limit values

no data available

Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety goggles, face shield or eye protection in combination with breathing protection.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use ventilation, local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

| | |
|---|---|
| Physical state: | Carbon disulfide is a clear colorless to light yellow volatile liquid with a strong disagreeable odor. Boiling point 46° C. Flash point -22°F. Flammable over a wide vapor/air concentration range(1%-50%). Vapors are readily ignited; the heat of a common light bulb may suffice. Insoluble in water and more dense (10.5 lb / gal) than water. Hence sinks in water. Vapors are heavier than air. Used in the manufacture of rayon and cellophane, in the manufacture of flotation agents and as a solvent. |
| Colour: | Mobile ... liquid |
| Odour: | Purest distillates have sweet, pleasing, and ethereal odor ... usual commercial and reagent grades are foul smelling |
| Melting point/freezing point: | -111°C |
| Boiling point or initial boiling point and boiling range: | 46°C(lit.) |
| Flammability: | Class IB Flammable Liquid: F.L.P. below 73°F and BP at or above 100°F. |
| Lower and upper explosion limit/flammability limit: | Lower Flammable Limit: 1.3% by volume; Upper Flammable Limit: 50.0% by volume |
| Flash point: | -30°C |
| Auto-ignition temperature: | 212°F |
| Decomposition temperature: | no data available |
| pH: | no data available |
| Kinematic viscosity: | Coefficient of viscosity = 0.363 at 20 deg C |
| Solubility: | less than 1 mg/mL at 68° F (NTP, 1992) |

| | |
|--|--------------------------|
| Partition coefficient n-octanol/water: | log Kow = 1.94 |
| Vapour pressure: | 5.83 psi (20 °C) |
| Density and/or relative density: | 1.266g/mL at 25°C (lit.) |
| Relative vapour density: | 2.67 (vs air) |
| Particle characteristics: | no data available |

SECTION 10: Stability and reactivity

Reactivity

May decompose explosively on shock, friction or concussion. May explode on heating. The substance may ignite spontaneously on contact with hot surfaces and air. This produces toxic fumes of sulfur dioxide (see ICSC 0074). Reacts violently with oxidants. This generates fire and explosion hazard. Attacks some forms of plastic, rubber and coatings.

Chemical stability

no data available

Possibility of hazardous reactions

Carbon disulfide vapor is explosive, igniting spontaneously on contact with sparks or at temperatures above 147 degrees C. The vapour is heavier than air and may travel along the ground; distant ignition possible. As a result of flow, agitation, etc., electrostatic charges can be generated. CARBON DISULFIDE has an extremely low autoignition temperature (125°C). May ignite or even explode when heated. The vapor or liquid has been known to ignite on contact with steam pipes, particularly if rusted [Anon., J. Roy. Inst. Chem., 1956, 80, p.664]. Explosion hazard when exposed to flame, heat, sparks or friction. Mixtures with lithium, sodium, potassium or dinitrogen tetraoxide may detonate when shocked. Potentially explosive reaction with nitrogen oxide, chlorine, permanganic acid (strong oxidizing agents). Vapor ignites in contact with aluminum powder or fluorine. Reacts violently with azides, ethylamine ethylenediamine, ethylene imine. Emits highly toxic fumes of oxides of sulfur when heated to decomposition [Bretherick, 5th ed., 1995, p. 663]. Sodium amide forms toxic and flammable H₂S gas with CS₂. (714)

Conditions to avoid

no data available

Incompatible materials

Incompatible with air, metals, and oxidants.

Hazardous decomposition products

Decomposes on standing for a long time.

SECTION 11: Toxicological information**Acute toxicity**

Oral: LD50 Rat oral 3188 mg/kg

Inhalation: LC50 Rat inhalation 25 g/cu m/2 hr

Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

TLV-A4

Reproductive toxicity

Reproductive effects, such as decreased sperm count and decreased libido in men and menstrual disturbances in women, have been reported from occupational settings involving inhalation exposure to carbon disulfide. (-) Developmental effects, including skeletal and visceral malformations, embryotoxicity, and functional and behavioral disturbances, have been observed in several animal studies across a wide exposure range. Pharmacokinetic studies indicate that carbon disulfide and its metabolites cross the placenta and localize in the target organs of the fetus (brain, blood, liver, and eyes).

STOT-single exposure

The substance is irritating to the eyes, skin and respiratory tract. If this liquid is swallowed, aspiration into the lungs may result in chemical pneumonitis. The substance may cause effects on the central nervous system. Exposure could cause lowering of consciousness. Exposure between 200 and 500 ppm could cause death.

STOT-repeated exposure

Repeated or prolonged contact with skin may cause dermatitis. The substance may have effects on the cardiovascular system and nervous system. This may result in coronary heart disease, severe neurobehavioural effects, polyneuritis and psychoses. Animal tests show that this substance possibly causes toxic effects upon human reproduction.

Aspiration hazard

A harmful contamination of the air can be reached very quickly on evaporation of this substance at 20°C.

SECTION 12: Ecological information

Toxicity

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: EC50; Species: *Daphnia magna* (water flea); Concentration: 10 mg/L/24 hr; Condition: not specified; Effect: inhibition of the mobility

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

Persistence and degradability

AEROBIC: It has been demonstrated that the adsorption of carbon disulfide by moist unsterilized soil increases sharply after approximately 3 hr and the time for complete sorption of the gas decreases with repeated dosing(1). This behavior does not occur with air-dried or sterilized soil and has been ascribed to microbial utilization of the chemical(1). Carbon disulfide is oxidized by some heterotrophs(2). Carbon disulfide, present at 100 mg/L, reached 2% of its theoretical BOD in 4 weeks using an activated

sludge inoculum at 30 mg/L and the Japanese MITI test(3).

Bioaccumulative potential

BCFs of <6.1 and <60 were measured in carp for carbon disulfide at concentrations of 50 and 5 ug/L, respectively(1). According to a classification scheme(2), these BCFs suggest bioconcentration in aquatic organisms is low to moderate(SRC).

Mobility in soil

The Koc of carbon disulfide is estimated as approximately 270(SRC), using a log Kow of 1.94(1) and a regression-derived equation(2). According to a classification scheme(3), this estimated Koc value suggests that carbon disulfide is expected to have moderate mobility in soil(SRC). The avg adsorption of carbon disulfide after 10 minutes by 4 air-dried soils was 46% but only 12% by the same soils at 50% water-holding capacity(4). However, after 8 hr the rate of adsorption was greater by moist soil, but only when the soil was unsterilized(4). Further experiments suggest that this "adsorption" in moist soils is the result of microbial action(4).

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN1131 (For reference only, please check.)

IMDG: UN1131 (For reference only, please check.)
IATA: UN1131 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: CARBON DISULPHIDE (For reference only, please check.)
IMDG: CARBON DISULPHIDE (For reference only, please check.)
IATA: CARBON DISULPHIDE (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 3 (For reference only, please check.)
IMDG: 3 (For reference only, please check.)
IATA: 3 (For reference only, please check.)

Packing group, if applicable

ADR/RID: I (For reference only, please check.)
IMDG: I (For reference only, please check.)
IATA: I (For reference only, please check.)

Environmental hazards

ADR/RID: No
IMDG: No
IATA: No

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

(PICCS)

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:
http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Other Information

Depending on the degree of exposure, periodic medical examination is suggested.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any