

Chemical Safety Data Sheet MSDS / SDS

Chloroneb SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name: Chloroneb
CAS: 2675-77-6

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: For R&D use only. Not for medicinal, household or other use.
Uses advised against: none

Company Identification

Company: Chemicalbook.in
Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090
Telephone: +91 9550333722

SECTION 2: Hazards identification**Classification of the substance or mixture**

Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 2

GHS label elements, including precautionary statements

Pictogram(s)



Signal word

No signal word

Hazard statement(s)

H411 Toxic to aquatic life with long lasting effects

Precautionary statement(s)

Prevention

P273 Avoid release to the environment.

Response

P391 Collect spillage.

Storage

none

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

Substance

Chemical name: Chloroneb

Common names and synonyms: Chloroneb

CAS number: 2675-77-6

EC number: 220-222-3

Concentration: 100%

SECTION 4: First aid measures

Description of necessary first-aid measures

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

Most important symptoms/effects, acute and delayed

SYMPTOMS: Symptoms of exposure to this compound include vomiting, tremors and convulsions. ACUTE/CHRONIC HAZARDS: When heated to decomposition this compound emits toxic fumes of chlorine. (NTP, 1992)

Indication of immediate medical attention and special treatment needed, if necessary

Treatment is symptomatic and supportive. Oils should not be used as either cathartics or dermal cleansing agents, as they increase absorption. Gastric lavage and use of activated charcoal and sodium sulfate are indicated for ingestion. If dermal exposure occurred, contaminated clothes should be removed, and the skin should be thoroughly cleansed with soap and water. Management of seizures in both children and adults is with Valium or phenobarbital. Respiratory depression and even respiratory arrest, especially with concomitant use of Valium and phenobarbital in children, may occur. These drugs preferably should be used only in critical care areas where emergency endotracheal intubation can be performed. /It is recommended/ that epinephrine not be utilized in patients with organochlorine poisoning, as the organochlorines induce myocardial irritability and ventricular arrhythmias may occur. However, dopamine may be necessary in the event of hypotension unresponsive to fluid administration, and epinephrine may be necessary in the event of cardiopulmonary arrest. Organochlorine insecticides

SECTION 5: Firefighting measures

Suitable extinguishing media

If material on fire or involved in fire: Do not extinguish fire unless flow can be stopped. Use water in flooding quantities as fog. Solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water. Apply water from as far a distance as possible. Use "alcohol" foam, dry chemical or carbon dioxide. Organochlorine pesticide, liquid

Specific hazards arising from the chemical

This chemical is combustible. (NTP, 1992)

Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Environmental considerations: Water spill: Use natural barriers or oil spill control booms to limit spill travel. Use natural deep water pockets, excavated lagoons, or sand bag barriers to trap material at bottom. Remove trapped material with suction hoses.
Organochlorine pesticide, solid, toxic

SECTION 7: Handling and storage

Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state:	PHYSICAL DESCRIPTION: White to tan solid or beige powder. Musty odor. (NTP, 1992)
Colour:	Colorless crystals
Odour:	Musty odor
Melting point/freezing point:	133-135°C
Boiling point or initial boiling point and boiling range:	268°C
Flammability:	no data available
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	105.7°C
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH:	no data available
Kinematic viscosity:	no data available
Solubility:	less than 0.1 mg/mL at 73° F (NTP, 1992)
Partition coefficient n-octanol/water:	log Kow = 3.44 /Estimated/
Vapour pressure:	0.0121mmHg at 25°C

Density and/or relative density:	1.283 g/cm ³
Relative vapour density:	no data available
Particle characteristics:	no data available

SECTION 10: Stability and reactivity

Reactivity

no data available

Chemical stability

Stable ≤ 268 deg C and @ ambient temp in presence of alkali or acid.

Possibility of hazardous reactions

Chloroneb and its formulated products will catch fire /when exposed to flames/. CHLORONEB is stable at temperatures up to 514° F, in water in the presence of dilute acids or alkalis, and in the common organic solvents. It is subject to microbial decomposition in soil under moist conditions.

Conditions to avoid

no data available

Incompatible materials

no data available

Hazardous decomposition products

When heated to decomposition it emits toxic fumes of hydrogen chloride

SECTION 11: Toxicological information

Acute toxicity

Oral: LD50 Rat oral >11,000 mg/kg

Inhalation: no data available

Dermal: LD50 Rabbit percutaneous >5000 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

Cancer Classification: Data are Inadequate for an Assessment of Carcinogenic Potential

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

SECTION 12: Ecological information

Toxicity

Toxicity to fish: LC50 Bluegill sunfish >4200 mg/L/46 hr /Conditions of bioassay not specified in source examined

Toxicity to daphnia and other aquatic invertebrates: EC50 Daphnia magna (Water flea; intoxication, immobilization) 6.19 ppm/48 hr (95% confidence interval: 5.8-6.64 ppm); static

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

Persistence and degradability

AEROBIC: In a soil field study conducted in Delaware, US, chloroneb was reported to have a half-life of 3 to 6 months following its incorporation 2 to 3 inches from the surface of a Keyport silt loam at a concentration of 2 lb active ingredient per acre(1). About 90% of the residual activity recovered from the soil after this period was the parent chloroneb(1). Half-lives of 10 to 180 days have been reported in soil(2). Chloroneb was added to samples of Chalmers silty clay loam soil (at 5.7 ug/g), Kentucky blue grass thatch(at 8.0 ug/g), and Kentucky blue grass clippings(at 8.0 ug/g) and incubated at 25 deg C at a constant moisture (26, 76, and 75%, respectively)(3). Half-lives of 2.7, 8.7, and 69.3 days were reported for the soil, thatch, and grass clipping samples, respectively, when chloroneb was added as a single compound(3). Half-lives of 4.3, 8.7, and 69.3 days were reported for the soil, thatch, and grass clipping samples, respectively, when chloroneb was added as a mixture with triadimefon and vinclozolin(3).

Bioaccumulative potential

An estimated BCF of 190 was calculated for chloroneb(SRC), using a measured water solubility of 8 mg/L(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is high(SRC), provided the compound is not altered physically or chemically once released into the environment.

Mobility in soil

Koc values of 1,653(1), 1,260(2), 1,200(3), and 714(4) were measured for chloroneb in soil(SRC). According to a classification scheme(5), these estimated Koc values suggest that chloroneb is expected to have low mobility in soil. In a soil TLC plate study using Hagerstown silty clay loam soil (pH 6.8, 2.5% organic matter, 39.5% clay), chloroneb was immobile(6). In a field study, chloroneb was incorporated into a Keystone silt loam to a depth of 2 to 3 inches. After 6 months, nearly all of the chloroneb remained in the treated layer of soil(7).

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN3077 (For reference only, please check.)

IMDG: UN3077 (For reference only, please check.)

IATA: UN3077 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (For reference only, please check.)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (For reference only, please check.)

IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 9 (For reference only, please check.)

IMDG: 9 (For reference only, please check.)

IATA: 9 (For reference only, please check.)

Packing group, if applicable

ADR/RID: III (For reference only, please check.)

IMDG: III (For reference only, please check.)

IATA: III (For reference only, please check.)

Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Not Listed.

China Catalog of Hazardous chemicals 2015

Not Listed.

New Zealand Inventory of Chemicals (NZIoC)

Not Listed.

(PICCS)

Not Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any