

Chemical Safety Data Sheet MSDS / SDS

Dapsone SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name: Dapsone

CAS: 80-08-0

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: For R&D use only. Not for medicinal, household or other use.

Uses advised against: none

Company Identification

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

SECTION 2: Hazards identification**Classification of the substance or mixture**

Acute toxicity - Category 4, Oral

GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Warning

Hazard statement(s)

H302 Harmful if swallowed

Precautionary statement(s)

Prevention

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response

P301+P317 IF SWALLOWED: Get medical help.

P330 Rinse mouth.

Storage

none

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

Substance

Chemical name: Dapsone

Common names and synonyms: Dapsone

CAS number: 80-08-0
EC number: 201-248-4
Concentration: 100%

SECTION 4: First aid measures

Description of necessary first-aid measures

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

Most important symptoms/effects, acute and delayed

SYMPTOMS: Symptoms of exposure to this compound include somnolence, retinal changes, cyanosis, jaundice, changes in tubules and other kidney changes, hemolysis with or without anemia, joint effects, hepatitis, dermatitis and peripheral neuritis. Other symptoms include peripheral motor neuropathy, retinal damage, optic atrophy and, in large doses, intravascular hemolysis, methemoglobinemia, renal failure, hemorrhages and exudates in fundi, localized capillary non-perfusion by angiography, and permanent poor vision. Prolonged skin exposure may lead to irritation. Severe eye irritation, irritation of the nose and throat and sneezing also occur. Exposure may cause restlessness, coma, hematuria, gastrointestinal irritation, maculopapular, erythematous skin eruptions, fever, mental disturbances, visual disturbances, oliguria or anuria with azotemia, agranulocytosis, thrombocytopenia, purpura, conjunctival injection, bullous lesions of the skin, petechiae, increased erythema, injury from sunlight, renal damage and death. It may also cause sore throat, pallor, aplastic anemia, other blood dyscrasias, exfoliative dermatitis, erythema multiforme, toxic epidermal necrolysis, morbilliform and scarlatiniform reactions, urticaria, erythema nodosum, muscle weakness, nausea, vomiting, abdominal pain, vertigo, blurred vision, tinnitus, insomnia, headache, psychosis, phototoxicity, tachycardia, albuminuria, the nephrotic syndrome, hypoalbuminemia without proteinuria, renal papillary necrosis, male infertility, drug-induced lupus erythematosus, an infectious mononucleosis-like syndrome, severe anoxia, hyperexcitability,

methemoglobin induced depression and convulsions. Other symptoms may include anorexia, dizziness, nervousness, lymphadenitis, fixed drug eruptions, and eosinophilia. This compound can cause Heinz-body formation, paresthesia, pruritus, exacerbation of lepromatous leprosy in malnourished persons, malaise, hepatic necrosis and lymphadenopathy. It can also cause leukopenia, pseudo-leukemia and abnormalities in liver function tests. ACUTE/CHRONIC HAZARDS: This compound is harmful if swallowed, inhaled or absorbed through the skin. It may cause irritation. When heated to decomposition it emits very toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides and sulfur oxides. (NTP, 1992)

Indication of immediate medical attention and special treatment needed, if necessary

Methylene blue is the first-choice treatment of methemoglobinemia, but it is not readily available in most Korean emergency departments because of an import suspension. An 84-year-old woman with dapsone-induced massive methemoglobinemia visited our emergency department for unclear mentality and cyanosis. Because methylene blue was not available, we intravenously administered vitamin C (VC) for symptomatic methemoglobinemia, although VC is not a universally accepted treatment. Vitamin C (10 g intravenously) administered 6 hourly successfully treated the dapsone-induced methemoglobinemia and did not adversely affect renal functions. Thus, we recommend that if methylene blue is unavailable, 6 hourly intravenous administrations of 10 g of VC should be considered for dapsone-induced methemoglobinemia.

SECTION 5: Firefighting measures

Suitable extinguishing media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards arising from the chemical

This chemical is probably combustible. (NTP, 1992)

Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

ACCIDENTAL RELEASE MEASURES: Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Avoid breathing dust; Environmental precautions: Do not let product enter drains; Methods and materials for containment and cleaning up: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Light sensitive.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state:	Solid. Crystalline.
Colour:	White to creamy.
Odour:	Odorless
Melting point/freezing point:	≥ 175 - ≤ 176 °C. Atm. press.:Ca. 1 atm. Remarks: Http://ntp.niehs.nih.gov/index.cfm?objectid=E8834698-BDB5-82F8-FB8AF8E8BF9A9C9F .
Boiling point or initial boiling point and boiling range:	438 °C. Remarks:Based on adapted Stein & Brown method.
Flammability:	no data available
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	24° C(lit.)

Auto-ignition temperature:	Remarks:Not self-heating, see details below.
Decomposition temperature:	no data available
pH:	no data available
Kinematic viscosity:	no data available
Solubility:	>37.2 [ug/mL]
Partition coefficient n-octanol/water:	log Pow = Ca. 0.97. Temperature:25 °C. Remarks:Unknown.
Vapour pressure:	< 0.002 Pa. Temperature:20 °C.;< 0.004 Pa. Temperature:25 °C.
Density and/or relative density:	Ca. 0.82 g/cm ³ . Temperature:20 °C.;Ca. 1.361 g/cm ³ .
Relative vapour density:	8.3 (NTP, 1992) (Relative to Air)
Particle characteristics:	no data available

SECTION 10: Stability and reactivity

Reactivity

Sensitive to oxidation and light. Insoluble in water.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

4,4-SULFONYLDIANILINE can neutralize acids in exothermic reactions to form salts plus water. May be incompatible with isocyanates, halogenated organics, peroxides, phenols (acidic), epoxides, anhydrides, and acid halides. Flammable gaseous hydrogen is generated in combination with strong reducing agents, such as hydrides. Incompatible with strong oxidizing agents. Also incompatible with epoxy resins under uncontrolled conditions (NTP, 1992).

Conditions to avoid

no data available

Incompatible materials

Incompatible materials: Strong oxidizing agents

Hazardous decomposition products

When heated to decomposition it emits very toxic fumes of /nitrogen and sulfur oxides/.

SECTION 11: Toxicological information**Acute toxicity**

Oral: LD50 Rat oral 1000 mg/kg

Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

Inadequate evidence of carcinogenicity in humans. Limited evidence of carcinogenicity in animals. OVERALL EVALUATION: Group 3:
The agent is not classifiable as to its carcinogenicity to humans.

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

SECTION 12: Ecological information

Toxicity

Toxicity to fish: LC50 - *Cyprinus carpio* - > 100 mg/L - 96 h.

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: EC50 - *Pseudokirchneriella subcapitata* (previous names: *Raphidocelis subcapitata*, *Selenastrum capricornutum*) - ca. 0.52 mg/L - 72 h.

Toxicity to microorganisms: EC50 - activated sludge of a predominantly domestic sewage - > 1 000 mg/L - 3 h. Remarks: (loading rate).

Persistence and degradability

no data available

Bioaccumulative potential

An estimated BCF of 3 was calculated in fish for dapsone(SRC), using a log Kow of 0.97(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of dapsone can be estimated to be 260(SRC). According to a classification scheme(2), this estimated Koc value suggests that dapsone is expected to have moderate mobility in soil. Aromatic amines are expected to bind strongly to humus or organic matter in soils due to the high reactivity of the aromatic amino group(3,4), suggesting that mobility may be much lower in some soils(SRC).

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Not Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

(PICCS)

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:
http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any