

## Chemical Safety Data Sheet MSDS / SDS

## Demeton-S-methyl SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name: Demeton-S-methyl

CAS: 919-86-8

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses: For R&amp;D use only. Not for medicinal, household or other use.

Uses advised against: none

**Company Identification**

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

**SECTION 2: Hazards identification****Classification of the substance or mixture**

Acute toxicity - Category 3, Oral

Acute toxicity - Category 3, Dermal

Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 2

### GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

### Hazard statement(s)

H301 Toxic if swallowed

H311 Toxic in contact with skin

H411 Toxic to aquatic life with long lasting effects

### Precautionary statement(s)

#### Prevention

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P273 Avoid release to the environment.

#### Response

P301+P316 IF SWALLOWED: Get emergency medical help immediately.

P321 Specific treatment (see ... on this label).

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P316 Get emergency medical help immediately.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P391 Collect spillage.

#### Storage

P405 Store locked up.

#### Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### Other hazards which do not result in classification

no data available

### SECTION 3: Composition/information on ingredients

#### Substance

Chemical name:	Demeton-S-methyl
Common names and synonyms:	Demeton-S-methyl
CAS number:	919-86-8
EC number:	213-052-6
Concentration:	100%

### SECTION 4: First aid measures

#### Description of necessary first-aid measures

##### If inhaled

Fresh air, rest. Refer for medical attention.

##### Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention .

##### Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

##### Following ingestion

Rinse mouth. Give a slurry of activated charcoal in water to drink. Induce vomiting (ONLY IN CONSCIOUS PERSONS!). Rest. Refer for medical attention .

#### Most important symptoms/effects, acute and delayed

It inhibits the nervous system and is absorbed readily through the skin. This compound is a liquid organophosphorus insecticide. Poisonous; may be fatal if inhaled, swallowed or absorbed through skin. Contact may cause burns to skin and eyes. (EPA, 1998)

### **Indication of immediate medical attention and special treatment needed, if necessary**

Basic treatment: Establish a patent airway (oropharyngeal or nasopharyngeal airway, if needed). Suction if necessary. Aggressive airway control may be needed. Watch for signs of respiratory insufficiency and assist ventilations if necessary. Administer oxygen by nonrebreather mask at 10 to 15 L/min. Monitor for pulmonary edema and treat if necessary . Monitor for shock and treat if necessary . Anticipate seizures and treat if necessary . For eye contamination, flush eyes immediately with water. Irrigate each eye continuously with 0.9% saline (NS) during transport . Do not use emetics. For ingestion, rinse mouth and administer 5 ml/kg up to 200 ml of water for dilution if the patient can swallow, has a strong gag reflex, and does not drool. Administer activated charcoal . Organophosphates and related compounds

## **SECTION 5: Firefighting measures**

### **Suitable extinguishing media**

If material on fire or involved in fire: Do not extinguish fire unless flow can be stopped or safely confined. Use water in flooding quantities as fog. Solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water. Apply water from as far a distance as possible. Use "alcohol" foam, carbon dioxide or dry chemical. Organophosphorus pesticides, liquid, NOS

### **Specific hazards arising from the chemical**

When heated to decomposition, it emits very toxic fumes of oxides of phosphorus and sulfur. This compound is a liquid organophosphorus insecticide. This material may burn but does not ignite readily. Container may explode in heat of fire. Fire may produce irritating or poisonous gases. Runoff from fire control water may give off poisonous gases. Hydrolyzed by alkali. (EPA, 1998)

### **Special protective actions for fire-fighters**

Use water spray, foam, powder, carbon dioxide.

## **SECTION 6: Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

Personal protection: chemical protection suit including self-contained breathing apparatus. Do NOT let this chemical enter the environment. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations. Do NOT wash away into sewer.

### **Environmental precautions**

Personal protection: chemical protection suit including self-contained breathing apparatus. Do NOT let this chemical enter the environment. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations. Do NOT wash away into sewer.

### **Methods and materials for containment and cleaning up**

Absorb on sand or limestone, add flammable solvent and burn in an incinerator with effluent gas scrubbing.

## **SECTION 7: Handling and storage**

### **Precautions for safe handling**

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### **Conditions for safe storage, including any incompatibilities**

Provision to contain effluent from fire extinguishing. Separated from food and feedstuffs. Keep in a well-ventilated room. Rooms used for storage only should be soundly constructed & fitted with secure locks. Floors should be kept clear & pesticides clearly identified. If repacking is carried out in storage rooms, adequate light should be available; floors should be impervious & sound .  
Pesticides

## **SECTION 8: Exposure controls/personal protection**

### **Control parameters**

### **Occupational Exposure limit values**

TLV: 0.05 mg/m<sup>3</sup>, as TWA; (skin); (SEN); A4 (not classifiable as a human carcinogen); BEI issued

### **Biological limit values**

no data available

### **Appropriate engineering controls**

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

**Individual protection measures, such as personal protective equipment (PPE)**

**Eye/face protection**

Wear face shield or eye protection in combination with breathing protection.

**Skin protection**

Protective gloves. Protective clothing.

**Respiratory protection**

Use ventilation, local exhaust or breathing protection.

**Thermal hazards**

no data available

**SECTION 9: Physical and chemical properties and safety characteristics**

Physical state:	Demeton-s-methyl is a pale yellow oil. Used as an insecticide. Not registered as a pesticide in the U.S. (EPA, 1998)
Colour:	Oily colorless to pale yellow liquid
Odour:	Unpleasant odor
Melting point/freezing point:	no data available
Boiling point or initial boiling point and boiling range:	287.4°C at 760 mmHg
Flammability:	Combustible. Liquid formulations containing organic solvents may be flammable. Gives off irritating or toxic fumes (or gases) in a fire.
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	2°C

Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH:	no data available
Kinematic viscosity:	no data available
Solubility:	Sol in organic solvents
Partition coefficient n-octanol/water:	log Kow = 1.02
Vapour pressure:	0.00036 mm Hg at 68° F (EPA, 1998)
Density and/or relative density:	1.197g/cm <sup>3</sup>
Relative vapour density:	(air = 1): 7.9
Particle characteristics:	no data available

## SECTION 10: Stability and reactivity

### Reactivity

Decomposes on heating and on burning. This produces toxic fumes including phosphorus oxides and sulfur oxides.

### Chemical stability

Demeton-S-methyl is less stable than demeton. 50% hydrolysis at 70 deg C requires 1.25 hr at pH 9 and 4.9 hr at pH 3.

### Possibility of hazardous reactions

Organophosphates, such as DEMETON-S-METHYL, are susceptible to formation of highly toxic and flammable phosphine gas in the presence of strong reducing agents such as hydrides. Partial oxidation by oxidizing agents may result in the release of toxic phosphorus oxides.

**Conditions to avoid**

no data available

**Incompatible materials**

incompatible with alkaline materials.

**Hazardous decomposition products**

When heated to decomposition it emits toxic fumes of /phosphorous and sulfur oxides/.

**SECTION 11: Toxicological information****Acute toxicity**

Oral: LD50 Rat oral 30 mg/kg

Inhalation: LC50 Rat inhalation 500 mg/cu m/4 hr

Dermal: no data available

**Skin corrosion/irritation**

no data available

**Serious eye damage/irritation**

no data available

**Respiratory or skin sensitization**

no data available

**Germ cell mutagenicity**

no data available

**Carcinogenicity**

A4; Not classifiable as a human carcinogen.



### **Reproductive toxicity**

no data available

### **STOT-single exposure**

The substance may cause effects on the nervous system. This may result in convulsions, respiratory failure and death. Cholinesterase inhibition. The effects may be delayed. Medical observation is indicated.

### **STOT-repeated exposure**

Cholinesterase inhibition. Cumulative effects are possible. See Acute Hazards/Symptoms.

### **Aspiration hazard**

A harmful contamination of the air will not or will only very slowly be reached on evaporation of this substance at 20°C; on spraying or dispersing, however, much faster.

## **SECTION 12: Ecological information**

### **Toxicity**

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

### **Persistence and degradability**

**AEROBIC:** Demeton-S-methyl has a reported half-life in soil of 26 days(1). In a laboratory study, biodegradation of demeton-S-methyl was investigated in two different standardized soils with different characteristics particularly in terms of organic matter content and cation exchange capability (2). Under aerobic conditions, no demeton-S-methyl was detected one day post application(2). After 63 days under aerobic conditions 54% and 34% of the applied amount was eliminated as carbon dioxide in the two soils(2). Under anaerobic conditions 0.5% and 1.1% of the applied was eliminated as carbon dioxide, and there was a predominance of the metabolites O-demethyl-demeton-S-methyl and demeton-S-methyl sulfoxide. The half-lives of demeton-S-methyl were approximately 5 hours in the non-sterile soil and 70 hours in the sterile test control.

### **Bioaccumulative potential**

An estimated BCF value of 1 was calculated in fish for demeton-S-methyl(SRC), using a measured log Kow of 1.02(1) and a regression-derived equation(2). According to a recommended classification scheme(3), this BCF value suggests the potential for bioconcentration in aquatic organisms is low(SRC).

### **Mobility in soil**

The Koc of demeton-S-methyl was reported as 31 in an unspecified soil(1). Demeton-S-methyl showed little adsorption to sediment rich in organic matter (6.2 to 9.3% organic matter) obtained from Yugoslavia, with Kd values of 0.68 and 2.66(2). According to a classification scheme(3), this Koc value indicates that demeton-S-methyl is expected to have very high mobility in soil(SRC).

### **Other adverse effects**

no data available

## **SECTION 13: Disposal considerations**

### **Disposal methods**

#### **Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### **Contaminated packaging**

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

## **SECTION 14: Transport information**

### **UN Number**

ADR/RID: UN3018 (For reference only, please check.)

IMDG: UN3018 (For reference only, please check.)

IATA: UN3018 (For reference only, please check.)

### **UN Proper Shipping Name**

ADR/RID: ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC (For reference only, please check.)  
IMDG: ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC (For reference only, please check.)  
IATA: ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC (For reference only, please check.)

#### **Transport hazard class(es)**

ADR/RID: 6.1 (For reference only, please check.)  
IMDG: 6.1 (For reference only, please check.)  
IATA: 6.1 (For reference only, please check.)

#### **Packing group, if applicable**

ADR/RID: I (For reference only, please check.)  
IMDG: I (For reference only, please check.)  
IATA: I (For reference only, please check.)

#### **Environmental hazards**

ADR/RID: Yes  
IMDG: Yes  
IATA: Yes

#### **Special precautions for user**

no data available

#### **Transport in bulk according to IMO instruments**

no data available

## **SECTION 15: Regulatory information**

**Safety, health and environmental regulations specific for the product in question**

**European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

**EC Inventory**

Listed.

**United States Toxic Substances Control Act (TSCA) Inventory**

Listed.

**China Catalog of Hazardous chemicals 2015**

Not Listed.

**New Zealand Inventory of Chemicals (NZIoC)**

Not Listed.

**(PICCS)**

Not Listed.

**Vietnam National Chemical Inventory**

Not Listed.

**IECSC)**

Not Listed.

**Korea Existing Chemicals List (KECL)**

Listed.

**SECTION 16: Other information**

**Abbreviations and acronyms**

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

### Other Information

Depending on the degree of exposure, periodic medical examination is suggested. Specific treatment is necessary in case of poisoning with this substance; the appropriate means with instructions must be available. If the substance is formulated with solvents also consult the ICSCs of these materials. Carrier solvents used in commercial formulations may change physical and toxicological properties. Do NOT take working clothes home. See ICSC 0429.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any