# Chemical Safety Data Sheet MSDS / SDS

## Ethyl chloroformate SDS

Revision Date: 2024-04-25 Revision Number: 1

Section 2 Section 3 Section 1 Section 4 Section 5 Section 6 Section 7 Section 8 Section 9 Section 10 Section 11 Section 12 Section 13 Section 14 Section 15 Section 16

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### Product identifier

Product name: Ethyl chloroformate

CAS: 541-41-3

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified For R&D use only. Not for medicinal, household or other use.

uses:

Uses advised none

against:

#### Company Identification

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

Flammable liquids, Category 2 Acute toxicity - Category 4, Oral

Skin corrosion, Sub-category 1B Acute toxicity - Category 2, Inhalation

## GHS label elements, including precautionary statements

Pictogram(s)







Signal word

### Hazard statement(s)

H225 Highly flammable liquid and vapour

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H330 Fatal if inhaled

#### Precautionary statement(s)

#### Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P284 [In case of inadequate ventilation] wear respiratory protection.

## Response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing, Rinse affected areas with water [or shower].

P370+P378 In case of fire: Use ... to extinguish.

P301+P317 IF SWALLOWED: Get medical help.

P330 Rinse mouth.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P363 Wash contaminated clothing before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P316 Get emergency medical help immediately.

P321 Specific treatment (see ... on this label).

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P320 Specific treatment is urgent (see ... on this label).

#### Storage

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

#### Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### Other hazards which do not result in classification

no data available

# SECTION 3: Composition/information on ingredients

#### Substance

Chemical name: Ethyl chloroformate

Common names and Ethyl chloroformate

synonyms:

CAS number: 541-41-3 EC number: 208-778-5

Concentration: 100%

## **SECTION 4: First aid measures**

Description of necessary first-aid measures

If inhaled

Fresh air, rest. Half-upright position. Artificial respiration may be needed. Refer for medical attention. See Notes.

#### Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention.

## Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

#### Following ingestion

Rinse mouth. Do NOT induce vomiting. Refer for medical attention.

#### Most important symptoms/effects, acute and delayed

Inhalation causes mucous membrane irritation, coughing, and sneezing. Vapor causes severe lachrymation; liquid causes acid-type burns of eyes and skin, like those of hydrochloric acid. Ingestion causes severe burns of mouth and stomach. (USCG, 1999)

#### Indication of immediate medical attention and special treatment needed, if necessary

no data available

# **SECTION 5: Firefighting measures**

#### Suitable extinguishing media

Use dry chemical, foam, carbon dioxide, or water spray. Water may be ineffective. Use water spray to keep fire exposed containers cool. Approach fire from upwind to avoid hazardous vapors and toxic decomposition products.

#### Specific hazards arising from the chemical

Special Hazards of Combustion Products: Toxic chlorine and phosgene gases may be formed in fires. (USCG, 1999)

#### Special protective actions for fire-fighters

Use alcohol-resistant foam, powder, carbon dioxide. NO water. In case of fire: keep cylinder cool by spraying with water. NO direct contact with water.

# **SECTION 6: Accidental release measures**

## Personal precautions, protective equipment and emergency procedures

Evacuate danger area! Consult an expert! Personal protection: gas-tight chemical protection suit including self-contained breathing apparatus. Ventilation. Remove all ignition sources. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in dry sand or inert absorbent. Then store and dispose of according to local regulations. Do NOT wash away into sewer.

#### **Environmental precautions**

Evacuate danger area! Consult an expert! Personal protection: gas-tight chemical protection suit including self-contained breathing apparatus. Ventilation. Remove all ignition sources. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in dry sand or inert absorbent. Then store and dispose of according to local regulations. Do NOT wash away into sewer.

#### Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

## **SECTION 7: Handling and storage**

#### Precautions for safe handling

NO open flames, NO sparks and NO smoking. NO contact with strong oxidizing agents. Closed system, ventilation, explosion-proof electrical equipment and lighting. Do NOT use compressed air for filling, discharging, or handling. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

#### Conditions for safe storage, including any incompatibilities

Fireproof. Separated from strong oxidants, food and feedstuffs and incompatible materials. See Chemical Dangers. Cool. Dry. Well closed. Store in a cool, dry, well-ventilated location. Separate from acids, alkalies, amines, alcohols, oxidizing materials, & water. Normally kept refrigerated.

## SECTION 8: Exposure controls/personal protection

## Control parameters

#### Occupational Exposure limit values

MAK: carcinogen category: 3B

## Biological limit values

no data available

# Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

#### Individual protection measures, such as personal protective equipment (PPE)

## Eye/face protection

Wear face shield or eye protection in combination with breathing protection.

#### Skin protection

Protective gloves. Protective clothing.

## Respiratory protection

Use closed system or ventilation.

#### Thermal hazards

no data available

## SECTION 9: Physical and chemical properties and safety characteristics

Physical state: Ethyl chloroformate is a colorless liquid with a pungent odor. Flash point 66°F. Very toxic

by inhalation. Corrosive to metals and tissue. Vapors are heavier than air. Prolonged exposure to low concentrations or short exposure to high concentrations may have adverse

health effects from inhalation.

Colour: WATER-WHITE LIQUID

Odour: Sharp, like hydrochloric acid

Melting -81°C

point/freezing point:

Boiling point or initial boiling point

94°C

initial boiling point and boiling range:

Flammability: Highly flammable. Gives off irritating or toxic fumes (or gases) in a fire.

Lower and upper

no data available

explosion

limit/flammability

limit:

Flash point: 16°C

Auto-ignition

932° F (USCG, 1999)

temperature:

Decomposition no dat

temperature:

no data available

pH: no data available

Kinematic no data available

viscosity:

Solubility: PRACTICALLY INSOL & GRADUALLY DECOMP IN WATER

Partition no data available

coefficient noctanol/water:

Vapour pressure: 3.42 psi (20 °C)

Density and/or 1.135

relative density:

Relative vapour 3.74 (vs air)

density:

Particle no data available

characteristics:

**SECTION 10: Stability and reactivity** 

#### Reactivity

Decomposes on heating. This produces toxic and irritating fumes including hydrogen chloride and phosgene. Reacts with water and steam. This produces toxic and corrosive hydrogen chloride. Reacts violently with strong oxidants. This generates fire and explosion hazard. Reacts with amines and bases. Attacks many metals in the presence of moisture.

#### Chemical stability

no data available

## Possibility of hazardous reactions

DANGEROUS; WHEN EXPOSED TO HEAT, FLAME, OXIDIZERSThe vapour is heavier than air and may travel along the ground; distant ignition possible.ETHYL CHLOROFORMATE decomposes slowly in water to form ethanol, HCl, and CO2 Attacks many metals especially in humid atmosphere [Handling Chemicals Safely 1980. p. 476]. May react vigorously or explosively if mixed with diisopropyl ether or other ethers in the presence of trace amounts of metal salts [J. Haz. Mat., 1981, 4, 291].

#### Conditions to avoid

no data available

## Incompatible materials

Will react with water or steam to produce toxic and corrosive fumes; can react vigorously with oxidizing material.

## Hazardous decomposition products

Dangerous; when heated to decomposition, it emits highly toxic fumes of /hydrogen chloride/.

## **SECTION 11: Toxicological information**

#### Acute toxicity

Oral: no data available

Inhalation: no data available Dermal: no data available

#### Skin corrosion/irritation

no data available

## Serious eye damage/irritation

no data available

# Respiratory or skin sensitization

no data available

#### Germ cell mutagenicity

no data available

## Carcinogenicity

no data available

# Reproductive toxicity

no data available

# STOT-single exposure

Lachrymation. The substance is corrosive to the eyes, skin and respiratory tract. Corrosive on ingestion. Inhalation of the vapour may cause lung oedema. See Notes.

## STOT-repeated exposure

no data available

# Aspiration hazard

A harmful contamination of the air can be reached rather quickly on evaporation of this substance at  $20^{\circ}\text{C}$ .

# **SECTION 12: Ecological information**

#### **Toxicity**

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

#### Persistence and degradability

Using the Japanese MTI protocol (4 week incubation period with activated sludge inoculum), ethyl chloroformate was found to be biodegradable with a theoretical BOD of 81-86%(1) but this is probably the hydrolysis product(SRC).

#### Bioaccumulative potential

Ethyl chloroformate hydrolyzes readily in water (half-life of 31.5 min at 25 deg C)(1); therefore, bioconcentration in aquatic organisms will not be an important process(SRC).

#### Mobility in soil

Using a structure estimation method based on molecular connectivity indexes, the Koc for ethyl chloroformate can be estimated to be approximately 10(1,SRC). According to a suggested classification scheme(2), this estimated Koc value suggests that ethyl chloroformate has high mobility in soil(SRC). However, ethyl chloroformate hydrolyzes readily in water (half- life of 31.5 min at 25 deg C)(3); therefore, leaching in soil is not expected to be an important fate process(SRC).

#### Other adverse effects

no data available

# **SECTION 13: Disposal considerations**

#### Disposal methods

#### **Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

## Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

# **SECTION 14: Transport information**

#### **UN Number**

ADR/RID: UN1182 (For reference only, please check.) IMDG: UN1182 (For reference only, please check.) IATA: UN1182 (For reference only, please check.)

## **UN Proper Shipping Name**

ADR/RID: ETHYL CHLOROFORMATE (For reference only, please check.) IMDG: ETHYL CHLOROFORMATE (For reference only, please check.) IATA: ETHYL CHLOROFORMATE (For reference only, please check.)

## Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.) IMDG: 6.1 (For reference only, please check.) IATA: 6.1 (For reference only, please check.)

# Packing group, if applicable

ADR/RID: I (For reference only, please check.)
IMDG: I (For reference only, please check.)
IATA: I (For reference only, please check.)

#### **Environmental hazards**

ADR/RID: No IMDG: No IATA: No

#### Special precautions for user

no data available

## Transport in bulk according to IMO instruments

no data available

# **SECTION 15: Regulatory information** Safety, health and environmental regulations specific for the product in question European Inventory of Existing Commercial Chemical Substances (EINECS) Listed. **EC Inventory** Listed. United States Toxic Substances Control Act (TSCA) Inventory Listed. China Catalog of Hazardous chemicals 2015 Listed. New Zealand Inventory of Chemicals (NZIoC) Listed. (PICCS) Listed. Vietnam National Chemical Inventory Listed. IECSC) Listed. Korea Existing Chemicals List (KECL) Listed.

## **SECTION 16: Other information**

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

#### References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:

http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

#### Other Information

Health effects of exposure to the substance have not been investigated adequately. The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Immediate administration of an appropriate spray, by a doctor or a person authorized by him/her, should be considered.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the product. We as supplier shall not be held liable for any