

Chemical Safety Data Sheet MSDS / SDS

Hexamethylenediamine SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name: Hexamethylenediamine

CAS: 124-09-4

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: For R&D use only. Not for medicinal, household or other use.

Uses advised against: none

Company Identification

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

SECTION 2: Hazards identification**Classification of the substance or mixture**

Acute toxicity - Category 4, Oral

Acute toxicity - Category 4, Dermal

Skin corrosion, Sub-category 1B
Specific target organ toxicity - single exposure, Category 3

GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

Hazard statement(s)

H302 Harmful if swallowed
H312 Harmful in contact with skin
H314 Causes severe skin burns and eye damage
H335 May cause respiratory irritation

Precautionary statement(s)

Prevention

P264 Wash ... thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.

Response

P301+P317 IF SWALLOWED: Get medical help.
P330 Rinse mouth.
P302+P352 IF ON SKIN: Wash with plenty of water/...
P317 Get medical help.
P321 Specific treatment (see ... on this label).
P362+P364 Take off contaminated clothing and wash it before reuse.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P363 Wash contaminated clothing before reuse.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P316 Get emergency medical help immediately.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P319 Get medical help if you feel unwell.

Storage

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

Substance

Chemical name: Hexamethylenediamine

Common names and synonyms: Hexamethylenediamine

CAS number: 124-09-4

EC number: 204-679-6

Concentration: 100%

SECTION 4: First aid measures

Description of necessary first-aid measures

If inhaled

Fresh air, rest. Half-upright position. Artificial respiration may be needed. Refer for medical attention.

Following skin contact

Rinse skin with plenty of water or shower. Refer for medical attention .

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rest. Refer for medical attention . See Notes.

Most important symptoms/effects, acute and delayed

Vapors cause irritation of eyes and respiratory tract. Liquid irritates eyes and skin, may cause dermatitis. (USCG, 1999)
Excerpt from ERG Guide 153 [Substances - Toxic and/or Corrosive (Combustible)]: TOXIC; inhalation, ingestion or skin contact with material may cause severe injury or death. Contact with molten substance may cause severe burns to skin and eyes. Avoid any skin contact. Effects of contact or inhalation may be delayed. Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may be corrosive and/or toxic and cause pollution. (ERG, 2016)

Indication of immediate medical attention and special treatment needed, if necessary

For immediate first aid: Ensure that adequate decontamination has been carried out. If victim is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep victim quiet and maintain normal body temperature. Obtain medical attention. Organic bases/mines and related compounds

SECTION 5: Firefighting measures

Suitable extinguishing media

Extinguish with water, foam, dry chemical, or carbon dioxide.

Specific hazards arising from the chemical

Excerpt from ERG Guide 153 [Substances - Toxic and/or Corrosive (Combustible)]: Combustible material: may burn but does not ignite readily. When heated, vapors may form explosive mixtures with air: indoors, outdoors and sewers explosion hazards. Those substances designated with a (P) may polymerize explosively when heated or involved in a fire. Contact with metals may evolve flammable hydrogen gas. Containers may explode when heated. Runoff may pollute waterways. Substance may be transported in a molten form. (ERG, 2016)

Excerpt from ERG Guide 153 [Substances - Toxic and/or Corrosive (Combustible)]: Combustible material: may burn but does not ignite readily. When heated, vapors may form explosive mixtures with air: indoors, outdoors and sewers explosion hazards. Those substances designated with a (P) may polymerize explosively when heated or involved in a fire. Contact with metals may evolve flammable hydrogen gas. Containers may explode when heated. Runoff may pollute waterways. Substance may be transported in a molten form. (ERG, 2016)

Special protective actions for fire-fighters

Use water in large amounts, powder, alcohol-resistant foam, carbon dioxide. In case of fire: keep drums, etc., cool by spraying with water.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal protection: complete protective clothing including self-contained breathing apparatus. Do NOT let this chemical enter the environment. Collect leaking and spilled liquid in sealable containers as far as possible. Carefully collect remainder. Then store and dispose of according to local regulations.

Environmental precautions

Personal protection: complete protective clothing including self-contained breathing apparatus. Do NOT let this chemical enter the environment. Collect leaking and spilled liquid in sealable containers as far as possible. Carefully collect remainder. Then store and dispose of according to local regulations.

Methods and materials for containment and cleaning up

Treatment of waste water containing hexamethylenediamine from polyamide mfg in reverse osmosis apparatus with cellulose acetate membranes was studied to determine the effect of hcl addition on transport of components of the soln through a membrane & to assess the possibility of changing the ph of the concn formed in the apparatus.

SECTION 7: Handling and storage

Precautions for safe handling

NO open flames. NO contact with hot surfaces. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Separated from strong oxidants and strong acids. Well closed.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

TLV: 0.5 ppm as TWA

Biological limit values

no data available

Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety spectacles, face shield or eye protection in combination with breathing protection.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use ventilation (not if powder), local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state:	Solid. Crystalline.
Colour:	Colourless to white.
Odour:	ODOR OF PIPERIDINE

Melting point/freezing point:	41 °C.
Boiling point or initial boiling point and boiling range:	201 °C. Atm. press.:1 000 mBar.
Flammability:	Combustible.
Lower and upper explosion limit/flammability limit:	0.7-6.3% in air
Flash point:	85 °C. Atm. press.:1 024 hPa.
Auto-ignition temperature:	315 °C. Atm. press.:1 027 hPa.
Decomposition temperature:	no data available
pH:	no data available
Kinematic viscosity:	dynamic viscosity (in mPa s) = 1.06. Temperature:80.0°C. Remarks:Use temperature.
Solubility:	Miscible with water
Partition coefficient n-octanol/water:	log Pow = 0.02. Remarks:No T given, assumed to be ambient T.;Pow = 1.047 - 1.049. Remarks:No T given, assumed to be ambient T.
Vapour pressure:	10 mBar. Temperature:78.47 °C. Remarks:Use temperature.
Density and/or relative density:	0.978. Temperature:19.5 °C.
Relative vapour density:	4 (vs air)
Particle characteristics:	no data available

SECTION 10: Stability and reactivity

Reactivity

On combustion, forms toxic and corrosive gases. Upon heating, toxic fumes are formed. This produces toxic fumes. The solution in water is a strong base. It reacts violently with acid and is corrosive. Reacts with oxidants. Attacks many metals in the presence of water.

Chemical stability

Vaporizes readily

Possibility of hazardous reactions

COMBUSTIBLE WHEN EXPOSED TO HEAT OR FLAME...HEXAMETHYLENEDIAMINE is hygroscopic. This compound can react with strong oxidizing materials. It is incompatible with acids, acid chlorides and acid anhydrides. It is also incompatible with ketones, aldehydes, nitrates, phenols, isocyanates, monomers and chlorinated compounds. (NTP, 1992).

Conditions to avoid

no data available

Incompatible materials

can react with oxidizing materials.

Hazardous decomposition products

no data available

SECTION 11: Toxicological information**Acute toxicity**

Oral: no data available

Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

The substance is corrosive to the eyes, skin and respiratory tract. Corrosive on ingestion. Inhalation may cause lung oedema. See Notes. The effects may be delayed. Medical observation is indicated.

STOT-repeated exposure

Repeated or prolonged contact with skin may cause dermatitis.

Aspiration hazard

A harmful contamination of the air can be reached rather quickly on evaporation of this substance at 20°C.

SECTION 12: Ecological information**Toxicity**

Toxicity to fish: LC50 - Pimephales promelas - 1 825 mg/L - 96 h.

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna - 23.4 mg/L - 48 h. Remarks: Immobilization.

Toxicity to algae: EC50 - Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) - > 100 mg/L - 72 h.

Toxicity to microorganisms: EC50 - activated sludge of a predominantly domestic sewage - 1 558 mg/L - 3 h. Remarks: Respiration rate.

Persistence and degradability

Biodegradation is expected to be an important environmental fate for this compound(SRC). Using a standard BOD dilution technique and an activated sludge inoculum, a theoretical BOD of 56% was observed during a 14 day incubation period(1). Using standard BOD dilution techniques and activated sludge inocula, theoretical BOD values of 41% to 56% were observed during a 14 day incubation period following a 6 day acclimation period(2). Based on 14 day BOD data, hexamethylene diamine is considered biodegradable(3). Following a 3 day acclimation period, 90% biodegradation of hexamethylene diamine in an activated sludge inoculum was observed during a 6 day incubation period, with an average COD of 26% per day(4). Degradation rates of 4% and 10% were observed for hexamethylene diamine (50 ppm) incubated in water from the Mino River, Japan and seawater off the coast of Japan over a 3 day incubation period(5). A theoretical oxygen demand between 20 and 60% was observed for hexamethylene diamine in a Warburg apparatus during a 5 day incubation period(6).

Bioaccumulative potential

An estimated BCF value of 1 was calculated for hexamethylene diamine(SRC), using an estimated log Kow of 0.35(1,SRC) and a recommended regression-derived equation(2). According to a classification scheme(3), this BCF value suggests that bioconcentration in aquatic organisms is low(SRC).

Mobility in soil

Based on a recommended classification scheme(1), an estimated Koc value of 286(SRC), determined from a structure estimation method(2), indicates that hexamethylene diamine is expected to have moderate mobility in soil(SRC).

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas

scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN2280 (For reference only, please check.)

IMDG: UN2280 (For reference only, please check.)

IATA: UN2280 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: HEXAMETHYLENEDIAMINE, SOLID (For reference only, please check.)

IMDG: HEXAMETHYLENEDIAMINE, SOLID (For reference only, please check.)

IATA: HEXAMETHYLENEDIAMINE, SOLID (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 8 (For reference only, please check.)

IMDG: 8 (For reference only, please check.)

IATA: 8 (For reference only, please check.)

Packing group, if applicable

ADR/RID: III (For reference only, please check.)

IMDG: III (For reference only, please check.)

IATA: III (For reference only, please check.)

Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

(PICCS)

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:
http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Other Information

The substance may exist as solid or liquid depending on ambient temperature. The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation is therefore essential. Immediate administration of an appropriate inhalation therapy by a doctor or a person authorized by him/her, should be considered. The recommendations on this Card also apply to Hexamethylenediamine solution, 70-80 %, UN No. 1783.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any