# Chemical Book India

Chemical Safety Data Sheet MSDS / SDS								
Indene SDS Revision Date:2024-04-25 Revision Number:1								
Section 1 Section 9	Section 2 Section 10	Section 3 Section 11	Section 4 Section 12	Section 5 Section 13	Section 6 Section 14	Section 7 Section 15	Section 8 Section 16	
SECTION 1: Identifica Product identifier Product name: CAS:		i <mark>on of the su</mark> ndene 5-13-6	bstance/mi>	cture and of	the compar	ny/undertak	ing	
Relevant id	entified uses o	f the substance	or mixture and	l uses advised a	gainst			
Relevant identified uses:		For R&D use only. Not for medicinal, household or other use.						
Uses advised against:		none						
Company Ic	lentification							
Company:		Chemicalbook.in						
Address: Telephone:		5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090 +91 9550333722						

# **SECTION 2: Hazards identification**

## Classification of the substance or mixture

Flammable liquids, Category 3 Aspiration hazard, Category 1

#### GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

#### Hazard statement(s)

H226 Flammable liquid and vapour H304 May be fatal if swallowed and enters airways

#### Precautionary statement(s)

#### Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

#### Response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower]. P370+P378 In case of fire: Use ... to extinguish. P301+P316 IF SWALLOWED: Get emergency medical help immediately. P331 Do NOT induce vomiting.

## Storage

P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

#### Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### Other hazards which do not result in classification

## SECTION 3: Composition/information on ingredients

# SubstanceChemical name:IndeneCommon names and<br/>synonyms:IndeneCAS number:95-13-6EC number:202-393-6Concentration:100%

# **SECTION 4: First aid measures**

#### Description of necessary first-aid measures

#### If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

#### Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

#### Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

#### Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

#### Most important symptoms/effects, acute and delayed

Exposure Routes: inhalation, ingestion, skin and/or eye contact Target Organs: Eyes, skin, respiratory system, liver, kidneys, spleen (NIOSH, 2016)

#### Indication of immediate medical attention and special treatment needed, if necessary

no data available

## **SECTION 5: Firefighting measures**

#### Suitable extinguishing media

Excerpt from ERG Guide 128 [Flammable Liquids (Water-Immiscible)]: CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient. CAUTION: For mixtures containing alcohol or polar solvent, alcohol-resistant foam may be more effective. SMALL FIRE: Dry chemical, CO2, water spray or regular foam. LARGE FIRE: Water spray, fog or regular foam. Do not use straight streams. Move containers from fire area if you can do it without risk. FIRE INVOLVING TANKS OR CAR/TRAILER LOADS: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn. (ERG, 2016)

#### Specific hazards arising from the chemical

Excerpt from ERG Guide 128 [Flammable Liquids (Water-Immiscible)]: HIGHLY FLAWWABLE: Will be easily ignited by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Those substances designated with a (P) may polymerize explosively when heated or involved in a fire. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Many liquids are lighter than water. Substance may be transported hot. For hybrid vehicles, ERG Guide 147 (lithium ion batteries) or ERG Guide 138 (sodium batteries) should also be consulted. If molten aluminum is involved, refer to ERG Guide 169. (ERG, 2016)

#### Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

## **SECTION 6:** Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

#### Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

## **SECTION 7: Handling and storage**

#### Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

#### Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

## SECTION 8: Exposure controls/personal protection

#### **Control parameters**

#### Occupational Exposure limit values

Component	Indene	Indene				
CAS No.	95-13-6	95-13-6				
	Limit value	- Eight hours	Limit value - Short term			
	ppm	<sub>mg/m</sub> 3	ppm	<sub>mg/m</sub> 3		
Australia	10	48	?	?		
Austria	10	45	20	90		
Belgium	5	24	?	?		
Canada - Ontario	5	?	?	?		
Canada - Québec	10	48	?	?		
Denmark	10	45	20	90		
Finland	10	48	20 (1)	96 (1)		
France	10	45	?	?		

Ireland	5	24	?	?
New Zealand	10	48	?	?
People's Republic of China	?	50	?	?
Singapore	10	48	?	?
South Korea	10	45	?	?
Spain	10	48	?	?
Switzerland	10	45	?	?
USA - NIOSH	10	45	?	?
United Kingdom	10	48	15	72
	Remarks			
Finland	(1) 15 minutes average value			

#### Biological limit values

no data available

#### Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

#### Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

#### Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### **Respiratory protection**

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

## Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state:	Indene is a colorless liquid derived from coal tar. Fp: -2°C; bp:182°C. Density 0.997 g cm-3. Insoluble in water but soluble in organic solvents.			
Colour:	LIQUID			
Odour:	no data available			
Melting point/freezing point:	186°C(lit.)			
Boiling point or initial boiling point and boiling range:	180°C(lit.)			
Flammability:	Class IIIA Combustible Liquid: Fl.P. at or above 140°F and below 200°F.			
Lower and upper explosion limit/flammability limit:	no data available			
Flash point:	58°C			
Auto-ignition temperature:	no data available			
Decomposition temperature:	no data available			
pH:	no data available			
Kinematic viscosity:	no data available			
Solubility:	Insoluble (NIOSH, 2016)			
Partition coefficient n- octanol/water:	Log Kow = 2.92			
Vapour pressure:	1.1 mm Hg at 25 deg C			
Density and/or relative density:	0.996			
Relative vapour density:	no data available			

Particle no data available characteristics:

## SECTION 10: Stability and reactivity

#### Reactivity

Peroxide formation with air with initiation of polymerization No rapid reaction with water

#### Chemical stability

Polymerizes & oxidizes on standing

#### Possibility of hazardous reactions

DEFLAGRATES ON HEATING. /INDENE PICRATE/INDENE is combustible (flash point between 140°F and 200°F). Polymerizes and oxidizes on standing in the air. This reaction is accelerated by heating, acids, and catalysts, including peroxides. Has exploded during nitration with a mixture of H2SO4 and HNO3.

#### Conditions to avoid

no data available

#### Incompatible materials

Polymerizes & oxidizes on standing. It has exploded during nitration with (H2SO4 + HNO3).

#### Hazardous decomposition products

no data available

## SECTION 11: Toxicological information

Acute toxicity Oral: no data available Inhalation: no data available Dermal: no data available

## Skin corrosion/irritation

no data available

## Serious eye damage/irritation

no data available

## Respiratory or skin sensitization

no data available

#### Germ cell mutagenicity

no data available

## Carcinogenicity

no data available

#### Reproductive toxicity

no data available

#### STOT-single exposure

no data available

#### STOT-repeated exposure

no data available

#### Aspiration hazard

no data available

# **SECTION 12: Ecological information** Toxicity

Toxicity to fish: no data available Toxicity to daphnia and other aquatic invertebrates: no data available Toxicity to algae: no data available Toxicity to microorganisms: no data available

#### Persistence and degradability

Pure cultures of Psuedomonas putida and Flavobacterium sp. isolated from soil and grown on naphthalene and/or phenanthrene were found to degrade indene(1). At an initial concn of 25-150 ug/L, indene almost completely degraded in 3 days in a die-away test using groundwater from an aquifer previously contaminated with coal-tar products(2).

#### Bioaccumulative potential

Based on a measured log Kow of 2.92(2) and a regression derived equation(1), the BCF for indene can be estimated to be about 57(SRC). Therefore, bioconcentration of indene in aquatic organisms is not expected to be important(SRC).

#### Mobility in soil

Based on a measured log Kow of 2.92(2) and a regression derived equation(1), the Koc for indene can be estimated to be about 540(SRC). According to a suggested classification scheme(3), this Koc value suggests low mobility in soil.

#### Other adverse effects

no data available

# SECTION 13: Disposal considerations

#### Disposal methods

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

## **SECTION 14: Transport information**

#### UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

## **UN Proper Shipping Name**

ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

#### Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

## Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

#### Environmental hazards

ADR/RID: No IMDG: No IATA: No

#### Special precautions for user

no data available

#### Transport in bulk according to IMO instruments

no data available

## SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

## EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Not Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

(PICCS)

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

Listed.

# **SECTION 16: Other information**

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

#### References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=O&request\_locale=en

CAWEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any