

## Chemical Safety Data Sheet MSDS / SDS

## Methenamine SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name: Methenamine  
CAS: 100-97-0

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses: For R&D use only. Not for medicinal, household or other use.  
Uses advised against: none

**Company Identification**

Company: Chemicalbook.in  
Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090  
Telephone: +91 9550333722

**SECTION 2: Hazards identification****Classification of the substance or mixture**

Flammable solids, Category 2  
Skin sensitization, Category 1

## GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Warning

### Hazard statement(s)

H228 Flammable solid

H317 May cause an allergic skin reaction

### Precautionary statement(s)

#### Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

#### Response

P370+P378 In case of fire: Use ... to extinguish.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P333+P317 If skin irritation or rash occurs: Get medical help.

P321 Specific treatment (see ... on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

#### Storage

none

#### Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### Other hazards which do not result in classification

no data available

### SECTION 3: Composition/information on ingredients

#### Substance

Chemical name:	Methenamine
Common names and synonyms:	Methenamine
CAS number:	100-97-0
EC number:	202-905-8
Concentration:	100%

### SECTION 4: First aid measures

#### Description of necessary first-aid measures

##### If inhaled

Fresh air, rest. Refer for medical attention.

##### Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention .

##### Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

##### Following ingestion

Rinse mouth. Give a slurry of activated charcoal in water to drink. Refer for medical attention .

#### Most important symptoms/effects, acute and delayed

**SYMPTOMS:** Symptoms of exposure to this compound may include irritation of the skin, eyes, mucous membranes and upper respiratory tract. Exposure may cause skin rash and kidney irritation. Inhalation may cause coughing and shortness of breath. It may cause corrosion of the respiratory tract. Skin contact may cause redness, pain, rashes and burns of the skin. Eye contact may cause redness, pain and blurred vision. Ingestion of this compound may cause urinary tract irritation, digestive disturbances, and severe nephritis which may be fatal. If large amounts are ingested it can cause sore throat, abdominal pain, vomiting, diarrhea, painful

and frequent urination, and blood in the urine. Large oral doses can also cause gastrointestinal irritation, albuminuria, hemorrhagic cystitis, mild azotemia, gross hematuria and dysuria, with inflammatory lesions in the renal tubules, renal pelvis, and urinary bladder. It can also cause irritation of the bladder, and nausea. Repeated use can lead to skin sensitization with urticaria or dermatitis. Prolonged contact can cause smarting and reddening of the skin. It can produce an asthma-like condition. Kidney damage has been reported. **ACUTE/CHRONIC HAZARDS:** This compound may be harmful by inhalation, ingestion or skin absorption. It is an irritant of the skin, eyes, mucous membranes and upper respiratory tract. When heated to decomposition it emits toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides, ammonia, and formaldehyde. (NTP, 1992)

#### **Indication of immediate medical attention and special treatment needed, if necessary**

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Aldehydes and Related Compounds

### **SECTION 5: Firefighting measures**

#### **Suitable extinguishing media**

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### **Specific hazards arising from the chemical**

Special Hazards of Combustion Products: Formaldehyde gas and ammonia may be given off when hot. (USCG, 1999)

#### **Special protective actions for fire-fighters**

Use water spray, foam, powder.

### **SECTION 6: Accidental release measures**

#### **Personal precautions, protective equipment and emergency procedures**

Personal protection: filter respirator for organic gases and particulates adapted to the airborne concentration of the substance. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Wash away remainder with plenty of water.

### **Environmental precautions**

Personal protection: filter respirator for organic gases and particulates adapted to the airborne concentration of the substance. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Wash away remainder with plenty of water.

### **Methods and materials for containment and cleaning up**

Accidental Release Measures: Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust; Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains; Methods and materials for containment and cleaning up: Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations. Keep in suitable, closed containers for disposal.

## **SECTION 7: Handling and storage**

### **Precautions for safe handling**

NO open flames. Closed system, dust explosion-proof electrical equipment and lighting. Prevent deposition of dust. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### **Conditions for safe storage, including any incompatibilities**

Separated from strong acids and strong oxidants. Dry. Keep container tightly closed in a dry and well-ventilated place. Hygroscopic. Storage class (TRGS 510): Flammable solid hazardous materials

## **SECTION 8: Exposure controls/personal protection**

### **Control parameters**

### **Occupational Exposure limit values**

MAK sensitization of skin (SH)

### **Biological limit values**

no data available

### Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear face shield or eye protection in combination with breathing protection.

#### Skin protection

Protective gloves. Protective clothing.

#### Respiratory protection

Use local exhaust or breathing protection.

#### Thermal hazards

no data available

## SECTION 9: Physical and chemical properties and safety characteristics

Physical state:	PHYSICAL DESCRIPTION: Odorless white crystalline powder or colorless lustrous crystals. Sublimes in a vacuum at about 505° F with some decomposition. Solutions are strong bases (pH of 0.2 molar aqueous solution is 8.4). (NTP, 1992)
Colour:	Crystallizes from ethanol as colorless, hygroscopic rhombododecahedra.
Odour:	Odorless
Melting point/freezing point:	280° C
Boiling point or initial boiling point and boiling range:	252.7° C at 760mmHg
Flammability:	Combustible. Gives off irritating or toxic fumes (or gases) in a fire.

Lower and upper explosion limit/flammability limit:	no data available
Flash point:	250°C
Auto-ignition temperature:	greater than 700° F (NTP, 1992)
Decomposition temperature:	no data available
pH:	pH of 0.2 molar aqueous solution: 8.4
Kinematic viscosity:	no data available
Solubility:	>21 [ug/mL]
Partition coefficient n-octanol/water:	log Kow = -2.18 at pH 7-9, 20 deg C
Vapour pressure:	<0.01 mm Hg ( 20 °C)
Density and/or relative density:	1.331
Relative vapour density:	4.9 (NTP, 1992) (Relative to Air)
Particle characteristics:	no data available

## SECTION 10: Stability and reactivity

### Reactivity

Decomposes on heating and on burning. This produces toxic and corrosive gases including formaldehyde, ammonia, hydrogen cyanide and nitrogen oxides. The solution in water is a weak base. Reacts with strong oxidants and strong acids. Attacks aluminium and zinc.

### Chemical stability

Stable under recommended storage conditions.

#### **Possibility of hazardous reactions**

Combustible. Dust explosion possible if in powder or granular form, mixed with air. HEXAMETHYLENETETRAMINE is hygroscopic. It is sensitive to exposure to heat. This chemical is incompatible with oxidizing agents. It is also incompatible with acids. It reacts violently with sodium peroxide. It reacts explosively with 1-bromopentaborane(9) at temperatures above 194° F. The complex with iodine deflagrates at 280° F. The 1:1 addition complex with iodoform has exploded at 352° F. It is corrosive to some metals, such as aluminum and zinc (NTP, 1992). Special Hazards of Combustion Products: Formaldehyde gas and ammonia may be given off when hot (USCG, 1999).

#### **Conditions to avoid**

no data available

#### **Incompatible materials**

Incompatible materials: Strong acids, acids, strong oxidizing agents

#### **Hazardous decomposition products**

When heated to decomposition it emits toxic fumes of formaldehyde and /nitrogen oxides/.

### **SECTION 11: Toxicological information**

#### **Acute toxicity**

Oral: no data available

Inhalation: no data available

Dermal: no data available

#### **Skin corrosion/irritation**

no data available

#### **Serious eye damage/irritation**

no data available



**Respiratory or skin sensitization**

no data available

**Germ cell mutagenicity**

no data available

**Carcinogenicity**

no data available

**Reproductive toxicity**

no data available

**STOT-single exposure**

The substance is mildly irritating to the eyes and skin.

**STOT-repeated exposure**

Repeated or prolonged contact may cause skin sensitization. Repeated or prolonged inhalation may cause asthma.

**Aspiration hazard**

Evaporation at 20°C is negligible; a harmful concentration of airborne particles can, however, be reached quickly when dispersed.

**SECTION 12: Ecological information****Toxicity**

Toxicity to fish: LC50; Species: Pimephales promelas (Fathead Minnow) 33 days, length 18.8 mm, weight 0.096 g; Conditions: freshwater, flow through, 25.2 deg C, pH 7.8, hardness 44.9 mg/L CaCO<sub>3</sub>, dissolved oxygen 5.8 mg/L; Concentration: 49800000 ug/L for 96 hr (95% confidence interval: 44600000-55600000 ug/L) /99% purity

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

### **Persistence and degradability**

**AEROBIC:** In a closed bottle test using a secondary activated sludge inoculum, methenamine was found to be readily biodegradable with 70% biodegraded after 28 days(1). Methenamine was categorized as a synthetic organic chemical unlikely to be removed during biological sewage treatment, even after prolonged exposure of the biota(2). In a 5-day BOD test using a sewage seed, methenamine reached 2.02% of its theoretical BOD(3). Using an activated sludge inoculum, up to 87% removal of methenamine was observed after a 28 day incubation period(4). Methenamine was not degraded in the SCAS test, but it was degraded during 28-day die-away tests(5); no rates were given(SRC). Methenamine, present at 30 mg/L, reached 22% of its theoretical BOD in 2 weeks using an activated sludge inoculum at 100 mg/L in the Japanese MTI test(6); degradation based on TOC and other parameters was 48% suggesting an abiotic hydrolysis component of the degradation(SRC). Methenamine was degraded in various screening tests (>70% DOC, >60% ThoD), but not in activated sludge simulation tests (<25% DOC removal)(7); it was suggested that methenamine would undergo hydrolysis or auto-oxidation in the 28-day screening tests to form biodegradable products, which are not produced in sufficient quantity in 3-hour simulation tests(7). It was observed that methenamine could inhibit degradation, by lowering microbial populations, in both sewage and activated sludge tests depending on concentration(8). Various biological screening studies have observed between 28-100% degradation of methenamine(9); part (or most) of the degradation can be explained by hydrolysis to form formaldehyde and ammonia followed by biodegradation(9); the degradation rate increases with acidity(9).

### **Bioaccumulative potential**

An estimated BCF of 3 was calculated in fish for methenamine(SRC), using a log Kow of -2.18(1) and a regression-derived equation(2). According to a classification scheme(2), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

### **Mobility in soil**

Using a structure estimation method based on molecular connectivity indices(1), the Koc for methenamine can be estimated to be about 10(SRC). According to a classification scheme(2), this estimated Koc value suggests that methenamine is expected to have very high mobility in soil(SRC). The pKa of methenamine is 4.89(3), indicating that this compound will exist partially in cation form in the environment and cations generally adsorb more strongly to soils containing organic carbon and clay than their neutral counterparts(4).

### **Other adverse effects**

no data available

## **SECTION 13: Disposal considerations**

### **Disposal methods**

## Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

## Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

## SECTION 14: Transport information

### UN Number

ADR/RID: UN1328 (For reference only, please check.)  
IMDG: UN1328 (For reference only, please check.)  
IATA: UN1328 (For reference only, please check.)

### UN Proper Shipping Name

ADR/RID: HEXAMETHYLENE- TETRAMINE (For reference only, please check.)  
IMDG: HEXAMETHYLENE- TETRAMINE (For reference only, please check.)  
IATA: HEXAMETHYLENE- TETRAMINE (For reference only, please check.)

### Transport hazard class(es)

ADR/RID: 4.1 (For reference only, please check.)  
IMDG: 4.1 (For reference only, please check.)  
IATA: 4.1 (For reference only, please check.)

### Packing group, if applicable

ADR/RID: III (For reference only, please check.)  
IMDG: III (For reference only, please check.)  
IATA: III (For reference only, please check.)

### Environmental hazards

ADR/RID: No  
IMDG: No

IATA: No

**Special precautions for user**

no data available

**Transport in bulk according to IMO instruments**

no data available

**SECTION 15: Regulatory information**

**Safety, health and environmental regulations specific for the product in question**

**European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

**EC Inventory**

Listed.

**United States Toxic Substances Control Act (TSCA) Inventory**

Listed.

**China Catalog of Hazardous chemicals 2015**

Listed.

**New Zealand Inventory of Chemicals (NZIoC)**

Listed.

**(PICCS)**

Listed.

**Vietnam National Chemical Inventory**

Listed.

**IECSC)**

Listed.

## Korea Existing Chemicals List (KECL)

Listed.

### SECTION 16: Other information

#### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

#### References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

### **Other Information**

The substance may release formaldehyde. See ICSC 0695. Anyone who has shown symptoms of asthma due to this substance should avoid all further contact. The symptoms of asthma often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any