

## Chemical Safety Data Sheet MSDS / SDS

## Nicotinic acid SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name: Nicotinic acid  
CAS: 59-67-6

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses: For R&D use only. Not for medicinal, household or other use.  
Uses advised against: none

**Company Identification**

Company: Chemicalbook.in  
Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090  
Telephone: +91 9550333722

**SECTION 2: Hazards identification****Classification of the substance or mixture**

Eye irritation, Category 2

## GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Warning

Hazard statement(s)

H319 Causes serious eye irritation

Precautionary statement(s)

Prevention

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

Response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage

none

Disposal

none

Other hazards which do not result in classification

no data available

## SECTION 3: Composition/information on ingredients

Substance

Chemical name: Nicotinic acid

Common names and synonyms: Nicotinic acid

CAS number: 59-67-6  
EC number: 200-441-0  
Concentration: 100%

## SECTION 4: First aid measures

### Description of necessary first-aid measures

#### If inhaled

Fresh air, rest.

#### Following skin contact

Rinse skin with plenty of water or shower.

#### Following eye contact

Rinse with plenty of water (remove contact lenses if easily possible).

#### Following ingestion

Rinse mouth. Give one or two glasses of water to drink.

### Most important symptoms/effects, acute and delayed

**SYMPTOMS:** Symptoms of exposure to this compound include impaired liver function, dryness of the skin, anorexia, nausea, vomiting, diarrhea, activation of peptic ulcers, hepatic disease, hyperuricemia and circulatory collapse (after rapid intravenous injection). It may cause temporary flushing and a feeling of warmth, temporary headache, itching, tingling, skin rash and allergies. It may also cause burning of the skin, face and upper trunk and elevation of serum bilirubin. Other symptoms include mild irritation of upper respiratory tract and gastrointestinal disturbances. It may cause dyspepsia, hyperpigmentation, decrease in excretion of bromosulfophthalein, increase of plasma transaminase activities, incidence of acute gouty arthritis, acanthosis nigricans, hyperglycemia, increased vasodilation and cystoid edema of the macula. It may also cause furunculosis and other skin lesions, hypotension, abdominal cramps, mild diabetes and urticaria. Other symptoms include pruritus, toxic amblyopia, jaundice and decreased glucose tolerance. **ACUTE/CHRONIC HAZARDS:** This compound may cause mild irritation to the upper respiratory tract. When heated to decomposition it may emit toxic fumes of NO<sub>x</sub>. (NTP, 1992)

### Indication of immediate medical attention and special treatment needed, if necessary

Immediate withdrawal of niacin is the primary treatment in acute toxicity. Symptoms should resolve over several hours with sequelae. Aspirin or nonsteroidal antiinflammatory drugs can be used for symptoms. For chronic toxicity treatment, niacin should be

stopped and attention given to presenting symptoms and findings. Patients with significant hepatotoxicity may require intensive care monitoring and supportive care until liver function recovers. ... Treatment of rhabdomyolysis includes monitoring of renal function, urinary alkalinization, and maintenance of urinary output.

## **SECTION 5: Firefighting measures**

### **Suitable extinguishing media**

Fires involving this material can be controlled with a dry chemical, carbon dioxide or Halon extinguisher. A water spray may also be used. (NTP, 1992)

### **Specific hazards arising from the chemical**

Flash point data for this chemical are not available; however, it is probably combustible. (NTP, 1992)

### **Special protective actions for fire-fighters**

Use water spray, foam, powder, carbon dioxide.

## **SECTION 6: Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

### **Environmental precautions**

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

### **Methods and materials for containment and cleaning up**

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

## SECTION 7: Handling and storage

### Precautions for safe handling

NO open flames. Prevent deposition of dust. Closed system, dust explosion-proof electrical equipment and lighting. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### Conditions for safe storage, including any incompatibilities

Store in an area without drain or sewer access. Separated from strong acids, bases and oxidants.

## SECTION 8: Exposure controls/personal protection

### Control parameters

### Occupational Exposure limit values

Component	Nicotinic acid			
CAS No.	59-67-6			
	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Latvia	?	1	?	?
	Remarks			

### Biological limit values

no data available

### Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear safety goggles.

#### Skin protection

Protective gloves.

### Respiratory protection

Avoid inhalation of dust.

### Thermal hazards

no data available

## SECTION 9: Physical and chemical properties and safety characteristics

Physical state:	Solid. Powder.
Colour:	White.
Odour:	Odorless
Melting point/freezing point:	236.6 °C.
Boiling point or initial boiling point and boiling range:	Remarks:No boiling point determined. The substance sublimes at temperatures > 236.6 °C.
Flammability:	Combustible. Gives off irritating or toxic fumes (or gases) in a fire.
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	193°C
Auto-ignition temperature:	Remarks:No self-heating observed up to sublimation at ca. 250 °C.
Decomposition temperature:	no data available
pH:	pH = 2.7 (saturated aq soln)
Kinematic viscosity:	no data available
Solubility:	>18.5 [ug/mL]

Partition coefficient n-octanol/water:	log Pow = -0.59. Temperature:25 °C.;log Pow = -2.34. Temperature:25 °C.
Vapour pressure:	5.70X10-6 mm Hg at 25 deg C (est)
Density and/or relative density:	1.473 g/cm3. Temperature:25 °C.
Relative vapour density:	no data available
Particle characteristics:	no data available

## SECTION 10: Stability and reactivity

### Reactivity

On combustion, forms toxic gases including nitrogen oxides. Reacts with oxidants, strong acids and bases.

### Chemical stability

Stable in air

### Possibility of hazardous reactions

Dust explosion possible if in powder or granular form, mixed with air. NICOTINIC ACID is incompatible with strong oxidizers. It is also incompatible with sodium nitrite. (NTP, 1992)

### Conditions to avoid

no data available

### Incompatible materials

Dust explosion. Avoid contact with strong acids, alkaline solutions and oxidizing agents.

### Hazardous decomposition products

When heated to decomposition it emits toxic fumes of nitroxides.

## SECTION 11: Toxicological information

### Acute toxicity

Oral: LD50 - rat (male) - 5 210 mg/kg bw.

Inhalation: LC50 - rat (male/female) - > 3.8 mg/L air (analytical).

Dermal: LD50 - rat (male/female) - > 2 000 mg/kg bw.

### Skin corrosion/irritation

no data available

### Serious eye damage/irritation

no data available

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

### Carcinogenicity

no data available

### Reproductive toxicity

no data available

### STOT-single exposure

The substance is mildly irritating to the eyes.

### STOT-repeated exposure

no data available



### Aspiration hazard

A nuisance-causing concentration of airborne particles can be reached quickly when dispersed, especially if powdered.

## SECTION 12: Ecological information

### Toxicity

Toxicity to fish: LC50 - *Salmo trutta* - 520 mg/L - 96 h.

Toxicity to daphnia and other aquatic invertebrates: EC50 - *Daphnia magna* - 77 mg/L - 48 h.

Toxicity to algae: EC50 - *Desmodesmus subspicatus* (previous name: *Scenedesmus subspicatus*) - 89.933 mg/L - 72 h.

Toxicity to microorganisms: EC10 - *Pseudomonas putida* - 88 mg/L - 16 h.

### Persistence and degradability

AEROBIC: In aqueous, aerobic soil suspensions containing mineral salts and a fertile garden soil inoculum, nicotinic acid was completely degraded after 2 to 4 days of incubation(1). In aqueous, aerobic soil suspensions containing a silt loam soil inoculum, nicotinic acid was degraded by 16.1% after 1 day, 99.9% after 2 days, and 100% after 4 days of incubation(2). Nicotinic acid was readily biodegraded in screening tests using an activated sludge inoculum(3).

### Bioaccumulative potential

An estimated BCF of 3 was calculated in fish for nicotinic acid(SRC), using a log Kow of 0.36(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

### Mobility in soil

The Koc of nicotinic acid is estimated as 37(SRC), using a log Kow of 0.36(1) and a regression-derived equation(2). According to a classification scheme(3), this estimated Koc value suggests that nicotinic acid is expected to have very high mobility in soil. The pKa of nicotinic acid is 4.75(4), indicating that this compound will primarily exist in the anion form in the environment and anions generally do not adsorb more strongly to soils containing organic carbon and clay than their neutral counterparts(5).

### Other adverse effects

no data available

## SECTION 13: Disposal considerations

### Disposal methods

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

## SECTION 14: Transport information

### UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

### UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

### Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

### Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

### **Environmental hazards**

ADR/RID: No

IMDG: No

IATA: No

### **Special precautions for user**

no data available

### **Transport in bulk according to IMO instruments**

no data available

## **SECTION 15: Regulatory information**

**Safety, health and environmental regulations specific for the product in question**

**European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

**EC Inventory**

Listed.

**United States Toxic Substances Control Act (TSCA) Inventory**

Listed.

**China Catalog of Hazardous chemicals 2015**

Not Listed.

**New Zealand Inventory of Chemicals (NZIoC)**

Listed.

**(PICCS)**

Listed.

**Vietnam National Chemical Inventory**

Listed.

**IECSC)**

Listed.

**Korea Existing Chemicals List (KECL)**

Listed.

## **SECTION 16: Other information**

### **Abbreviations and acronyms**

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### **References**

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:  
[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:  
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any