# Chemical Book India

MG		Chem	ical Safety	Data Shee	t MSDS / S	DS			
Nitrofen SDS Revision Date:2024-04-25 Revision Number:1									
Section 1 Section 9	Section 2 Section 10	Section 3 Section 11	Section 4 Section 12	Section 5 Section 13	Section 6 Section 14	Section 7 Section 15	Section 8 Section 16		
		<b>on of the su</b> l itrofen 836-75-5	bstance/mi>	cture and of	the compar	ny/undertak	ting		
Relevant identified uses of the substance or mixture and uses advised against									
Relevant identified uses:		For R&D use only. Not for medicinal, household or other use.							
Uses advised against:	l n	one							
Company Ide	entification								
Company:		Chemicalbook.in							
Address: Telephone:		5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090 +91 9550333722							

# SECTION 2: Hazards identification

# Classification of the substance or mixture

Acute toxicity - Category 4, Oral Carcinogenicity, Category 1B Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1 Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1 Reproductive toxicity, Category 1B

# GHS label elements, including precautionary statements

Danger

Pictogram(s)



Signal word

### Hazard statement(s)

H302 Harmful if swallowed H350 May cause cancer H410 Very toxic to aquatic life with long lasting effects

# Precautionary statement(s)

### Prevention

P264 Wash ... thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P203 Obtain, read and follow all safety instructions before use.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
P273 Avoid release to the environment.

# Response

P301+P317 IF SWALLOWED: Get medical help. P330 Rinse mouth. P318 IF exposed or concerned, get medical advice. P391 Collect spillage.

# Storage

P405 Store locked up.

# Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### Other hazards which do not result in classification

no data available

# **SECTION 3: Composition/information on ingredients**

#### Substance

Chemical name:	Nitrofen
Common names and synonyms:	Nitrofen
CAS number:	1836-75-5
EC number:	217-406-0
Concentration:	100%

# **SECTION 4: First aid measures**

### Description of necessary first-aid measures

#### If inhaled

Fresh air, rest. Artificial respiration may be needed. Refer for medical attention.

#### Following skin contact

First rinse with plenty of water for at least 15 minutes, then remove contaminated clothes and rinse again. Refer for medical attention .

### Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

### Following ingestion

Rinse mouth. Rest. Refer for medical attention .

# Most important symptoms/effects, acute and delayed

SYMPTOMS: Symptoms of exposure to this compound may include irritation of the skin and eyes. ACUTE/CHRONIC HAZARDS: This compound is toxic by ingestion. It may cause irritation of the skin and eyes. When heated to decomposition it emits toxic fumes of

nitrogen oxides and chlorine. (NTP, 1992)

#### Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Aromatic hydrocarbons and related compounds

# **SECTION 5: Firefighting measures**

#### Suitable extinguishing media

Fires involving this material can be controlled with a dry chemical, carbon dioxide or Halon extinguisher. (NTP, 1992)

### Specific hazards arising from the chemical

Flash point data for this chemical are not available; however, it is probably combustible. (NTP, 1992)

# Special protective actions for fire-fighters

Use water spray, powder, foam, carbon dioxide.

# SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Sweep spilled substance into covered containers. Carefully collect remainder. Then store and dispose of according to local regulations. Do NOT let this chemical enter the environment. Personal protection: P3 filter respirator for toxic particles.

### Environmental precautions

Sweep spilled substance into covered containers. Carefully collect remainder. Then store and dispose of according to local regulations. Do NOT let this chemical enter the environment. Personal protection: P3 filter respirator for toxic particles.

# Methods and materials for containment and cleaning up

PRECAUTIONS FOR "CARCINOGENS": A high-efficiency particulate arrestor (HEPA) or charcoal filters can be used to minimize amt of

carcinogen in exhausted air ventilated safety cabinets, lab hoods, glove boxes or animal rooms ... Filter housing that is designed so that used filters can be transferred into plastic bag without contaminating maintenance staff is avail commercially. Filters should be placed in plastic bags immediately after removal ... The plastic bag should be sealed immediately ... The sealed bag should be labelled properly ... Waste liquids ... should be placed or collected in proper containers for disposal. The lid should be secured & the bottles properly labelled. Once filled, bottles should be placed in plastic bag, so that outer surface ... is not contaminated ... The plastic bag should be decontaminated by solvent extraction, by chemical destruction, or in specially designed incinerators. Chemical Carcinogens

# **SECTION 7: Handling and storage**

### Precautions for safe handling

NO open flames. Closed system, dust explosion-proof electrical equipment and lighting. Prevent deposition of dust. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

# Conditions for safe storage, including any incompatibilities

Separated from food and feedstuffs. Well closed.PRECAUTIONS FOR "CARCINOGENS": Storage site should be as close as practical to lab in which carcinogens are to be used, so that only small quantities required for ... expt need to be carried. Carcinogens should be kept in only one section of cupboard, an explosion-proof refrigerator or freezer (depending on chemicophysical properties ...) that bears appropriate label. An inventory ... should be kept, showing quantity of carcinogen & date it was acquired ... Facilities for dispensing ... should be contiguous to storage area. Chemical Carcinogens

# SECTION 8: Exposure controls/personal protection

**Control parameters** 

### Occupational Exposure limit values

no data available

### **Biological limit values**

no data available

# Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

# Individual protection measures, such as personal protective equipment (PPE)

# Eye/face protection

Wear safety spectacles or eye protection in combination with breathing protection if powder.

# Skin protection

Protective gloves. Protective clothing.

# Respiratory protection

Use local exhaust or breathing protection.

# Thermal hazards

no data available

# SECTION 9: Physical and chemical properties and safety characteristics

Physical state:	PHYSICAL DESCRIPTION: Colorless crystals or black solid. Used as a pre- or post-emergence herbicide.
Colour:	Crystalline solid
Odour:	no data available
Melting point/freezing point:	337°C(lit.)
Boiling point or initial boiling point and boiling range:	180°C/0.9mmHg(lit.)
Flammability:	Combustible.
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	85°C(lit.)

Auto-ignition temperature:	>400°C
Decomposition temperature:	no data available
pH:	no data available
Kinematic viscosity:	no data available
Solubility:	less than 1 mg/mL at 70° F (NTP, 1992)
Partition coefficient n- octanol/water:	log Kow = 4.64
Vapour pressure:	4.55E-05mmHg at 25°C
Density and/or relative density:	1.3
Relative vapour density:	no data available
Particle characteristics:	no data available

# SECTION 10: Stability and reactivity

# Reactivity

On combustion, forms toxic fumes.

# Chemical stability

Darkens under exposure to light

# Possibility of hazardous reactions

FLAWWABLEDust explosion possible if in powder or granular form, mixed with air.NITROFEN is a nitrated and halogenated ether derivative.

# Conditions to avoid

no data available

## Incompatible materials

no data available

### Hazardous decomposition products

When heated to decomp it emits very toxic fumes of hydrogen chloride and nitrogen oxides.

# **SECTION 11: Toxicological information**

# Acute toxicity Oral: LD50 Rabbit oral 780 mg/kg bw Inhalation: LC50 Rat inhalation 205 mg/L /1 hr Dermal: no data available

### Skin corrosion/irritation

no data available

# Serious eye damage/irritation

no data available

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

# Carcinogenicity

No data are available in humans. Sufficient evidence of carcinogenicity in animals. OVERALL EVALUATION: Group 2B: The agent is possibly carcinogenic to humans.

#### Reproductive toxicity

no data available

### STOT-single exposure

The substance is irritating to the skin and respiratory tract. The substance may cause effects on the central nervous system.

#### STOT-repeated exposure

Repeated or prolonged contact with skin may cause dermatitis. The substance may have effects on the liver. This substance is possibly carcinogenic to humans. Animal tests show that this substance possibly causes malformations in human babies.

#### Aspiration hazard

Evaporation at 20°C is negligible; a harmful concentration of airborne particles can, however, be reached quickly on spraying or when dispersed, especially if powdered.

# **SECTION 12: Ecological information**

Toxicity

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: EC50; Species: Scenedesmus subspicatus (Green Algae); Conditions: freshwater, static; Concentration: 1800 ug/L for 49-79 min, population decrease /100% purity formulation

Toxicity to microorganisms: no data available

# Persistence and degradability

Nitrofen degraded slowly under aerobic and anaerobic conditions with a sewage inoculum, but only in the presence of an external source of carbon and energy; after 88 days of incubation 6% and 4% degradation occurred under aerobic and anaerobic conditions, respectively(1). Four unspecified products were formed in the aerobic experiment, all more hydrophilic than the parent compound(1). The corresponding amine was identified as a biodegradation product of nitrofen(2). Nitrofen, present at 100 mg/L, reached 2% of its theoretical BOD in 4 weeks using an activated sludge inoculum at 30 mg/L in the Japanese MITI test(3). Nitrofen was degraded slowly by soil microorganisms during the first week and persisted more than 4 weeks when it was the sole source of carbon(4). When other sources of carbon were added, degradation occurred in 3 weeks(4). After 16 weeks of incubation in laboratory experiments, 15 and 38% of the initial concentration (10 ppm) of nitrofen remained in sandy loam (0.7% organic matter,

pH 7.0) and muck (36.7% organic matter, pH 7.0) soils, respectively, 94% and 82% nitrofen remained in the same soils that were sterilized(5). Nitrofen slowly but completely biodegraded to carbon dioxide in typical soils likely proceeding through diphenyl ether cleavage(6). In a river die-away test using Asahi River (Japan) water, 1% of the nitrofen remained after 50 days incubation at 20 deg C(7).

# Bioaccumulative potential

The BCF of nitrofen in orange-red killifish (Oryzias latipes), exposed for 10 weeks to 50 and 5.0 ug/L was 2900-5370 and 2720-4220, respectively(1). Nitrofen bioconcentrated in algae, snails, mosquito larvae, and fish in a 3-day model aquatic ecosystem; <20% of the herbicide was found as metabolites(2). A 33-day model terrestrial-aquatic ecosystem in which 1.29 kg/ha of nitrofen was injected into paddy sand containing rice seedlings(2). The BCFs for fish, mosquito larvae, snails, and algae in this experiment were 1550, 3190, 2770, and 405, respectively(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is very high(SRC), provided the compound is not metabolized by the organism(SRC).

### Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of nitrofen can be estimated to be 7,800(SRC). According to a classification scheme(2), this estimated Koc value suggests that nitrofen is expected to be immobile in soil(SRC). Results of soil thin layer chromatography tests showed that nitrofen is immobile in soil(3). Similarly results were obtained in column leaching studies with both Plainfield sand and muck soils and indicate that leaching of nitrofen from arable soils will be negligible(4). In field experiments in sandy loam, heavy clay, and silty clay soils, <5% of the applied nitrofen was recovered from the 5-10 cm soil level, indicating that minimal leaching had occurred(5).

# Other adverse effects

no data available

# **SECTION 13: Disposal considerations**

### Disposal methods

# Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

# Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas

# **SECTION 14: Transport information**

### **UN Number**

ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

# **UN Proper Shipping Name**

ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

# Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

# Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

### Environmental hazards

ADR/RID: Yes IMDG: Yes IATA: Yes

### Special precautions for user

no data available

#### Transport in bulk according to IMO instruments

no data available

# SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

## EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Not Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

(PICCS)

Not Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

Listed.

**SECTION 16: Other information** 

#### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=O&request\_locale=en

CAWEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

# Other Information

If the substance is formulated with solvent(s) also consult the card(s) (ICSC) of the solvent(s). Carrier solvents used in commercial formulations may change physical and toxicological properties. Do NOT take working clothes home.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any