

Chemical Safety Data Sheet MSDS / SDS

Nonane SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name: Nonane
CAS: 111-84-2

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: For R&D use only. Not for medicinal, household or other use.
Uses advised against: none

Company Identification

Company: Chemicalbook.in
Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090
Telephone: +91 9550333722

SECTION 2: Hazards identification**Classification of the substance or mixture**

Flammable liquids, Category 3
Aspiration hazard, Category 1

Skin irritation, Category 2
Specific target organ toxicity - single exposure, Category 3
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

Hazard statement(s)

H226 Flammable liquid and vapour
H304 May be fatal if swallowed and enters airways
H315 Causes skin irritation
H336 May cause drowsiness or dizziness
H410 Very toxic to aquatic life with long lasting effects

Precautionary statement(s)

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
P264 Wash ... thoroughly after handling.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.

Response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].
P370+P378 In case of fire: Use ... to extinguish.
P301+P316 IF SWALLOWED: Get emergency medical help immediately.
P331 Do NOT induce vomiting.
P302+P352 IF ON SKIN: Wash with plenty of water/...

P321 Specific treatment (see ... on this label).
P332+P317 If skin irritation occurs: Get medical help.
P362+P364 Take off contaminated clothing and wash it before reuse.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P319 Get medical help if you feel unwell.
P391 Collect spillage.

Storage

P403+P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

Substance

Chemical name:	Nonane
Common names and synonyms:	Nonane
CAS number:	111-84-2
EC number:	203-913-4
Concentration:	100%

SECTION 4: First aid measures

Description of necessary first-aid measures

If inhaled

Fresh air, rest. Refer for medical attention.

Following skin contact

Rinse and then wash skin with water and soap. Refer for medical attention if skin irritation occurs.

Following eye contact

Rinse with plenty of water (remove contact lenses if easily possible).

Following ingestion

Rinse mouth. Do NOT induce vomiting. Refer for medical attention .

Most important symptoms/effects, acute and delayed

Inhalation of concentrated vapor causes depression, irritation of respiratory tract, and pulmonary edema. Liquid can irritate eyes and (on prolonged contact) skin. Ingestion causes irritation of mouth and stomach. Aspiration causes severe lung irritation, rapidly developing pulmonary edema, and central nervous system excitement followed by depression. (USCG, 1999)

Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on the left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Aliphatic hydrocarbons and related compounds

SECTION 5: Firefighting measures

Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Specific hazards arising from the chemical

Excerpt from ERG Guide 128 [Flammable Liquids (Water-Immiscible)]: HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion

hazard indoors, outdoors or in sewers. Those substances designated with a (P) may polymerize explosively when heated or involved in a fire. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Many liquids are lighter than water. Substance may be transported hot. For hybrid vehicles, ERG Guide 147 (lithium ion batteries) or ERG Guide 138 (sodium batteries) should also be consulted. If molten aluminum is involved, refer to ERG Guide 169. (ERG, 2016)

Special protective actions for fire-fighters

Use foam, powder, carbon dioxide. In case of fire: keep drums, etc., cool by spraying with water.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Ventilation. Absorb remaining liquid in dry sand or inert absorbent. Then store and dispose of according to local regulations.

Environmental precautions

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Ventilation. Absorb remaining liquid in dry sand or inert absorbent. Then store and dispose of according to local regulations.

Methods and materials for containment and cleaning up

Personal protection: filter respirator for organic gases and vapors adapted to the airborne concentration of the substance. Ventilation. Absorb remaining liquid in dry sand or inert absorbent. Then store and dispose of according to local regulations.

SECTION 7: Handling and storage

Precautions for safe handling

NO open flames, NO sparks and NO smoking. Above 31°C use a closed system, ventilation and explosion-proof electrical equipment. Prevent build-up of electrostatic charges (e.g., by grounding). Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Fireproof. Separated from strong oxidants. Store in an area without drain or sewer access. Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to

prevent leakage. Moisture sensitive.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

TLV: 200 ppm as TWA

Biological limit values

no data available

Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety goggles.

Skin protection

Protective gloves.

Respiratory protection

Use ventilation, local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state:	N-nonane is a clear colorless liquid with a sharp odor. Flash point 86°F. Insoluble in water and less dense than water. Contact may irritate eyes and possibly injury the cornea. May irritate skin. Vapor inhalation may cause irritation. Prolonged inhalation may lead to breathing difficulty. Ingestion causes abdominal discomfort, nausea and diarrhea.
Colour:	Colorless liquid
Odour:	Gasoline-like odor
Melting point/freezing point:	-51°C(lit.)
Boiling point or initial boiling point and boiling range:	151°C(lit.)
Flammability:	Class IC Flammable Liquid: Fl.P. at or above 73°F and below 100°F.
Lower and upper explosion limit/flammability limit:	Lower flammable limit: 0.8% by volume; Upper flammable limit: 2.9% by volume.
Flash point:	31°C
Auto-ignition temperature:	401°F
Decomposition temperature:	no data available
pH:	no data available
Kinematic viscosity:	0.6696 cP at 25 deg C
Solubility:	less than 1 mg/mL at 70° F (NTP, 1992)
Partition coefficient n-octanol/water:	log Kow = 5.65
Vapour pressure:	0.18 psi (37.7 °C)
Density and/or relative density:	0.718g/mL at 25°C(lit.)

Relative vapour density:	4.41 (vs air)
Particle characteristics:	no data available

SECTION 10: Stability and reactivity

Reactivity

Reacts with strong oxidants. This generates fire and explosion hazard.

Chemical stability

no data available

Possibility of hazardous reactions

A very dangerous fire hazard when exposed to heat or flame. As a result of flow, agitation, etc., electrostatic charges can be generated. NONANE is incompatible with oxidizing materials. It is also incompatible with oxygen. (NTP, 1992).

Conditions to avoid

no data available

Incompatible materials

Can react with oxidizing materials.

Hazardous decomposition products

When heated to decomposition it emits acrid smoke and irritating fumes.

SECTION 11: Toxicological information

Acute toxicity

Oral: no data available

Inhalation: LC50 Rat inhalation 3200 ppm/4 hr

Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

The substance is irritating to the eyes, skin and respiratory tract. The substance may cause effects on the central nervous system. Exposure to the vapour could cause lowering of consciousness. If swallowed the substance easily enters the airways and could result in aspiration pneumonitis.

STOT-repeated exposure

The substance defats the skin, which may cause dryness or cracking.

Aspiration hazard

A harmful contamination of the air will not or will only very slowly be reached on evaporation of this substance at 20°C; on spraying or dispersing, however, much faster.

SECTION 12: Ecological information

Toxicity

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

Persistence and degradability

AEROBIC: n-Nonane was degraded by 27% within 5 days and 100% within 15 days during a test where 1 ml of crude oil was added to a 100 ml simulated seawater solution inoculated with sediment samples from Fukae of Kobe harbor, Japan(1). n-Nonane was degraded by 18% within 5 days and 58% within 15 days after 1 mL of crude oil was added to a 100 mL seawater soln collected at Fukae of Kobe harbor, Japan(1). Complete recovery was reported for all the control samples(1). n-Nonane was completely degraded after a 25 day incubation period in gasoline (400 mg/L) inoculated with activated aerobic sewage sludge (100 mg dry wt/L)(2). The initial concentration of n-nonane was not provided. The concentration of n-nonane in an abiotic flask 25 days after gasoline was added was 0.41 mg/L(2). n-Nonane degradation was observed in active and sterile sandy loam treated with JP-4 jet fuel (10 uL per gram of soil)(3). The concentration of n-nonane at 0 time was 0.118 ug/mL in the active soil and 0.110 ug/mL in the sterile soil while the concentrations in both soils were 0 ug/mL when they were tested a second time after 5 days(3). Evaporation was considered to be the primary removal process(3). Biodiesel B20 (20% soybean fatty acid methyl esters and 80% petroleum diesel) exhibited a half-life of <30 days using an acclimated aquatic inocula from a rainwater detention pond; a half-life of 2.1 days was calculated for n-nonane, a component of this fuel(4). n-Nonane, present at 1.2 ug as a component in gasoline, was incubated in a New Jersey rainwater retention pond. The median half-life of total detectable gasoline hydrocarbons was 5.0 days(5).

Bioaccumulative potential

An estimated BCF of 100 was calculated in fish for n-nonane(SRC), using a log Kow of 5.65(1) and a regression-derived equation(1). According to a classification scheme(2), this BCF suggests the potential for bioconcentration in aquatic organisms is moderate(SRC).

Mobility in soil

The Koc of n-nonane is estimated as 8.0×10^4 (SRC), using a log Kow of 5.65(1) and a regression-derived equation(2). According to a classification scheme(3), this estimated Koc value suggests that n-nonane is expected to be immobile in soil. Freundlich absorption coefficients of log 4.50 and log 4.01 were measured in Oberlausitz lignite (11.1% moisture content; 53.5 wt% carbon content; 0.6 wt % nitrogen content) and Pahokee peat soil (10.2% moisture content; 46.1 wt% carbon content; 3.3 wt % nitrogen content), respectively(4).

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN1920 (For reference only, please check.)

IMDG: UN1920 (For reference only, please check.)

IATA: UN1920 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: NONANES (For reference only, please check.)

IMDG: NONANES (For reference only, please check.)

IATA: NONANES (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 3 (For reference only, please check.)

IMDG: 3 (For reference only, please check.)

IATA: 3 (For reference only, please check.)

Packing group, if applicable

ADR/RID: III (For reference only, please check.)

IMDG: III (For reference only, please check.)

IATA: III (For reference only, please check.)

Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Not Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

(PICCS)

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:
http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Other Information

Refer for medical attention if breathing difficulties and/or fever develop.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any