# Chemical Safety Data Sheet MSDS / SDS

## Propargite SDS

Revision Date:2024-04-25 Revision Number:1



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### Product identifier

Product name: Propargite

CAS: 2312-35-8

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: For R&D use only. Not for medicinal, household or other use.

Uses advised against: none

### Company Identification

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

## SECTION 2: Hazards identification

### Classification of the substance or mixture

Skin irritation, Category 2
Serious eye damage, Category 1

Acute toxicity - Category 3, Inhalation
Carcinogenicity, Category 2
Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

**GHS label elements, including precautionary statements**

Pictogram(s)

Signal word Danger

**Hazard statement(s)**

H315 Causes skin irritation
H318 Causes serious eye damage
H331 Toxic if inhaled
H351 Suspected of causing cancer
H410 Very toxic to aquatic life with long lasting effects

**Precautionary statement(s)**

**Prevention**

P264 Wash ... thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.
P203 Obtain, read and follow all safety instructions before use.
P273 Avoid release to the environment.

**Response**

P302+P352 IF ON SKIN: Wash with plenty of water/...
P321 Specific treatment (see ... on this label).
P332+P317 If skin irritation occurs: Get medical help.
P362+P364 Take off contaminated clothing and wash it before reuse.
P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P317 Get medical help.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P316 Get emergency medical help immediately.

P318 IF exposed or concerned, get medical advice.
P391 Collect spillage.

### Storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

### Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

### Other hazards which do not result in classification

no data available

## SECTION 3: Composition/information on ingredients

### Substance

| | |
|---|---|
| Chemical name: | Propargite |
| Common names and synonyms: | Propargite |
| CAS number: | 2312-35-8 |
| EC number: | 219-006-1 |
| Concentration: | 100% |

## SECTION 4: First aid measures

### Description of necessary first-aid measures

### If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

### Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

### Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

### Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

### Most important symptoms/effects, acute and delayed

INHALATION: Irritation of mucous membranes. EYES: Irritation, may be severe. SKIN: Irritation. (USCG, 1999)

### Indication of immediate medical attention and special treatment needed, if necessary

Gastrointestinal decontamination. If large amounts of propargite have been ingested and the patient is seen within an hour, consider gastrointestinal decontamination. For small ingestions, consider oral administration of activated charcoal and sorbitol. Other Insecticides: Propargite; Haloaromatic Substituted Ureas

## SECTION 5: Firefighting measures

### Suitable extinguishing media

Excerpt from ERG Guide 171 [Substances (Low to Moderate Hazard)]: SMALL FIRE: Dry chemical, CO2, water spray or regular foam. LARGE FIRE: Water spray, fog or regular foam. Do not scatter spilled material with high-pressure water streams. Move containers from fire area if you can do it without risk. Dike fire-control water for later disposal. FIRE INVOLVING TANKS: Cool containers with flooding quantities of water until well after fire is out. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. ALWAYS stay away from tanks engulfed in fire. (ERG, 2016)

### Specific hazards arising from the chemical

Special Hazards of Combustion Products: Irritating fumes of sulfur oxides are produced. Behavior in Fire: Containers may rupture in fire conditions and may decompose to corrosive SO 2 . (USCG, 1999)

### Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours.Avoid contacting with skin and eye. Use personal protective equipment.Wear chemical impermeable gloves. Ensure adequate ventilation.Remove all sources of ignition. Evacuate personnel to safe areas.Keep people away from and upwind of spill/leak.

### Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

## SECTION 7: Handling and storage

### Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

## SECTION 8: Exposure controls/personal protection

### Control parameters

### Occupational Exposure limit values

no data available

### Biological limit values

no data available

### Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### Individual protection measures, such as personal protective equipment (PPE)

### Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

### Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

### Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

### Thermal hazards

no data available

## SECTION 9: Physical and chemical properties and safety characteristics

| | |
|---|---|
| Physical state: | Propargite is a dark colored liquid. It is a wettable powder or water emulsifiable liquid. It can cause illness by inhalation, skin absorption and/or ingestion. The primary hazard is the threat to the environment. Immediate steps should be taken to limit its spread to the environment. Since it is a liquid it can easily penetrate the soil and contaminate groundwater and nearby streams. It is used as a pesticide. Practically insoluble in water (10.5 mg/L). Used as an acaricide. |
| Colour: | Brownish-yellow, oily viscous liquid (tech.) |
| Odour: | no data available |
| Melting point/freezing point: | no data available |

| | |
|---|---|
| Boiling point or initial boiling point and boiling range: | 450.7°C at 760 mmHg |
| Flammability: | no data available |
| Lower and upper explosion limit/flammability limit: | no data available |
| Flash point: | 226.4°C |
| Auto-ignition temperature: | no data available |
| Decomposition temperature: | no data available |
| pH: | no data available |
| Kinematic viscosity: | no data available |
| Solubility: | Fully miscible with hexane, toluene, dichloromethane, methanol and acetone |
| Partition coefficient n-octanol/water: | log Kow = 5.7 |
| Vapour pressure: | 6.9E-08mmHg at 25°C |
| Density and/or relative density: | 1.17 g/cm3 |
| Relative vapour density: | no data available |
| Particle characteristics: | no data available |

## SECTION 10: Stability and reactivity

**Reactivity**

Practically insoluble in water (10.5 mg/L). Slowly reacts with water to form sulfur dioxide and alcohols; reaction is more rapid

under basic or acidic conditions.

### Chemical stability

no data available

### Possibility of hazardous reactions

PROPARGITE is a sulfite ester. As an ester, it will hydrolyze to form sulfur dioxide and alcohols; reaction is more rapid under basic conditions. It may react exothermically with acids to generate alcohols. Heat will be generated by interaction with basic or caustic solutions. Flammable hydrogen is generated by mixing with alkali metals and hydrides.

### Conditions to avoid

no data available

### Incompatible materials

no data available

### Hazardous decomposition products

no data available

## SECTION 11: Toxicological information

### Acute toxicity

Oral: LD50 Rat (female) acute oral 2947 mg/kg

Inhalation: no data available

Dermal: no data available

### Skin corrosion/irritation

no data available

### Serious eye damage/irritation

no data available

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

### Carcinogenicity

Cancer Classification: Group B2 Probable Human Carcinogen

### Reproductive toxicity

no data available

### STOT-single exposure

no data available

### STOT-repeated exposure

no data available

### Aspiration hazard

no data available

## SECTION 12: Ecological information

### Toxicity

Toxicity to fish: LC50; Species: Oncorhynchus mykiss (Rainbow trout); Conditions: fresh water, flow through; Concentration: 143 ug/L for 96 hr (95% confidence interval: 105-231 ug/L) /76.2% purity[USEPA, Office of Pesticide Programs; Pesticide Ecotoxicity Database (2000) on 2-

Toxicity to daphnia and other aquatic invertebrates: EC50; Species: Daphnia magna (Water flea); Conditions: fresh water, flow through; Concentration: 74 ug/L for 48 hr (95% confidence interval: 66.1-84.7 ug/L); Effect: intoxication, immobilization[USEPA, Office of Pesticide Programs; Pesticide Ecotoxicity Database (2000) on 2-

Toxicity to algae: EC50; Species: Pseudokirchneriella subcapitata (Green algae); Conditions: freshwater, static; Concentration: 66.2 ug/L for 5 days (95% confidence interval: 21-3758 ug/L); Effect: population abundance[USEPA, Office of Pesticide Programs; Pesticide Ecotoxicity Database (2000) on 2-

Toxicity to microorganisms: no data available

### Persistence and degradability

AEROBIC: The time for 50% dissipation (DT50) of propargite in soil samples (pH 6-6.9, 1.0-2.55% organic carbon) under aerobic conditions was reported as 50-67 days, while the DT50 was 18.3-22.5 days in a sediment/water system(1).

### Bioaccumulative potential

An estimated BCF of 4890 was calculated in fish for propargite(SRC), using a log Kow of 5.7(1) and a regression-derived equation(2) . According to a classification scheme(3), this BCF value suggests the potential for bioconcentration in aquatic organisms is very high(SRC).

### Mobility in soil

The Koc of propargite was reported to range from 2,963-57,966 in an unspecified number of soils(1). According to a classification scheme(2), this range of Koc values indicates that propargite is expected to have slight to no mobility in soil(SRC).

### Other adverse effects

no data available

## SECTION 13: Disposal considerations

### Disposal methods

### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

## SECTION 14: Transport information

### UN Number

ADR/RID: no data available
IMDG: no data available
IATA: no data available

### UN Proper Shipping Name

ADR/RID: no data available
IMDG: no data available
IATA: no data available

### Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)
IMDG: 6.1 (For reference only, please check.)
IATA: 6.1 (For reference only, please check.)

### Packing group, if applicable

ADR/RID: III (For reference only, please check.)
IMDG: III (For reference only, please check.)
IATA: III (For reference only, please check.)

### Environmental hazards

ADR/RID: Yes
IMDG: Yes
IATA: Yes

### Special precautions for user

no data available

### Transport in bulk according to IMO instruments

no data available

## SECTION 15: Regulatory information

**Safety, health and environmental regulations specific for the product in question**

**European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

**EC Inventory**

Listed.

**United States Toxic Substances Control Act (TSCA) Inventory**

Not Listed.

**China Catalog of Hazardous chemicals 2015**

Not Listed.

**New Zealand Inventory of Chemicals (NZIoC)**

Listed.

**(PICCS)**

Listed.

**Vietnam National Chemical Inventory**

Listed.

**IECSC)**

Listed.

**Korea Existing Chemicals List (KECL)**

Listed.

## SECTION 16: Other information

**Abbreviations and acronyms**

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

**References**

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/