# Chemical Book India

MG	2	Chem	ical Safety	Data Shee	t MSDS / S	DS	TANK	H	
Propham SDS Revision Date:2024-04-25 Revision Number:1									
Section 1 Section 9	Section 2 Section 10	Section 3 Section 11	Section 4 Section 12	Section 5 Section 13	Section 6 Section 14	Section 7 Section 15	Section 8 Section 16		
SECTION 1: Product ide	<b>Identificat</b> ntifier	ion of the su	bstance/mi>	cture and of	the compar	ny/undertak	ing		
Product name:		Propham 122 12							
CAS:		122-42-9							
Relevant ide	entified uses o	f the substance	or mixture and	l uses advised a	against				
Relevant identified uses:		For R&D use only. Not for medicinal, household or other use.							
Uses advised against:		none							
Company Id	entification								
Company:		Chemicalbook.in							
Address:		5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090							
Telephone:		+91 9550333722							

## SECTION 2: Hazards identification

Classification of the substance or mixture

Acute toxicity - Category 4, Oral

#### GHS label elements, including precautionary statements

Pictogram(s)

Signal word

Warning

#### Hazard statement(s)

H302 Harmful if swallowed

#### Precautionary statement(s)

#### Prevention

P264 Wash ... thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

#### Response

P301+P317 IF SWALLOWED: Get medical help. P330 Rinse mouth.

#### Storage

none

#### Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### Other hazards which do not result in classification

no data available

## SECTION 3: Composition/information on ingredients

#### Substance

Chemical name: Propham Common names and Propham synonyms:

CAS number:	122-42-9
EC number:	204-542-0
Concentration:	100%

## **SECTION 4: First aid measures**

#### Description of necessary first-aid measures

#### If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

#### Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

#### Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

#### Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

### Most important symptoms/effects, acute and delayed

Excerpt from ERG Guide 171 [Substances (Low to Moderate Hazard)]: Inhalation of material may be harmful. Contact may cause burns to skin and eyes. Inhalation of Asbestos dust may have a damaging effect on the lungs. Fire may produce irritating, corrosive and/or toxic gases. Some liquids produce vapors that may cause dizziness or suffocation. Runoff from fire control may cause pollution. (ERG, 2016)

#### Indication of immediate medical attention and special treatment needed, if necessary

Advanced treatment: Consider orotracheal or nasotracheal intubation for airway control in the patient who is unconscious. Positive pressure ventilation techniques with a bag valve mask device may be beneficial. Monitor cardiac rhythm and treat arrhythmias if necessary . Start an IV with D5W /SRP: "To keep open", minimal flow rate/. Use lactated Ringer's if signs of hypovolemia are present. For hypotension if signs of hypovolemia are present, administer fluid cautiously. Watch for signs of pulmonary edema . Administer atropine. Correct hypoxia before administration . In severely poisoned patients, administer pralidoxime chloride (2 PAM). DIRECT PHYSICIAN ORDERS ONLY . Treat seizures with adequate atropinization and correction of hypoxia. Rarely is diazepam

### **SECTION 5: Firefighting measures**

#### Suitable extinguishing media

Excerpt from ERG Guide 171 [Substances (Low to Moderate Hazard)]: SMALL FIRE: Dry chemical, CO2, water spray or regular foam. LARGE FIRE: Water spray, fog or regular foam. Do not scatter spilled material with high-pressure water streams. Move containers from fire area if you can do it without risk. Dike fire-control water for later disposal. FIRE INVOLVING TANKS: Cool containers with flooding quantities of water until well after fire is out. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. ALWAYS stay away from tanks engulfed in fire. (ERG, 2016)

#### Specific hazards arising from the chemical

Excerpt from ERG Guide 171 [Substances (Low to Moderate Hazard)]: Some may burn but none ignite readily. Containers may explode when heated. Some may be transported hot. For UN3508, be aware of possible short circuiting as this product is transported in a charged state. (ERG, 2016)

#### Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

## SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

#### Methods and materials for containment and cleaning up

A system for removing pesticides from the wash water produced by pesticide applicators as they clean their equipment has been developed. The system incorporates a two-stage treatment process. The first step is the flocculation/coagulation and

sedimentation of the pesticide contaminated wash water. The supernatant from the first step is then passed through activated C columns.

## SECTION 7: Handling and storage

#### Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

#### Conditions for safe storage, including any incompatibilities

Safe Storage of Pesticides. Always store pesticides in their original containers, complete with labels that list ingredients, directions for use, and first aid steps in case of accidental poisoning. Never store pesticides in cabinets with or near food, animal feed, or medical supplies. Do not store pesticides in places where flooding is possible or in places where they might spill or leak into wells, drains, ground water, or surface water.

## SECTION 8: Exposure controls/personal protection

**Control parameters** 

#### Occupational Exposure limit values

no data available

#### **Biological limit values**

no data available

#### Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

#### Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

#### Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### **Respiratory protection**

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

#### Thermal hazards

no data available

## SECTION 9: Physical and chemical properties and safety characteristics

Physical state:	Propham is a colorless crystalline solid.
Colour:	White crystalline solid
Odour:	Odorless when pure
Melting point/freezing point:	90°C
Boiling point or initial boiling point and boiling range:	87-89 (0.005 torr)
Flammability:	no data available
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	11°C
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH:	no data available

Kinematic viscosity:	no data available
Solubility:	Soluble in most organic solvents
Partition coefficient n- octanol/water:	log Kow = 2.60
Vapour pressure:	0.108mmHg at 25°C
Density and/or relative density:	1.09 g/cm3 (20°C)
Relative vapour density:	no data available
Particle characteristics:	no data available

## SECTION 10: Stability and reactivity

#### Reactivity

No rapid reaction with air. No rapid reaction with water.

#### Chemical stability

Unlimited ... sublimes from granular formulation at high temp; low temp may cause crystallization in EC formulation

#### Possibility of hazardous reactions

Not considered flammablePROPHAM is a carbamate ester. Carbamates are chemically similar to, but more reactive than amides. Like amides they form polymers such as polyurethane resins. Carbamates are incompatible with strong acids and bases, and especially incompatible with strong reducing agents such as hydrides. Flammable gaseous hydrogen is produced by the combination of active metals or nitrides with carbamates. Strongly oxidizing acids, peroxides, and hydroperoxides are incompatible with carbamates.

#### Conditions to avoid

no data available

### Incompatible materials

Hydrolysed slowly in acidic and alkaline media.

#### Hazardous decomposition products

When heated to decomposition it emits toxic fumes of /nitrogen oxides/.

### **SECTION 11: Toxicological information**

Acute toxicity Oral: LD50 Rat (male) oral 3724 mg/kg Inhalation: no data available Dermal: no data available

#### Skin corrosion/irritation

no data available

#### Serious eye damage/irritation

no data available

#### Respiratory or skin sensitization

no data available

#### Germ cell mutagenicity

no data available

#### Carcinogenicity

No data are available in humans. Inadequate evidence of carcinogenicity in animals. OVERALL EVALUATION: Group 3: The agent is not classifiable as to its carcinogenicity to humans.

#### Reproductive toxicity

no data available

STOT-single exposure

no data available

#### STOT-repeated exposure

no data available

#### Aspiration hazard

no data available

## SECTION 12: Ecological information

#### Toxicity

Toxicity to fish: LC50 Lepomis macrochirus (Bluegill) 32 mg/L/24 hr; static /Formulated product Toxicity to daphnia and other aquatic invertebrates: no data available Toxicity to algae: no data available Toxicity to microorganisms: no data available

#### Persistence and degradability

Soil microorganisms readily degrade propham, as demonstrated by production of aniline, by an enzymatic hydrolysis reaction with subsequent liberation of carbon dioxide. ... identified isolates found effective in degrading propham are pseudomonas striata chester, a flavobacterium sp, an agrobacterium sp, & achromobacter sp.

#### Bioaccumulative potential

An estimated BCF of 20 was calculated for isopropyl phenylcarbmate(SRC), using a log Kow of 2.6(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

#### Mobility in soil

Propham is readily adsorbed to activated carbon & org matter...bond is rather weak, allowing water to leach propham through soil

column.

#### Other adverse effects

no data available

## **SECTION 13: Disposal considerations**

#### Disposal methods

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

### **SECTION 14: Transport information**

#### UN Number

ADR/RID: UN1230 (For reference only, please check.) IMDG: UN1230 (For reference only, please check.) IATA: UN1230 (For reference only, please check.)

### **UN Proper Shipping Name**

ADR/RID: METHANOL (For reference only, please check.) IMDG: METHANOL (For reference only, please check.) IATA: METHANOL (For reference only, please check.)

#### Transport hazard class(es)

ADR/RID: 3 (For reference only, please check.) IMDG: 3 (For reference only, please check.) IATA: 3 (For reference only, please check.)

### Packing group, if applicable

ADR/RID: II (For reference only, please check.) IMDG: II (For reference only, please check.) IATA: II (For reference only, please check.)

#### Environmental hazards

ADR/RID: No IMDG: No IATA: No

#### Special precautions for user

no data available

#### Transport in bulk according to IMO instruments

no data available

### SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question European Inventory of Existing Commercial Chemical Substances (EINECS) Listed. EC Inventory Listed. United States Toxic Substances Control Act (TSCA) Inventory Listed. China Catalog of Hazardous chemicals 2015 Not Listed. New Zealand Inventory of Chemicals (NZIoC) Listed.

(PICCS)

Not Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Not Listed.

Korea Existing Chemicals List (KECL)

Not Listed.

# **SECTION 16: Other information**

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

#### References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=O&request\_locale=en

CAWEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any