

## Chemical Safety Data Sheet MSDS / SDS

## Quinoline SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name: Quinoline  
CAS: 91-22-5

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses: For R&D use only. Not for medicinal, household or other use.  
Uses advised against: none

**Company Identification**

Company: Chemicalbook.in  
Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090  
Telephone: +91 9550333722

**SECTION 2: Hazards identification****Classification of the substance or mixture**

Acute toxicity - Category 4, Oral  
Acute toxicity - Category 4, Dermal

Skin irritation, Category 2  
Eye irritation, Category 2  
Germ cell mutagenicity, Category 2  
Carcinogenicity, Category 1B  
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 2

### GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

### Hazard statement(s)

H302 Harmful if swallowed  
H312 Harmful in contact with skin  
H315 Causes skin irritation  
H319 Causes serious eye irritation  
H341 Suspected of causing genetic defects  
H350 May cause cancer  
H411 Toxic to aquatic life with long lasting effects

### Precautionary statement(s)

#### Prevention

P264 Wash ... thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...  
P203 Obtain, read and follow all safety instructions before use.  
P273 Avoid release to the environment.

#### Response

P301+P317 IF SWALLOWED: Get medical help.  
P330 Rinse mouth.  
P302+P352 IF ON SKIN: Wash with plenty of water/...  
P317 Get medical help.  
P321 Specific treatment (see ... on this label).  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P332+P317 If skin irritation occurs: Get medical help.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P318 IF exposed or concerned, get medical advice.  
P391 Collect spillage.

#### **Storage**

P405 Store locked up.

#### **Disposal**

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### **Other hazards which do not result in classification**

no data available

### **SECTION 3: Composition/information on ingredients**

#### **Substance**

Chemical name:	Quinoline
Common names and synonyms:	Quinoline
CAS number:	91-22-5
EC number:	202-051-6
Concentration:	100%

### **SECTION 4: First aid measures**

#### **Description of necessary first-aid measures**

##### **If inhaled**

Fresh air, rest. Refer for medical attention.

##### **Following skin contact**

Remove contaminated clothes. Rinse and then wash skin with water and soap.

### **Following eye contact**

Rinse with plenty of water (remove contact lenses if easily possible). Refer for medical attention.

### **Following ingestion**

Rinse mouth. Give one or two glasses of water to drink. Refer for medical attention .

### **Most important symptoms/effects, acute and delayed**

Vapors are irritating to nose and throat and may cause headaches, dizziness, and nausea if inhaled. Ingestion causes irritation of mouth and stomach; vomiting may occur. Contact with eyes or skin causes irritation. (USCG, 1999)

### **Indication of immediate medical attention and special treatment needed, if necessary**

Basic treatment: Establish a patent airway. Suction if necessary. Watch for signs of respiratory insufficiency and assist ventilations if necessary. Administer oxygen by nonrebreather mask at 10 to 15 L/min. Monitor for pulmonary edema and treat if necessary . Monitor for shock and treat if necessary . For eye contamination, flush eyes immediately with water. Irrigate each eye continuously with normal saline during transport . Do not use emetics. For ingestion, rinse mouth and administer 5 ml/kg up to 200 ml of water for dilution if the patient can swallow, has a strong gag reflex, and does not drool. Administer activated charcoal . Aromatic hydrocarbons and related compounds

## **SECTION 5: Firefighting measures**

### **Suitable extinguishing media**

Extinguish with water, dry chemicals, foam, or carbon dioxide.

### **Specific hazards arising from the chemical**

Special Hazards of Combustion Products: Toxic oxides of nitrogen may form in fires. Behavior in Fire: Heat exposure may cause pressure build-up in closed containers. (USCG, 1999)

### **Special protective actions for fire-fighters**

Use water spray, foam, powder, carbon dioxide. In case of fire: keep drums, etc. , cool by spraying with water.

## **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

### Environmental precautions

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

### Methods and materials for containment and cleaning up

Spread over with the 9:1 mixture of sand and soda ash. After mixing, transfer into a paper carton, stuffed with ruffled paper.

## SECTION 7: Handling and storage

### Precautions for safe handling

NO open flames. Above 101°C use a closed system and ventilation. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### Conditions for safe storage, including any incompatibilities

Provision to contain effluent from fire extinguishing. Separated from strong oxidants, acids, acid anhydrides and food and feedstuffs. Dry. Keep in the dark. Well closed. Store in an area without drain or sewer access. PROTECT FROM LIGHT & MOISTURE.

## SECTION 8: Exposure controls/personal protection

### Control parameters

### Occupational Exposure limit values

Component	Quinoline			
CAS No.	91-22-5			
	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Latvia	?	0,1	?	?

## Remarks

### Biological limit values

no data available

### Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear safety spectacles.

#### Skin protection

Protective gloves. Protective clothing.

#### Respiratory protection

Use ventilation, local exhaust or breathing protection.

#### Thermal hazards

no data available

## SECTION 9: Physical and chemical properties and safety characteristics

Physical state:	Liquid.
Colour:	Colorless to slightly yellowish.
Odour:	Penetrating odor, not as offensive as pyridine
Melting point/freezing point:	-14.85 °C. Remarks:Estimated for pure product (100%).;-14.94 °C. Remarks:For the sample at 99.8%.
Boiling point or initial boiling point and boiling range:	237.63 °C. Remarks:Under atmospheric pressure.

Flammability:	Combustible. Gives off irritating or toxic fumes (or gases) in a fire.
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	99 °C.
Auto-ignition temperature:	896 °F. Remarks:Corresponding to 480 °C.
Decomposition temperature:	no data available
pH:	Weak tertiary base
Kinematic viscosity:	dynamic viscosity (in mPa s) = 3.375. Temperature:24.85°C. Remarks:Corresponding to 25°C.;dynamic viscosity (in mPa s) = 2.201. Temperature:45°C. Remarks:Corresponding to 45°C.;dynamic viscosity (in mPa s) = 1.563. Temperature:65°C. Remarks:Corresponding to 65°C.
Solubility:	Insoluble in water
Partition coefficient n-octanol/water:	log Pow = 2.04. Temperature:22 °C. Remarks:No data on pH.
Vapour pressure:	0.029 mm Hg. Temperature:12.62 °C. Remarks:Corresponding to 3.84 Pa.;0.043 mm Hg. Temperature:16.71 °C. Remarks:Corresponding to 5.68 Pa.;0.061 mm Hg. Temperature:21.35 °C. Remarks:Corresponding to 8.14 Pa.
Density and/or relative density:	1.088 kg/dm <sup>3</sup> . Temperature:24.85°C.;1.073 kg/dm <sup>3</sup> . Temperature:45°C.;1.316 kg/dm <sup>3</sup> . Temperature:65°C.
Relative vapour density:	4.5 (vs air)
Particle characteristics:	no data available

## SECTION 10: Stability and reactivity

### Reactivity

Decomposes on heating and on burning. This produces toxic fumes including nitrogen oxides. Reacts with strong oxidants, acids and

anhydrides.

### **Chemical stability**

Darkens on storage in ordinary, stoppered bottle

### **Possibility of hazardous reactions**

IT IS MODERATELY FLAMMABLE BUT DOES NOT EVOLVE A FLAMMABLE CONCEN OF VAPOR AT TEMP OF BELOW 99 DEG C. QUINOLINE is hygroscopic. It absorbs as much as 22% water. It is sensitive to light and moisture. It darkens on storage. This chemical is a weak base. A potentially explosive reaction may occur with hydrogen peroxide. It reacts violently with dinitrogen tetroxide. It also reacts violently with perchromates. It is incompatible with (linseed oil + thionyl chloride) and maleic anhydride. It is also incompatible with strong oxidizers and strong acids. This chemical can be unpredictably violent. It dissolves sulfur, phosphorus and arsenic trioxide. It may attack some forms of plastics. It is a preparative hazard. (NTP, 1992)

### **Conditions to avoid**

no data available

### **Incompatible materials**

Violent reaction with dinitrogen tetroxide; perchromates.

### **Hazardous decomposition products**

When heated to decomposition it emits toxic fumes of /nitrogen oxides/.

## **SECTION 11: Toxicological information**

### **Acute toxicity**

Oral: LD50 Rat oral 460 mg/kg

Inhalation: no data available

Dermal: no data available

### **Skin corrosion/irritation**

no data available

**Serious eye damage/irritation**

no data available

**Respiratory or skin sensitization**

no data available

**Germ cell mutagenicity**

no data available

**Carcinogenicity**

no data available

**Reproductive toxicity**

No information is available on the reproductive or developmental effects of quinoline in humans or animals.

**STOT-single exposure**

The substance is irritating to the eyes and skin.

**STOT-repeated exposure**

The substance may have effects on the liver. This substance is possibly carcinogenic to humans.

**Aspiration hazard**

A harmful contamination of the air will be reached rather slowly on evaporation of this substance at 20°C; on spraying or dispersing, however, much faster.

**SECTION 12: Ecological information****Toxicity**

Toxicity to fish: LC50 - *Poecilia reticulata* - 29.9 mg/L - 96 h.

Toxicity to daphnia and other aquatic invertebrates: LC50 - other aquatic mollusc: *Physa gyrina* - 183 mg/L - 48 h.

Toxicity to algae: EC50 - *Desmodesmus subspicatus* (previous name: *Scenedesmus subspicatus*) - 84 mg/L - 72 h.

Toxicity to microorganisms: EC50 - activated sludge of a predominantly domestic sewage - 243 mg/L - 3 h. Remarks: Respiration rate.

### **Persistence and degradability**

With 9 natural water samples, 1 ppm quinoline had 3-10 day lag then 100% degradation in 24-48 hr; 1 ppm redose had 2-4 hr lag then 100% degradation in 24-48 hr(1). Using a 9 L aerated fermentor with 3 natural water samples and 1 sewage plant aeration effluent spiked with 10 ug/ml quinoline, an adaptation period was observed and greater than or equal to 95% biodegradation in 48 hr (25 deg C), 60 hr (25 deg C), 11 days (15 deg C) and 60 hours (25 deg C), respectively(2). Batch fermentations using low level inocula from a eutrophic pond initially spiked with 1,3,5 and 10 ug/ml quinoline resulted in 100% biodegradation in <16 hr(2). Major metabolites expected: 2-hydroxyquinoline, 2,3-dihydroxyquinoline(2). 66% theoretical BOD (TBOD) was observed after 5 days with the standard dilution method and sewage as seed(4). Using 100 ppm quinoline and 30 ppm activated sludge, < 30% TBOD was observed in 2 weeks(5). With 10 ug/ml quinoline with pond water in 9 l bottle, approximately 2 day lag period followed by 100% biodegradation in < 24 hr; four subsequent redoses in shaker flasks with 0.2% v/v (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub> - potassium phosphate buffer resulted in 100% biodegradation in less than or equal to 24 hours(3). Bacterium isolated from soil used quinoline as sole carbon during aerobic degradation(6). Quinoline was degraded to 2-hydroxyquinoline by soil Pseudomonads in enrichment cultures isolated from a creosote-contaminated site in Pensacola, FL(7).

### **Bioaccumulative potential**

At an initial concentration of 0.8 and 0.08 mg/l, quinoline had a BCF ranging from <0.1-2.5 and <1.0-3.8, respectively, in orange red killifish(1). Rainbow trout swimup fry, ranging from 0.21-0.41 g in size, were exposed to quinoline at 1 mg/l for 48 hours and analyzed for bioconcentration(2). Whole body levels of quinoline increased rapidly during the first 4 hours of exposure and reached an apparent plateau after about 24 hours. Quinoline had a calculated bioconcentration factor of 3.73. After 48 hours, the fish were placed in non-quinoline contaminated water for 24 hours and monitored for depuration(2). Less than 2% of unmetabolized quinoline remained after the 24-hour depuration period. Metabolites found within fish tissues included hydroxyquinolines and quinolinethiols(2). In a static exposure study using fathead minnows, *Pimephales promelas*, a bioconcentration factor (BCF) of 8 was measured(3). According to a classification scheme(4), these BCF values suggest the potential for bioconcentration in aquatic organisms is low(SRC).

### **Mobility in soil**

The measured log K<sub>oc</sub> for quinoline is 2.84(1). The adsorption coefficients of quinoline to Ca-montmorillonite and creek sediments are 7.3 and 10.9, respectively(2). A K<sub>oc</sub> of 43 was reported using low-organic-carbon subsurface materials(11). According to a classification scheme(3), these K<sub>oc</sub> values suggest that quinoline is expected to have very high mobility in soil. Quinoline was found to be relatively mobile using a Danish sandy soil(10). Intensity of quinoline added to a natural sand aquifer on the Canadian Air Force Base Borden, Ontario, Canada via a field study using coal tar creosote were found to increase after 278 days, about 25 m from the creosote source, added at an initial concn of 10.1 g/kg creosote(4). Aromatic amines are expected to bind strongly to

humus or organic matter in soils due to the high reactivity of the aromatic amino group(7,8), suggesting that mobility may be much lower in some soils(SRC). The pKa of quinoline is 4.90(5), indicating that this compound will partially exist in the protonated form in the environment and cations generally adsorb to organic carbon and clay more strongly than their neutral counterparts(6); therefore, adsorption increases with increasing soil acidity(11). Sorption onto airborne particulates has been observed(9). A Kd value of 0.83 was measured using a Danish sandy soil from Lundgaard, Jutland, characterized by 2.47% organic carbon content, 80.2% sand, 13.2% silt, 4.8% clay, and a pH of 5.8(10).

#### **Other adverse effects**

no data available

### **SECTION 13: Disposal considerations**

#### **Disposal methods**

##### **Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

##### **Contaminated packaging**

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

### **SECTION 14: Transport information**

#### **UN Number**

ADR/RID: UN2656 (For reference only, please check.)

IMDG: UN2656 (For reference only, please check.)

IATA: UN2656 (For reference only, please check.)

#### **UN Proper Shipping Name**

ADR/RID: QUINOLINE (For reference only, please check.)

IMDG: QUINOLINE (For reference only, please check.)

IATA: QUINOLINE (For reference only, please check.)

**Transport hazard class(es)**

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

**Packing group, if applicable**

ADR/RID: III (For reference only, please check.)

IMDG: III (For reference only, please check.)

IATA: III (For reference only, please check.)

**Environmental hazards**

ADR/RID: Yes

IMDG: Yes

IATA: Yes

**Special precautions for user**

no data available

**Transport in bulk according to IMO instruments**

no data available

**SECTION 15: Regulatory information**

**Safety, health and environmental regulations specific for the product in question**

**European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

**EC Inventory**

Listed.

**United States Toxic Substances Control Act (TSCA) Inventory**

Listed.

**China Catalog of Hazardous chemicals 2015**

Listed.

**New Zealand Inventory of Chemicals (NZIoC)**

Listed.

**(PICCS)**

Listed.

**Vietnam National Chemical Inventory**

Listed.

**IECSC)**

Listed.

**Korea Existing Chemicals List (KECL)**

Listed.

**SECTION 16: Other information**

**Abbreviations and acronyms**

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

## References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:  
[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:  
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

## Other Information

Health effects of exposure to the substance have not been investigated adequately. Depending on the degree of exposure, periodic medical examination is suggested.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any