

## Chemical Safety Data Sheet MSDS / SDS

## Tetraethyllead SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name: Tetraethyllead

CAS: 78-00-2

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses: For R&amp;D use only. Not for medicinal, household or other use.

Uses advised against: none

**Company Identification**

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

**SECTION 2: Hazards identification****Classification of the substance or mixture**

Acute toxicity - Category 1, Oral

Acute toxicity - Category 1, Dermal

Acute toxicity - Category 1, Inhalation  
Reproductive toxicity, Category 1A  
Specific target organ toxicity - repeated exposure, Category 2  
Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1

### GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

### Hazard statement(s)

H300 Fatal if swallowed  
H310 Fatal in contact with skin  
H330 Fatal if inhaled  
H360 May damage fertility or the unborn child  
H373 May cause damage to organs through prolonged or repeated exposure

### Precautionary statement(s)

#### Prevention

P264 Wash ... thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P262 Do not get in eyes, on skin, or on clothing.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P271 Use only outdoors or in a well-ventilated area.  
P284 [In case of inadequate ventilation] wear respiratory protection.  
P203 Obtain, read and follow all safety instructions before use.  
P273 Avoid release to the environment.

#### Response

P301+P316 IF SWALLOWED: Get emergency medical help immediately.  
P321 Specific treatment (see ... on this label).  
P330 Rinse mouth.  
P302+P352 IF ON SKIN: Wash with plenty of water/...  
P316 Get emergency medical help immediately.  
P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P320 Specific treatment is urgent (see ... on this label).  
P318 IF exposed or concerned, get medical advice.  
P319 Get medical help if you feel unwell.  
P391 Collect spillage.

#### **Storage**

P405 Store locked up.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

#### **Disposal**

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### **Other hazards which do not result in classification**

no data available

### **SECTION 3: Composition/information on ingredients**

#### **Substance**

Chemical name:	Tetraethyllead
Common names and synonyms:	Tetraethyllead
CAS number:	78-00-2
EC number:	201-075-4
Concentration:	100%

### **SECTION 4: First aid measures**

#### **Description of necessary first-aid measures**

#### **If inhaled**

Fresh air, rest. Refer for medical attention.

**Following skin contact**

Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention .

**Following eye contact**

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

**Following ingestion**

Rinse mouth. Give a slurry of activated charcoal in water to drink. Refer for medical attention .

**Most important symptoms/effects, acute and delayed**

no data available

**Indication of immediate medical attention and special treatment needed, if necessary**

no data available

**SECTION 5: Firefighting measures****Suitable extinguishing media**

Use dry chemical, carbon dioxide or alcohol-resistant foam.

**Specific hazards arising from the chemical**

Combustible. Above 93°C explosive vapour/air mixtures may be formed.

**Special protective actions for fire-fighters**

Use water spray, powder, foam, carbon dioxide. Combat fire from a sheltered position.

**SECTION 6: Accidental release measures****Personal precautions, protective equipment and emergency procedures**

Evacuate danger area! Consult an expert! Personal protection: complete protective clothing including self-contained breathing apparatus. Ventilation. Do NOT let this chemical enter the environment. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

### **Environmental precautions**

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### **Methods and materials for containment and cleaning up**

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

## **SECTION 7: Handling and storage**

### **Precautions for safe handling**

NO open flames. Above 93°C use a closed system and ventilation. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### **Conditions for safe storage, including any incompatibilities**

Fireproof. Separated from strong oxidants and acids. Keep in the dark. Ventilation along the floor. Store in an area without drain or sewer access.

## **SECTION 8: Exposure controls/personal protection**

### **Control parameters**

### **Occupational Exposure limit values**

TLV: 0.1 mg/m<sup>3</sup>, as TWA; (skin); A4 (not classifiable as a human carcinogen).MAK: 0.05 mg/m<sup>3</sup>; peak limitation category: II(2); skin absorption (H); pregnancy risk group: B

### **Biological limit values**

no data available

### **Appropriate engineering controls**

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

#### **Individual protection measures, such as personal protective equipment (PPE)**

##### **Eye/face protection**

Wear face shield or eye protection in combination with breathing protection.

##### **Skin protection**

Protective gloves. Protective clothing.

##### **Respiratory protection**

Use ventilation, local exhaust or breathing protection.

##### **Thermal hazards**

no data available

### **SECTION 9: Physical and chemical properties and safety characteristics**

Physical state:	Light yellow liquid
Colour:	no data available
Odour:	no data available
Melting point/freezing point:	-136.8°C
Boiling point or initial boiling point and boiling range:	84 - 85°C (Decomposes)
Flammability:	no data available
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	77°C

Auto-ignition temperature:	~110°C
Decomposition temperature:	no data available
pH:	no data available
Kinematic viscosity:	no data available
Solubility:	Solubility in water: very poor
Partition coefficient n-octanol/water:	4.15
Vapour pressure:	0.027 kPa(20°C)
Density and/or relative density:	1.653 g/mL at 25°C(lit.)
Relative vapour density:	no data available
Particle characteristics:	no data available

## SECTION 10: Stability and reactivity

### Reactivity

no data available

### Chemical stability

no data available

### Possibility of hazardous reactions

The vapour is heavier than air. Decomposes on heating. This produces toxic fumes. Reacts violently with strong oxidants, acids and halogens. This generates fire and explosion hazard. Attacks rubber, some forms of plastic and coatings.

### Conditions to avoid

no data available

**Incompatible materials**

no data available

**Hazardous decomposition products**

no data available

**SECTION 11: Toxicological information**

**Acute toxicity**

Oral: no data available

Inhalation: no data available

Dermal: no data available

**Skin corrosion/irritation**

no data available

**Serious eye damage/irritation**

no data available

**Respiratory or skin sensitization**

no data available

**Germ cell mutagenicity**

no data available

**Carcinogenicity**

no data available



**Reproductive toxicity**

no data available

**STOT-single exposure**

The substance is irritating to the eyes, skin and respiratory tract. The substance may cause effects on the central nervous system. This may result in unconsciousness. Exposure at high levels could cause death. Medical observation is indicated.

**STOT-repeated exposure**

The substance may have effects on the central nervous system. May cause toxicity to human reproduction or development.

**Aspiration hazard**

A harmful contamination of the air can be reached rather quickly on evaporation of this substance at 20°C.

**SECTION 12: Ecological information****Toxicity**

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

**Persistence and degradability**

no data available

**Bioaccumulative potential**

no data available

**Mobility in soil**

no data available

### Other adverse effects

no data available

## SECTION 13: Disposal considerations

### Disposal methods

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

## SECTION 14: Transport information

### UN Number

ADR/RID: UN1649 (For reference only, please check.)

IMDG: UN1649 (For reference only, please check.)

IATA: UN1649 (For reference only, please check.)

### UN Proper Shipping Name

ADR/RID: MOTOR FUEL ANTI-KNOCK MIXTURE (For reference only, please check.)

IMDG: MOTOR FUEL ANTI-KNOCK MIXTURE (For reference only, please check.)

IATA: MOTOR FUEL ANTI-KNOCK MIXTURE (For reference only, please check.)

### Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

### Packing group, if applicable

ADR/RID: I (For reference only, please check.)  
IMDG: I (For reference only, please check.)  
IATA: I (For reference only, please check.)

#### **Environmental hazards**

ADR/RID: Yes  
IMDG: Yes  
IATA: Yes

#### **Special precautions for user**

no data available

#### **Transport in bulk according to IMO instruments**

no data available

### **SECTION 15: Regulatory information**

#### **Safety, health and environmental regulations specific for the product in question**

##### **European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

##### **EC Inventory**

Listed.

##### **United States Toxic Substances Control Act (TSCA) Inventory**

Listed.

##### **China Catalog of Hazardous chemicals 2015**

Listed.

##### **New Zealand Inventory of Chemicals (NZIoC)**

Listed.

##### **(PICCS)**

Listed.

**Vietnam National Chemical Inventory**

Not Listed.

**IECSC)**

Listed.

**Korea Existing Chemicals List (KECL)**

Listed.

## SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:  
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

### **Other Information**

Tetraethyl lead used as an anti-knock compound in gasoline also contains ethylene dibromide and ethylene dichloride as impurities. Depending on the degree of exposure, periodic medical examination is suggested. The relation between odour and the occupational exposure limit cannot be indicated. Do NOT take working clothes home.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any