

## Chemical Safety Data Sheet MSDS / SDS

## Turpentine, oil SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name: Turpentine, oil  
CAS: 8006-64-2

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses: For R&D use only. Not for medicinal, household or other use.  
Uses advised against: none

**Company Identification**

Company: Chemicalbook.in  
Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090  
Telephone: +91 9550333722

**SECTION 2: Hazards identification****Classification of the substance or mixture**

Flammable liquids, Category 3  
Acute toxicity - Category 4, Oral

Acute toxicity - Category 4, Dermal  
Skin irritation, Category 2  
Eye irritation, Category 2  
Skin sensitization, Category 1  
Acute toxicity - Category 4, Inhalation  
Aspiration hazard, Category 1  
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 2

### GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

### Hazard statement(s)

H226 Flammable liquid and vapour  
H302 Harmful if swallowed  
H312 Harmful in contact with skin  
H315 Causes skin irritation  
H319 Causes serious eye irritation  
H317 May cause an allergic skin reaction  
H332 Harmful if inhaled  
H304 May be fatal if swallowed and enters airways  
H411 Toxic to aquatic life with long lasting effects

### Precautionary statement(s)

### Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P240 Ground and bond container and receiving equipment.  
P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.  
P242 Use non-sparking tools.  
P243 Take action to prevent static discharges.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...  
P264 Wash ... thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

### Response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].

P370+P378 In case of fire: Use ... to extinguish.

P301+P317 IF SWALLOWED: Get medical help.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P317 Get medical help.

P321 Specific treatment (see ... on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P332+P317 If skin irritation occurs: Get medical help.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P317 If skin irritation or rash occurs: Get medical help.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P301+P316 IF SWALLOWED: Get emergency medical help immediately.

P331 Do NOT induce vomiting.

P391 Collect spillage.

### Storage

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

### Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

### Other hazards which do not result in classification

no data available

## SECTION 3: Composition/information on ingredients

### Substance

Chemical name: Turpentine, oil

Common names and synonyms:	Turpentine, oil
CAS number:	8006-64-2
EC number:	232-350-7
Concentration:	100%

#### **SECTION 4: First aid measures**

##### **Description of necessary first-aid measures**

###### **If inhaled**

Fresh air, rest. Artificial respiration may be needed. Refer for medical attention.

###### **Following skin contact**

Remove contaminated clothes. Rinse and then wash skin with water and soap.

###### **Following eye contact**

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

###### **Following ingestion**

Do NOT induce vomiting. Give one or two glasses of water to drink. Refer for medical attention .

###### **Most important symptoms/effects, acute and delayed**

no data available

###### **Indication of immediate medical attention and special treatment needed, if necessary**

no data available

#### **SECTION 5: Firefighting measures**

##### **Suitable extinguishing media**

Use dry chemical, carbon dioxide or alcohol-resistant foam.

### **Specific hazards arising from the chemical**

Flammable. Gives off irritating or toxic fumes (or gases) in a fire. Above 30°C explosive vapour/air mixtures may be formed.

### **Special protective actions for fire-fighters**

Use foam, dry powder, carbon dioxide. In case of fire: keep drums, etc., cool by spraying with water.

## **SECTION 6: Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

Cover the spilled material with dry earth, sand or other non-combustible material. Ventilation. Remove all ignition sources. Do NOT wash away into sewer. Sweep spilled substance into covered containers. Then store and dispose of according to local regulations. Personal protection: self-contained breathing apparatus. Do NOT let this chemical enter the environment.

### **Environmental precautions**

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### **Methods and materials for containment and cleaning up**

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

## **SECTION 7: Handling and storage**

### **Precautions for safe handling**

NO open flames, NO sparks and NO smoking. Above 30°C use a closed system, ventilation and explosion-proof electrical equipment. Prevent build-up of electrostatic charges (e.g., by grounding). Use non-sparking handtools. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### **Conditions for safe storage, including any incompatibilities**

Fireproof. Separated from strong oxidants and incompatible materials. See Chemical Dangers. Cool. Keep in a well-ventilated

room.

## SECTION 8: Exposure controls/personal protection

### Control parameters

### Occupational Exposure limit values

TLV: 20 ppm as TWA; (SEN); A4 (not classifiable as a human carcinogen).MAK: 28 mg/m<sup>3</sup>, 5 ppm; peak limitation category: II(2); skin absorption (H); sensitization of skin (SH); pregnancy risk group: D

### Biological limit values

no data available

### Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear safety spectacles or eye protection in combination with breathing protection.

#### Skin protection

Protective gloves. Protective clothing.

#### Respiratory protection

Use ventilation, local exhaust or breathing protection.

#### Thermal hazards

no data available

## SECTION 9: Physical and chemical properties and safety characteristics

Physical state:           Liquid.

Colour:	Colourless liquid.
Odour:	no data available
Melting point/freezing point:	-60 - -50 °C.
Boiling point or initial boiling point and boiling range:	154 - 170 °C. Remarks:The data was obtained from a reliable handbook which was subject to peer review, details on the atmospheric pressure was not stated.
Flammability:	no data available
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	24 °C. Atm. press.:100.8 - 101.8 kPa.
Auto-ignition temperature:	270 °C. Atm. press.:99.44 - 99.52 kPa.
Decomposition temperature:	no data available
pH:	no data available
Kinematic viscosity:	no data available
Solubility:	Insoluble in water
Partition coefficient n-octanol/water:	log Pow = 0.8 - 6.3. Temperature:20 °C. Remarks:Predicted log Kow for all constituents of the substance.;log Pow = 0.8 - 6.3. Temperature:20 °C. Remarks:Predicted log Kow of identified 'blocks' in the constituents of the substance.
Vapour pressure:	0.057 - 200 000 Pa. Temperature:25 °C. Remarks:Predicted vapour pressure for constituents of TOPP.;2 600 Pa. Temperature:25 °C. Remarks:Predicted vapour pressure for TOPP as a whole substance.
Density and/or relative density:	864 kg/m <sup>3</sup> . Temperature:20 °C.;860 kg/m <sup>3</sup> . Temperature:25 °C.
Relative vapour density:	no data available

Particle characteristics: no data available

## SECTION 10: Stability and reactivity

### Reactivity

no data available

### Chemical stability

no data available

### Possibility of hazardous reactions

On combustion, forms toxic fumes including carbon monoxide. Decomposes slowly under the influence of air and light. This produces oxidation products that are more toxic or irritating than turpentine itself. Reacts violently with oxidants, halogens, combustible substances and mineral acids. Attacks plastics and rubber.

### Conditions to avoid

no data available

### Incompatible materials

no data available

### Hazardous decomposition products

no data available

## SECTION 11: Toxicological information

### Acute toxicity

Oral: LD50 - rat (male) - 4.6 mL/kg bw.

Inhalation: no data available

Dermal: LD50 - rabbit - > 2 000 mg/kg bw.



**Skin corrosion/irritation**

no data available

**Serious eye damage/irritation**

no data available

**Respiratory or skin sensitization**

no data available

**Germ cell mutagenicity**

no data available

**Carcinogenicity**

no data available

**Reproductive toxicity**

no data available

**STOT-single exposure**

The vapour is irritating to the eyes, skin and respiratory tract. If this liquid is swallowed, aspiration into the lungs may result in chemical pneumonitis. The substance may cause effects on the central nervous system, bladder and kidneys. This may result in irritability, convulsions and kidney impairment. Exposure at high levels could cause tachycardia, unconsciousness, respiratory failure and death.

**STOT-repeated exposure**

Repeated or prolonged contact may cause skin sensitization. The substance defats the skin, which may cause dryness or cracking.

**Aspiration hazard**

A harmful contamination of the air will be reached rather slowly on evaporation of this substance at 20°C.

## SECTION 12: Ecological information

### Toxicity

Toxicity to fish: LL50 - Danio rerio (previous name: Brachydanio rerio) - 29 mg/L - 96 h. Remarks: Water-accommodated fraction loading rate.

Toxicity to daphnia and other aquatic invertebrates: NOELR - Daphnia magna - ca. 1 mg/L - 48 h. Remarks: Water-accommodated fraction loading rate.

Toxicity to algae: EL50 - Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) - 17.1 mg/L - 72 h.

Toxicity to microorganisms: no data available

### Persistence and degradability

no data available

### Bioaccumulative potential

no data available

### Mobility in soil

no data available

### Other adverse effects

no data available

## SECTION 13: Disposal considerations

### Disposal methods

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas

scrubbing is possible for combustible packaging materials.

## SECTION 14: Transport information

### UN Number

ADR/RID: UN1299 (For reference only, please check.)

IMDG: UN1299 (For reference only, please check.)

IATA: UN1299 (For reference only, please check.)

### UN Proper Shipping Name

ADR/RID: TURPENTINE (For reference only, please check.)

IMDG: TURPENTINE (For reference only, please check.)

IATA: TURPENTINE (For reference only, please check.)

### Transport hazard class(es)

ADR/RID: 3 (For reference only, please check.)

IMDG: 3 (For reference only, please check.)

IATA: 3 (For reference only, please check.)

### Packing group, if applicable

ADR/RID: III (For reference only, please check.)

IMDG: III (For reference only, please check.)

IATA: III (For reference only, please check.)

### Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

### Special precautions for user

no data available

### Transport in bulk according to IMO instruments

no data available

### **SECTION 15: Regulatory information**

**Safety, health and environmental regulations specific for the product in question**

**European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

**EC Inventory**

Listed.

**United States Toxic Substances Control Act (TSCA) Inventory**

Listed.

**China Catalog of Hazardous chemicals 2015**

Listed.

**New Zealand Inventory of Chemicals (NZIoC)**

Listed.

**(PICCS)**

Listed.

**Vietnam National Chemical Inventory**

Listed.

**IECSC)**

Listed.

**Korea Existing Chemicals List (KECL)**

Listed.

### **SECTION 16: Other information**

## Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

## References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

## Other Information

The odour warning when the exposure limit value is exceeded is insufficient. Turpentine is obtained by distilling the gum from various species of pine. It is a mixture of isomeric terpene hydrocarbons. Composition varies with refining methods and the age, location and species of the softwood source.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any