

Chemical Safety Data Sheet MSDS / SDS

4,4'-methylenediphenyl diisocyanate SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name: 4,4'-methylenediphenyl diisocyanate

CAS: 101-68-8

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: For R&D use only. Not for medicinal, household or other use.

Uses advised against: none

Company Identification

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

SECTION 2: Hazards identification**Classification of the substance or mixture**

Skin irritation, Category 2

Eye irritation, Category 2

Skin sensitization, Category 1
Acute toxicity - Category 4, Inhalation
Specific target organ toxicity - single exposure, Category 3
Respiratory sensitization, Category 1
Carcinogenicity, Category 2
Specific target organ toxicity - repeated exposure, Category 2

GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

Hazard statement(s)

H315 Causes skin irritation
H319 Causes serious eye irritation
H317 May cause an allergic skin reaction
H332 Harmful if inhaled
H335 May cause respiratory irritation
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
H351 Suspected of causing cancer
H373 May cause damage to organs through prolonged or repeated exposure

Precautionary statement(s)

Prevention

P264 Wash ... thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P272 Contaminated work clothing should not be allowed out of the workplace.
P271 Use only outdoors or in a well-ventilated area.
P284 [In case of inadequate ventilation] wear respiratory protection.
P203 Obtain, read and follow all safety instructions before use.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.

Response

P302+P352 IF ON SKIN: Wash with plenty of water/...
P321 Specific treatment (see ... on this label).

P332+P317 If skin irritation occurs: Get medical help.
P362+P364 Take off contaminated clothing and wash it before reuse.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P317 If skin irritation or rash occurs: Get medical help.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P317 Get medical help.
P319 Get medical help if you feel unwell.
P342+P316 If experiencing respiratory symptoms: Get emergency medical help immediately.
P318 IF exposed or concerned, get medical advice.

Storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

Substance

Chemical name:	4,4-methylenediphenyl diisocyanate
Common names and synonyms:	4,4-methylenediphenyl diisocyanate
CAS number:	101-68-8
EC number:	202-966-0
Concentration:	100%

SECTION 4: First aid measures

Description of necessary first-aid measures

If inhaled

Fresh air, rest. Artificial respiration may be needed. Refer for medical attention.

Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention .

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth. Do NOT induce vomiting. Refer for medical attention .

Most important symptoms/effects, acute and delayed

Breathlessness, chest discomfort, and reduced pulmonary function. (USCG, 1999)

Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Isocyanates, aliphatic thiocyanates, and related compounds

SECTION 5: Firefighting measures

Suitable extinguishing media

Carbon dioxide or dry chemical.

Specific hazards arising from the chemical

Special Hazards of Combustion Products: Toxic vapors are generated when heated. Behavior in Fire: Solid melts and burns (USCG, 1999)

Special protective actions for fire-fighters

Use powder, carbon dioxide.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Evacuate danger area! Consult an expert! Personal protection: chemical protection suit including self-contained breathing apparatus. Sweep spilled substance into covered sealable containers. Carefully collect remainder. Then store and dispose of according to local regulations.

Environmental precautions

Evacuate danger area! Consult an expert! Personal protection: chemical protection suit including self-contained breathing apparatus. Sweep spilled substance into covered sealable containers. Carefully collect remainder. Then store and dispose of according to local regulations.

Methods and materials for containment and cleaning up

Ventilate area of spill or leak. for small quantities, absorb on paper towels. ... burn the paper in suitable location away from combustible materials. large quantities can be collected & atomized in suitable combustion chamber equipped with appropriate effluent gas cleaning device. disposal methods: 1. by absorbing on vermiculite, dry sand, earth or a similar material & disposing in a secured sanitary landfill. 2. by atomizing in suitable combustion chamber equipped with appropriate effluent gas cleaning device.

SECTION 7: Handling and storage

Precautions for safe handling

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Separated from food and feedstuffs and incompatible materials. See Chemical Dangers. Cool. Dry. Keep in the dark. Isocyanates are transported in railroad tank cars, tank trucks, tanks in ships, containers, and drums. They are stored in steel tanks and processed in steel equipment. For long-term storage stainless steel is recommended. To avoid contamination by atmospheric moisture, a dry air or inert gas blanket is essential. Isocyanates

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

TLV: 0.005 ppm as TWA.MAK: (inhalable fraction): 0.05 mg/m³; peak limitation category: I(1); skin absorption (H); sensitization of respiratory tract and skin (SAH); carcinogen category: 4; pregnancy risk group: C

Biological limit values

no data available

Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety goggles or face shield.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state: Solid. Crystalline.

Colour: White.

Odour: Odorless

Melting point/freezing point:	39 - 43 °C.
Boiling point or initial boiling point and boiling range:	> 300 °C. Atm. press.:1 013 hPa.
Flammability:	Combustible Solid
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	211 °C. Atm. press.:1 000 hPa.
Auto-ignition temperature:	> 601 °C. Atm. press.:Ca. 1 013 hPa.
Decomposition temperature:	no data available
pH:	no data available
Kinematic viscosity:	no data available
Solubility:	Insoluble (NTP, 1992)
Partition coefficient n-octanol/water:	log Pow = 4.51. Temperature:22 °C.
Vapour pressure:	< 0.002 Pa. Temperature:20 °C.
Density and/or relative density:	1.32. Temperature:20 °C.;1.18 g/cm ³ . Temperature:50 °C.
Relative vapour density:	(air = 1): 8.6
Particle characteristics:	no data available

SECTION 10: Stability and reactivity

Reactivity

The substance may polymerize under the influence of temperatures above 204°C. On combustion, forms toxic and corrosive fumes including nitrogen oxides and hydrogen cyanide (see ICSC 0492). Reacts readily with water. This produces insoluble polyureas. Reacts violently with acids, alcohols, amines, bases and oxidants. This generates fire and explosion hazard.

Chemical stability

no data available

Possibility of hazardous reactions

A flammable liquid. Isocyanates and thioisocyanates, such as DIPHENYLMETHANE-4,4'-DIISOCYANATE, are incompatible with many classes of compounds, reacting exothermically to release toxic gases. Reactions with amines, aldehydes, alcohols, alkali metals, ketones, mercaptans, strong oxidizers, hydrides, phenols, and peroxides can cause vigorous releases of heat. Acids and bases initiate polymerization reactions in these materials. Some isocyanates react with water to form amines and liberate carbon dioxide. Base-catalysed reactions of isocyanates with alcohols should be carried out in inert solvents. Such reactions in the absence of solvents often occur with explosive violence, [Wischmeyer(1969)].

Conditions to avoid

no data available

Incompatible materials

Strong alkalis, acids, alcohol [Note: Polymerizes at 450 degrees F].

Hazardous decomposition products

When heated to decomposition it emits toxic fumes of /nitrogen oxides and sulfur oxides/.

SECTION 11: Toxicological information

Acute toxicity

Oral: LD50 - rat (male/female) - > 2 000 mg/kg bw.

Inhalation: LC50 - rat (male/female) - 0.49 mg/L air (analytical).

Dermal: LD50 - rabbit (male/female) - > 9 400 mg/kg bw.

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

Evaluation: There is inadequate evidence for the carcinogenicity of 4,4'-methylenediphenyl diisocyanate or polymeric 4,4'-methylenediphenyl diisocyanate in humans. There is limited evidence in experimental animals for the carcinogenicity of a mixture containing monomeric and polymeric 4,4'-methylenediphenyl diisocyanate. Overall evaluation: 4,4'-Methylenediphenyl diisocyanate (industrial preparation) is not classifiable as to its carcinogenicity in humans (Group 3).

Reproductive toxicity

No information is available on the reproductive or developmental effects of MDI in humans. Decreased placental and fetal weights and an increased number of fetuses per litter with skeletal variations were reported in one inhalation study in rats. These effects were observed only at the highest dose, and may have been related to maternal toxicity.

STOT-single exposure

Lachrymation. The substance is irritating to the eyes, skin and respiratory tract. The substance may cause effects on the lungs. This may result in impaired functions.

STOT-repeated exposure

Repeated or prolonged contact may cause skin sensitization. Repeated or prolonged inhalation may cause asthma. See Notes.

Aspiration hazard

Evaporation at 20°C is negligible; a harmful concentration of airborne particles can, however, be reached quickly when dispersed.

SECTION 12: Ecological information

Toxicity

Toxicity to fish: LCO - *Oryzias latipes* - > 3 000 mg/L - 48 h.

Toxicity to daphnia and other aquatic invertebrates: EC50 - *Daphnia magna* - 129.7 mg/L - 24 h.

Toxicity to algae: NOELR - *Desmodesmus subspicatus* (previous name: *Scenedesmus subspicatus*) - 1 640 mg/L - 3 d.

Toxicity to microorganisms: EC50 - activated sludge - > 100 mg/L - 3 h. Remarks: Respiration rate.

Persistence and degradability

no data available

Bioaccumulative potential

4,4-Methylenediphenyl diisocyanate hydrolyzes rapidly in aqueous solution(1-3); therefore, bioconcentration will not be an important environmental fate process(SRC). Exposure of carp to 0.00001% concentrations of 4,4-methylenediphenyl diisocyanate for an eight week period resulted in no bioaccumulations(4).

Mobility in soil

4,4-Methylenediphenyl diisocyanate hydrolyzes rapidly in aqueous solution(1-3); therefore, leaching and adsorption to moist soil and sediment will not be an important environmental fate process(SRC).

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

(PICCS)

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:
http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Other Information

The symptoms of asthma often do not become manifest until a few hours have passed and they are aggravated by physical

effort. Rest and medical observation are therefore essential. Anyone who has shown symptoms of asthma due to this substance should avoid all further contact with this substance. MDI may sensitize workers so that they react to other isocyanates (asthma). Do NOT take working clothes home.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any