

## Chemical Safety Data Sheet MSDS / SDS

## m-phenylenebis(methylamine) SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name: m-phenylenebis(methylamine)

CAS: 1477-55-0

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses: For R&amp;D use only. Not for medicinal, household or other use.

Uses advised against: none

**Company Identification**

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

**SECTION 2: Hazards identification****Classification of the substance or mixture**Acute toxicity - Category 4, Oral  
Skin corrosion, Sub-category 1B

Skin sensitization, Sub-category 1B  
Serious eye damage, Category 1  
Acute toxicity - Category 4, Inhalation  
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 3

#### GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

#### Hazard statement(s)

H302 Harmful if swallowed  
H314 Causes severe skin burns and eye damage  
H317 May cause an allergic skin reaction  
H332 Harmful if inhaled  
H412 Harmful to aquatic life with long lasting effects

#### Precautionary statement(s)

#### Prevention

P264 Wash ... thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.

#### Response

P301+P317 IF SWALLOWED: Get medical help.  
P330 Rinse mouth.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P363 Wash contaminated clothing before reuse.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P316 Get emergency medical help immediately.  
P321 Specific treatment (see ... on this label).

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P302+P352 IF ON SKIN: Wash with plenty of water/...  
P333+P317 If skin irritation or rash occurs: Get medical help.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P317 Get medical help.

#### **Storage**

P405 Store locked up.

#### **Disposal**

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### **Other hazards which do not result in classification**

no data available

### **SECTION 3: Composition/information on ingredients**

#### **Substance**

Chemical name: m-phenylenebis(methylamine)

Common names and synonyms: m-phenylenebis(methylamine)

CAS number: 1477-55-0

EC number: 216-032-5

Concentration: 100%

### **SECTION 4: First aid measures**

#### **Description of necessary first-aid measures**

**If inhaled**

Fresh air, rest. Half-upright position. Artificial respiration may be needed. Refer for medical attention.

#### **Following skin contact**

Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention .

#### **Following eye contact**

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

#### **Following ingestion**

Rinse mouth. Give one or two glasses of water to drink. Do NOT induce vomiting. Refer for medical attention .

#### **Most important symptoms/effects, acute and delayed**

Exposure Routes: inhalation, skin absorption, ingestion, skin and/or eye contact Target Organs: Eyes, skin, respiratory system, liver, kidneys (NIOSH, 2016)

#### **Indication of immediate medical attention and special treatment needed, if necessary**

no data available

## **SECTION 5: Firefighting measures**

#### **Suitable extinguishing media**

Excerpt from ERG Guide 153 [Substances - Toxic and/or Corrosive (Combustible)]: SMALL FIRE: Dry chemical, CO<sub>2</sub> or water spray. LARGE FIRE: Dry chemical, CO<sub>2</sub>, alcohol-resistant foam or water spray. Move containers from fire area if you can do it without risk. Dike fire-control water for later disposal; do not scatter the material. FIRE INVOLVING TANKS OR CAR/TRAILER LOADS: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Do not get water inside containers. Cool containers with flooding quantities of water until well after fire is out. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. ALWAYS stay away from tanks engulfed in fire. (ERG, 2016)

#### **Specific hazards arising from the chemical**

Excerpt from ERG Guide 153 [Substances - Toxic and/or Corrosive (Combustible)]: Combustible material: may burn but does not ignite readily. When heated, vapors may form explosive mixtures with air: indoors, outdoors and sewers explosion hazards. Those substances designated with a (P) may polymerize explosively when heated or involved in a fire. Contact with metals may evolve flammable hydrogen gas. Containers may explode when heated. Runoff may pollute waterways. Substance may be transported in a molten form. (ERG, 2016)

### **Special protective actions for fire-fighters**

Use powder, foam, carbon dioxide.

## **SECTION 6: Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Consult an expert! Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations. Carefully collect remainder. Do NOT let this chemical enter the environment.

### **Environmental precautions**

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Consult an expert! Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations. Carefully collect remainder. Do NOT let this chemical enter the environment.

### **Methods and materials for containment and cleaning up**

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

## **SECTION 7: Handling and storage**

### **Precautions for safe handling**

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### **Conditions for safe storage, including any incompatibilities**

Separated from food and feedstuffs.

## SECTION 8: Exposure controls/personal protection

### Control parameters

### Occupational Exposure limit values

TLV: 0.1 mg/m<sup>3</sup> as STEL; 0.1 mg/m<sup>3</sup> (ceiling value); (skin).MAK: sensitization of skin (SH)

### Biological limit values

no data available

### Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear face shield or eye protection in combination with breathing protection.

#### Skin protection

Protective gloves. Protective clothing.

#### Respiratory protection

Use ventilation, local exhaust or breathing protection.

#### Thermal hazards

no data available

## SECTION 9: Physical and chemical properties and safety characteristics

Physical state: M-xylene-alpha,alpha'-diamine is a colorless liquid with an amine smell. Mp: 14.1°C; bp: 273°C . Water soluble.

Colour: COLORLESS LIQ

Odour: no data available

Melting point/freezing point:	217°C(lit.)
Boiling point or initial boiling point and boiling range:	248°C(lit.)
Flammability:	Class IIIB Combustible Liquid: Fl.P. at or above 200°F.
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	134°C(lit.)
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH:	no data available
Kinematic viscosity:	no data available
Solubility:	Miscible (NIOSH, 2016)
Partition coefficient n-octanol/water:	0.18
Vapour pressure:	15 mm Hg ( 145 °C)
Density and/or relative density:	1.032
Relative vapour density:	no data available
Particle characteristics:	no data available

## SECTION 10: Stability and reactivity

**Reactivity**

Decomposes on burning. This produces toxic fumes including nitrogen oxides.

**Chemical stability**

no data available

**Possibility of hazardous reactions**

M-XYLENE-ALPHA,ALPHA'-DIAMINE is combustible (Flash point 139°C). Incompatible with acids, acid chlorides, acid anhydrides.

**Conditions to avoid**

no data available

**Incompatible materials**

None reported

**Hazardous decomposition products**

no data available

**SECTION 11: Toxicological information****Acute toxicity**

Oral: no data available

Inhalation: no data available

Dermal: no data available

**Skin corrosion/irritation**

no data available

**Serious eye damage/irritation**

no data available



**Respiratory or skin sensitization**

no data available

**Germ cell mutagenicity**

no data available

**Carcinogenicity**

no data available

**Reproductive toxicity**

no data available

**STOT-single exposure**

The substance is corrosive to the eyes, skin and respiratory tract. Inhalation of high concentrations of the fume may cause lung oedema. See Notes. Corrosive on ingestion.

**STOT-repeated exposure**

Repeated or prolonged contact may cause skin sensitization.

**Aspiration hazard**

A harmful contamination of the air can be reached rather quickly on evaporation of this substance at 20°C , on spraying or dispersing much faster.

**SECTION 12: Ecological information****Toxicity**

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

**Persistence and degradability**

no data available

**Bioaccumulative potential**

no data available

**Mobility in soil**

no data available

**Other adverse effects**

no data available

**SECTION 13: Disposal considerations****Disposal methods****Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

**Contaminated packaging**

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

**SECTION 14: Transport information****UN Number**

ADR/RID: UN2735 (For reference only, please check.)

IMDG: UN2735 (For reference only, please check.)

IATA: UN2735 (For reference only, please check.)

### **UN Proper Shipping Name**

ADR/RID: AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. (For reference only, please check.)

IMDG: AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. (For reference only, please check.)

IATA: AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. (For reference only, please check.)

### **Transport hazard class(es)**

ADR/RID: 8 (For reference only, please check.)

IMDG: 8 (For reference only, please check.)

IATA: 8 (For reference only, please check.)

### **Packing group, if applicable**

ADR/RID: I (For reference only, please check.)

IMDG: I (For reference only, please check.)

IATA: I (For reference only, please check.)

### **Environmental hazards**

ADR/RID: No

IMDG: No

IATA: No

### **Special precautions for user**

no data available

### **Transport in bulk according to IMO instruments**

no data available

## **SECTION 15: Regulatory information**

**Safety, health and environmental regulations specific for the product in question**

**European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

### **EC Inventory**

Listed.

### **United States Toxic Substances Control Act (TSCA) Inventory**

Listed.

### **China Catalog of Hazardous chemicals 2015**

Not Listed.

### **New Zealand Inventory of Chemicals (NZIoC)**

Listed.

### **(PICCS)**

Listed.

### **Vietnam National Chemical Inventory**

Listed.

### **IECSC)**

Listed.

### **Korea Existing Chemicals List (KECL)**

Listed.

## **SECTION 16: Other information**

### **Abbreviations and acronyms**

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:  
[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:  
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

### Other Information

The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation is therefore essential. The occupational exposure limit value should not be exceeded during any part of the working exposure.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any