Chemical Book India

NG		Chem	ical Safety	Data Shee	t MSDS / S	SDS	THE T	H	
o-anisidine SDS Revision Date:2024-04-25 Revision Number:1									
Section 1 Section 9	Section 2 Section 10	Section 3 Section 11	Section 4 Section 12	Section 5 Section 13	Section 6 Section 14	Section 7 Section 15	Section 8 Section 16		
SECTION 1: Identification of the substance/mixture and of the company/undertaking Product identifier									
CAS:		90-04-0							
Relevant ide	entified uses (of the substance	or mixture and	d uses advised a	against				
Relevant identified uses:		For R&D use only. Not for medicinal, household or other use.							
Uses advised against:		none							
Company Id	entification								
Company:		Chemicalbook.in							
Address:		5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090							
Telephone:		+91 9550333722							

SECTION 2: Hazards identification

Classification of the substance or mixture

Acute toxicity - Category 3, Oral Acute toxicity - Category 3, Dermal Acute toxicity - Category 3, Inhalation Germ cell mutagenicity, Category 2 Carcinogenicity, Category 1B

GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

Hazard statement(s)

H301 Toxic if swallowed H311 Toxic in contact with skin H331 Toxic if inhaled H341 Suspected of causing genetic defects H350 May cause cancer

Precautionary statement(s)

Prevention

P264 Wash ... thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.
P203 Obtain, read and follow all safety instructions before use.

Response

P301+P316 IF SWALLOWED: Get emergency medical help immediately.
P321 Specific treatment (see ... on this label).
P330 Rinse mouth.
P302+P352 IF ON SKIN: Wash with plenty of water/...
P316 Get emergency medical help immediately.
P361+P364 Take off immediately all contaminated clothing and wash it before reuse.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P318 IF exposed or concerned, get medical advice.

Storage

P405 Store locked up. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

Substance

Chemical name:	o-anisidine
Common names and synonyms:	o-anisidine
CAS number:	90-04-0
EC number:	201-963-1
Concentration:	100%

SECTION 4: First aid measures

Description of necessary first-aid measures

If inhaled

Fresh air, rest. Administration of oxygen may be needed. Refer immediately for medical attention. See Notes.

Following skin contact

Administration of oxygen may be needed. Remove contaminated clothes. Rinse and then wash skin with water and soap. See Notes. Refer immediately for medical attention.

Following eye contact

Rinse with plenty of water (remove contact lenses if easily possible).

Following ingestion

Administration of oxygen may be needed. Rinse mouth. Do NOT induce vomiting. Give one or two glasses of water to drink. Refer immediately for medical attention.

Most important symptoms/effects, acute and delayed

Exposure Routes: inhalation, skin absorption, ingestion, skin and/or eye contact Symptoms: Headache, dizziness; cyanosis; red blood cell Heinz bodies; [potential occupational carcinogen] Target Organs: Blood, kidneys, liver, cardiovascular system, central nervous system (NIOSH, 2016)

Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Aniline and related compounds

SECTION 5: Firefighting measures

Suitable extinguishing media

Use dry chemical, carbon dioxide, or alcohol foam extinguishers. Vapors are heavier than air and will collect in low areas. Vapors may travel long distances to ignition sources and flashback. Vapors in confined areas may explode when exposed to fire. Storage containers and parts of containers may rocket great distances, in many directions. If material or contaminated runoff enters waterways, notify downstream users of potentially contaminated waters. Notify local health and fire officials and pollution control agencies. From a secure, explosion-proof location, use water spray to cool exposed containers. If cooling streams are ineffective (venting sound increases in volume and pitch, tank discolors or shows any signs of deforming), withdraw immediately to a secure position ... The only respirators recommended for fire fighting are self-contained breathing apparatuses that have full facepieces and are operated in a pressure-demand or other positive-pressure mode. Anisidines

Specific hazards arising from the chemical

This chemical is combustible. (NTP, 1992)

Special protective actions for fire-fighters

Use water spray, foam, powder, carbon dioxide.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Evacuate danger area! Consult an expert! Personal protection: chemical protection suit including self-contained breathing apparatus. Do NOT let this chemical enter the environment. Do NOT wash away into sewer. Collect leaking liquid in sealable containers. Absorb liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

Environmental precautions

Evacuate danger area! Consult an expert! Personal protection: chemical protection suit including self-contained breathing apparatus. Do NOT let this chemical enter the environment. Do NOT wash away into sewer. Collect leaking liquid in sealable containers. Absorb liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

Methods and materials for containment and cleaning up

Spill handling: Evacuate persons not wearing protective equipment from area of spill or leak until clean-up is complete. Remove all ignition sources. Collect powdered material in the most convenient and safe manner and deposit in sealed containers. Ventilate area of spill or leak. Cover with sand and soda ash (9:1). After mixing, collect material in the most convenient and safe manner and deposit in sealed containers. Keep o-anisidine out of confined spaces, such as a sewer, because of the potential for an explosion, unless the sewer is designed to prevent the buildup of explosive concentrations. If material or contaminated runoff enters waterways, notify downstream users of potentially contaminated waters. It may be necessary to contain and dispose of this chemical as a hazardous waste. Contact your Department of Environmental Protection or your regional office of the federal EPA for specific recommendations. Anisidines

SECTION 7: Handling and storage

Precautions for safe handling

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Store only in original container. Keep in a well-ventilated room. Separated from strong oxidants, acids, chloroformates and food and feedstuffs. Store in an area without drain or sewer access. Provision to contain effluent from fire extinguishing. Store in tightly closed containers in a cool, well ventilated area. Protect against sunlight and strong oxidizers. Metal containers involving the transfer of this chemical should be grounded and bonded. Where possible, automatically pump liquid from drums or other storage containers to process containers. Drums must be equipped with self-closing valves, pressure vacuum bungs, and flame arresters. Use

only nonsparking tools and equipment, especially when opening and closing containers of this chemical. Sources of ignition, such as smoking and open flames, are prohibited where this chemical is used, handled, or stored in a manner that could create a potential fire or explosion hazard. A regulated, marked area should be established where this chemical is handled, used, or stored ... Anisidines

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

TLV: 0.5 mg/m3, as TWA; (skin); A3 (confirmed animal carcinogen with unknown relevance to humans); BEI issued.MAK: skin absorption (H); carcinogen category: 2

Biological limit values

no data available

Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear face shield or eye protection in combination with breathing protection.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use ventilation, local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state:	PHYSICAL DESCRIPTION: Clear, yellowish to reddish or brown liquid with an amine (fishy) odor. (NTP, 1992)			
Colour:	Yellowish liquid; becomes brownish on exposure to air			
Odour:	Amine-like odor			
Melting point/freezing point:	5 °C			
Boiling point or initial boiling point and boiling range:	224 to 225 °C			
Flammability:	Class IIIB Combustible Liquid: Fl.P. at or above 200°F.			
Lower and upper explosion limit/flammability limit:	no data available			
Flash point:	107 °C			
Auto-ignition temperature:	415 deg C			
Decomposition temperature:	no data available			
pH:	no data available			
Kinematic viscosity:	Dynamic viscosity: 2.211 mPa-s at 55 deg C			
Solubility:	Partially miscible with water			
Partition coefficient n- octanol/water:	log Kow = 1.18			
Vapour pressure:	less than 0.1 mm Hg at 68° F ; 1 mm Hg at 141.8° F (NTP, 1992)			
Density and/or relative density:	1.098 (15 °C)			

Relative vapour
density:4.25 (NTP, 1992) (Relative to Air)Particle
characteristics:no data available

SECTION 10: Stability and reactivity

Reactivity

NIOSH considers o-anisidine to be a potential occupational carcinogen. [50 mg/cu m] Decomposes on burning. This produces toxic fumes including nitrogen oxides, carbon monoxide and carbon dioxide. The solution in water is a weak base. Reacts with acids, chloroformates and strong oxidants. This generates fire and explosion hazard. Attacks some coatings, some forms of plastic and rubber.

Chemical stability

Heat may contribute to instability.

Possibility of hazardous reactions

Combustible. The vapour is heavier than air and may travel along the ground; distant ignition possible. O-ANISIDINE is sensitive to heat. It is also sensitive to exposure to light. This chemical is incompatible with strong oxidizers. It is also incompatible with acids, acid chlorides, acid anhydrides and chloroformates. It will attack some forms of plastics, rubber and coatings. (NTP, 1992).

Conditions to avoid

no data available

Incompatible materials

Incompatible with strong oxidizers, with risk of fire or explosions. Attacks some coatings and some forms of plastic and rubber. Anisidines

Hazardous decomposition products

When heated to decomposition it emits toxic fumes of /nitroxides/.

SECTION 11: Toxicological information

Acute toxicity

Oral: LD50 Rat (Wistar) oral 1,890 mg/kg bw Inhalation: LC50 Rat (Wistar) inhalation > 3.87 mg/L for 4 hr Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

Evaluation: There is inadequate evidence in humans for the carcinogenicity of ortho-anisidine. There is sufficient evidence in experimental animals for the carcinogenicity of ortho-anisidine. Overall evaluation: ortho-Anisidine is possibly carcinogenic to humans (Group 2B).

Reproductive toxicity

No information is available on the reproductive or developmental effects of o-anisidine in humans or animals.

STOT-single exposure

The substance may cause effects on the blood. This may result in the formation of methaemoglobin. See Notes. Exposure could cause haemolysis. This may result in haemolytic anaemia. The effects may be delayed. Medical observation is indicated.

STOT-repeated exposure

The substance may have effects on the blood. This may result in the formation of methaemoglobin and anaemia. This substance is possibly carcinogenic to humans.

Aspiration hazard

A harmful contamination of the air can be reached rather quickly on evaporation of this substance at 20°C.

SECTION 12: Ecological information

Toxicity

Toxicity to fish: LC50; Species: Brachydanio rerio (zebrafish); Conditions: static; Concentration: >100 mg/L for 96 hr

Toxicity to daphnia and other aquatic invertebrates: LC50; Species: Daphnia magna (water flea); Conditions: static; Concentration: 12 mg/L for 48 hr

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

Persistence and degradability

AEROBIC: o-Anisidine, present at 100 ppm, reached 81.7% theoretical BOD (NH3 end product) in two weeks using an activated sludge inoculum at 30 mg/L in the Japanese MTI test(1); it reached 40 to 69.1% of its theoretical BOD (NO2 end product) in 2 weeks using an activated sludge inoculum at 30 mg/L(1,2). At high concentrations, o-anisidine has been shown to be toxic to microorganisms and biodegrades at a much slower rate(3,4). 20 ug/L o-anisidine, inoculated with a mixed culture of soil microorganisms in an aqueous mineral salts medium, was found to persist >64 days as measured by UV absorbency(5). 2% of the theoretical BOD was achieved for o-anisidine at 20 ppm in sea water from Akashi Beach, Japan. These biodegradation data indicate that o-anisidine will biodegrade rapidly under aerobic conditions(SRC) except when microorganisms are killed by high concentrations of the compound(2,3).

Bioaccumulative potential

An estimated BCF of 2 was calculated in fish for o-anisidine(SRC), using a log Kow of 1.18(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

Mobility in soil

The Koc of o-anisidine is estimated as 46(SRC), using a log Kow of 1.18(1) and a regression-derived equation(2). According to a classification scheme(3), this estimated Koc value suggests that o-anisidine is expected to have very high mobility in soil. The pKa of o-anisidine is 4.53(4), indicating that this compound will partially exist in the cation form in the environment and cations

generally adsorb more strongly to soils containing organic carbon and clay than their neutral counterparts(5). Anilines are expected to bind strongly to humus or organic matter in soils due to the high reactivity of the aromatic amino group(6,7).

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN2431 (For reference only, please check.) IMDG: UN2431 (For reference only, please check.) IATA: UN2431 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: ANISIDINES (For reference only, please check.) IMDG: ANISIDINES (For reference only, please check.) IATA: ANISIDINES (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.) IMDG: 6.1 (For reference only, please check.) IATA: 6.1 (For reference only, please check.)

Packing group, if applicable

ADR/RID: III (For reference only, please check.) IMDG: III (For reference only, please check.) IATA: III (For reference only, please check.)

Environmental hazards

ADR/RID: No IMDG: No IATA: No

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

(PICCS)

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

CAWEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Other Information

Depending on the degree of exposure, periodic medical examination is suggested. Specific treatment is necessary in case of poisoning with this substance; the appropriate means with instructions must be available. See ICSC 0971.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any