# Chemical Safety Data Sheet MSDS / SDS

## o-phenylenediamine SDS

Revision Date: 2024-04-25 Revision Number: 1

Section 2 Section 3 Section 1 Section 4 Section 5 Section 6 Section 7 Section 8 Section 9 Section 10 Section 11 Section 12 Section 13 Section 14 Section 15 Section 16

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### Product identifier

Product name: o-phenylenediamine

CAS: 95-54-5

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified For R&D use only. Not for medicinal, household or other use.

uses:

Uses advised none

against:

## Company Identification

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

## **SECTION 2: Hazards identification**

### Classification of the substance or mixture

Acute toxicity - Category 3, Oral Acute toxicity - Category 4, Dermal

Eye irritation, Category 2 Skin sensitization, Category 1 Acute toxicity - Category 4, Inhalation Germ cell mutagenicity, Category 2 Carcinogenicity, Category 2 Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1 Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

### GHS label elements, including precautionary statements

Pictogram(s)







Signal word

### Hazard statement(s)

H301 Toxic if swallowed

H312 Harmful in contact with skin

H319 Causes serious eye irritation

H317 May cause an allergic skin reaction

H332 Harmful if inhaled

H341 Suspected of causing genetic defects

H351 Suspected of causing cancer

H410 Very toxic to aquatic life with long lasting effects

### Precautionary statement(s)

#### Prevention

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P271 Use only outdoors or in a well-ventilated area.

P203 Obtain, read and follow all safety instructions before use.

P273 Avoid release to the environment.

## Response

P301+P316 IF SWALLOWED: Get emergency medical help immediately.

P321 Specific treatment (see ... on this label).

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P317 Get medical help.

P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P333+P317 If skin irritation or rash occurs: Get medical help.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P318 IF exposed or concerned, get medical advice.

P391 Collect spillage.

### Storage

P405 Store locked up.

### Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### Other hazards which do not result in classification

no data available

# **SECTION 3: Composition/information on ingredients**

#### Substance

Chemical name: o-phenylenediamine

Common names and

o-phenylenediamine

synonyms:

CAS number: 95-54-5 EC number: 202-430-6

Concentration: 100%

## **SECTION 4: First aid measures**

### Description of necessary first-aid measures

#### If inhaled

Fresh air, rest. Artificial respiration may be needed. Refer for medical attention.

## Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap.

### Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

## Following ingestion

Rinse mouth. Give a slurry of activated charcoal in water to drink. Refer for medical attention.

## Most important symptoms/effects, acute and delayed

SYMPTOMS: Symptoms of exposure to this chemical may include skin and eye irritation, headache, drowsiness, mental confusion and liver damage. ACUTE/CHRONIC HAZARDS: When heated to decomposition this compound emits toxic fumes. It is highly toxic by inhalation and skin absorption. (NTP, 1992)

## Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on the left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. /Organic bases/Amines and related compounds/

# **SECTION 5: Firefighting measures**

## Suitable extinguishing media

Use water spray, powder.

### Specific hazards arising from the chemical

Flash point data for this chemical are not available. It is probably combustible. (NTP, 1992)

## Special protective actions for fire-fighters

Use water spray, powder.

### **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

### **Environmental precautions**

Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations. Do NOT let this chemical enter the environment. Personal protection: particulate filter respirator adapted to the airborne concentration of the substance.

### Methods and materials for containment and cleaning up

Spillage Disposal. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations. Do not let this chemical enter the environment. Personal protection: particulate filter respirator adapted to the airborne concentration of the substance.

# **SECTION 7: Handling and storage**

## Precautions for safe handling

NO open flames. Closed system, dust explosion-proof electrical equipment and lighting. Prevent deposition of dust. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### Conditions for safe storage, including any incompatibilities

Separated from food and feedstuffs. Well closed. Separated from food and feedstuffs. Well closed.

## SECTION 8: Exposure controls/personal protection

## Control parameters

## Occupational Exposure limit values

TLV: 0.1 mg/m3, as TWA; A3 (confirmed animal carcinogen with unknown relevance to humans). MAK: sensitization of skin (SH); carcinogen category: 3B

### Biological limit values

no data available

## Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

## Individual protection measures, such as personal protective equipment (PPE)

### Eye/face protection

Wear safety goggles or eye protection in combination with breathing protection.

### Skin protection

Protective gloves. Protective clothing.

### Respiratory protection

Use local exhaust or breathing protection.

#### Thermal hazards

no data available

# SECTION 9: Physical and chemical properties and safety characteristics

Physical state: Solid. Crystalline.

Colorless and darken when expose to air and sunlight.

Odour: no data available

Melting >= 101.1 - <= 101.3 °C. Atm. press.:>= 0.9 - <= 1 atm.

Lower flammable limit: 1.5%

point/freezing

point:

Boiling point or > 256 - <= 258 °C. Atm. press.:Ca. 1 013 hPa.

initial boiling point and boiling range:

Flammability: Combustible. Gives off irritating or toxic fumes (or gases) in a fire.

Lower and upper

explosion

limit/flammability

limit:

Flash point: Ca. 313 °F. Atm. press.:Ca. 1 atm.

**Auto-ignition** 

temperature:

no data available

Decomposition

no data available

temperature:

no data available pH:

Kinematic no data available

viscosity:

Solubility: Miscible with water

Partition log Pow = > 0.14 - <= 0.17. Temperature: 20 °C.

coefficient noctanol/water:

0.01 mm Hg ( 25 °C) Vapour pressure:

Density and/or 1.03 (160 °C)

relative density:

Relative vapour 3.7 (vs air)

density:

no data available Particle

characteristics:

**SECTION 10: Stability and reactivity** 

#### Reactivity

Decomposes on burning. This produces toxic fumes including nitrogen oxides.

### Chemical stability

no data available

## Possibility of hazardous reactions

Dust explosion possible if in powder or granular form, mixed with air.1,2-PHENYLENEDIAMINE a weak aromatic amine base neutralizes acids in exothermic reactions to form salts. May be incompatible with isocyanates, halogenated organics, peroxides, phenols (acidic), epoxides, anhydrides, and acid halides. Darkens on exposure to air (Roger Patrick, DuPont Engineer).

#### Conditions to avoid

no data available

## Incompatible materials

STABILITY: This compound darkens on exposure to air. It is also sensitive to light. Solutions of this chemical should be stable for 24 hours under normal lab conditions. (NTP, 1992)

### Hazardous decomposition products

When heated to decomp, it emits toxic fumes of /nitrogen oxides/.

## **SECTION 11: Toxicological information**

## Acute toxicity

Oral: LD50 Rat oral 660-1284 mg/kg, females more sensitive than males.

Inhalation: LC50 Mouse inhalation > 91 mg/cu m/4H

Dermal: LD50 Rat percutaneous (24 hours) > 5000 mg/kg

#### Skin corrosion/irritation

no data available

## Serious eye damage/irritation

no data available

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

## Carcinogenicity

A3; Confirmed animal carcinogen with unknown relevance to humans.

## Reproductive toxicity

no data available

## STOT-single exposure

The substance is irritating to the eyes. The substance is mildly irritating to the skin and respiratory tract. The substance may cause effects on the blood. This may result in the formation of methaemoglobin. The effects may be delayed. Medical observation is indicated.

## STOT-repeated exposure

Repeated or prolonged contact may cause skin sensitization. The substance may have effects on the blood. This may result in anaemia. This substance is possibly carcinogenic to humans.

## Aspiration hazard

A harmful contamination of the air will not or will only very slowly be reached on evaporation of this substance at 20°C; on spraying or dispersing, however, much faster.

## **SECTION 12: Ecological information**

### **Toxicity**

Toxicity to fish: LC50; Species: Brachydanio rerio (Zebrafish); Concentration: 24 mg/L for 96 hr /Conditions of bioassay not specified

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

## Persistence and degradability

AEROBIC: In an aerobic screening study using acclimated activated sludge inoculum, o-phenylenediamine (initial concentration of 25 to 30 ppm) exhibited 33% removal after 5 days incubation(1). In a screening test using soil microflora and an initial concentration of 10 ug/mL o-phenylenediamine, the decomposition period was observed to be >64 days for total loss of ultraviolet absorbency at a wavelength of 294 nm(2). o-Phenylenediamine (initial concentration of 500 ppm) exhibited a 44.5% theoretical BOD after 8 days in a Warburg respirometer using aniline-acclimated sludge at 20 deg C(3). o-Phenylenediamine, present at 100 mg/L, reached 0% of its theoretical BOD in 4 weeks using an activated sludge inoculum at 30 mg/L in the Japanese MITI test(4).

### Bioaccumulative potential

An estimated BCF of 3 was calculated in fish for o-phenylenediamine(SRC), using a log Kow of 0.15(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

## Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of o-phenylenediamine can be estimated to be 34(SRC). According to a classification scheme(2), this estimated Koc value suggests that o-phenylenediamine is expected to have very high mobility in soil. However, aromatic amines are expected to bind strongly to humus or organic matter in soils due to the high reactivity of the aromatic amino group(3,4), suggesting that mobility may be much lower in some soils(SRC).

#### Other adverse effects

no data available

# **SECTION 13: Disposal considerations**

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

## **SECTION 14: Transport information**

#### **UN Number**

ADR/RID: UN1673 (For reference only, please check.) IMDG: UN1673 (For reference only, please check.) IATA: UN1673 (For reference only, please check.)

## **UN Proper Shipping Name**

ADR/RID: PHENYLENEDIAMINES (o-, m-, p-) (For reference only, please check.) IMDG: PHENYLENEDIAMINES (o-, m-, p-) (For reference only, please check.) IATA: PHENYLENEDIAMINES (o-, m-, p-) (For reference only, please check.)

## Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.) IMDG: 6.1 (For reference only, please check.) IATA: 6.1 (For reference only, please check.)

### Packing group, if applicable

ADR/RID: III (For reference only, please check.)
IMDG: III (For reference only, please check.)
IATA: III (For reference only, please check.)

#### Environmental hazards

ADR/RID: Yes IMDG: Yes IATA: Yes

## Special precautions for user

no data available

## Transport in bulk according to IMO instruments

no data available

# **SECTION 15: Regulatory information**

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

**EC Inventory** 

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

(PICCS)

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

### **SECTION 16: Other information**

## Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

#### References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:

http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

### Other Information

Depending on the degree of exposure, periodic medical examination is suggested. Specific treatment is necessary in case of poisoning with this substance; the appropriate means with instructions must be available. See ICSCs 0805 and 1302.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any