

## Chemical Safety Data Sheet MSDS / SDS

## Bis(tributyltin) oxide SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name: Bis(tributyltin) oxide

CAS: 56-35-9

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses: For R&amp;D use only. Not for medicinal, household or other use.

Uses advised against: none

**Company Identification**

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

**SECTION 2: Hazards identification****Classification of the substance or mixture**

Acute toxicity - Category 3, Oral

Acute toxicity - Category 4, Dermal

Skin irritation, Category 2  
Eye irritation, Category 2  
Reproductive toxicity, Category 1B  
Specific target organ toxicity - repeated exposure, Category 1  
Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1  
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

### GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

### Hazard statement(s)

H301 Toxic if swallowed  
H312 Harmful in contact with skin  
H315 Causes skin irritation  
H319 Causes serious eye irritation  
H360 May damage fertility or the unborn child  
H372 Causes damage to organs through prolonged or repeated exposure  
H410 Very toxic to aquatic life with long lasting effects

### Precautionary statement(s)

### Prevention

P264 Wash ... thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...  
P203 Obtain, read and follow all safety instructions before use.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P273 Avoid release to the environment.

### Response

P301+P316 IF SWALLOWED: Get emergency medical help immediately.  
P321 Specific treatment (see ... on this label).  
P330 Rinse mouth.  
P302+P352 IF ON SKIN: Wash with plenty of water/...  
P317 Get medical help.

P362+P364 Take off contaminated clothing and wash it before reuse.  
P332+P317 If skin irritation occurs: Get medical help.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P318 IF exposed or concerned, get medical advice.  
P319 Get medical help if you feel unwell.  
P391 Collect spillage.

#### **Storage**

P405 Store locked up.

#### **Disposal**

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### **Other hazards which do not result in classification**

no data available

### **SECTION 3: Composition/information on ingredients**

#### **Substance**

Chemical name:	Bis(tributyltin) oxide
Common names and synonyms:	Bis(tributyltin) oxide
CAS number:	56-35-9
EC number:	200-268-0
Concentration:	100%

### **SECTION 4: First aid measures**

#### **Description of necessary first-aid measures**

#### **If inhaled**

Fresh air, rest. Half-upright position. Refer for medical attention.

**Following skin contact**

Rinse and then wash skin with water and soap. Refer for medical attention .

**Following eye contact**

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

**Following ingestion**

Give one or two glasses of water to drink. Refer for medical attention .

**Most important symptoms/effects, acute and delayed**

ACUTE/CHRONIC HAZARDS: This material is toxic by ingestion and inhalation and is a skin and eye irritant. (NTP, 1992)

**Indication of immediate medical attention and special treatment needed, if necessary****Absorption, Distribution and Excretion**

The calculated half-time for elimination of TBTO residues in mice is 29 days.

**SECTION 5: Firefighting measures****Suitable extinguishing media**

Provision to contain effluent from fire extinguishing.

**Specific hazards arising from the chemical**

This chemical is probably combustible. (NTP, 1992)

**Special protective actions for fire-fighters**

In case of fire in the surroundings, use appropriate extinguishing media.

**SECTION 6: Accidental release measures****Personal precautions, protective equipment and emergency procedures**

Personal protection: chemical protection suit including self-contained breathing apparatus. Do NOT let this chemical enter the

environment. Carefully collect remainder. Then store and dispose of according to local regulations. Do NOT wash away into sewer.

### Environmental precautions

Personal protection: chemical protection suit including self-contained breathing apparatus. Do NOT let this chemical enter the environment. Carefully collect remainder. Then store and dispose of according to local regulations. Do NOT wash away into sewer.

### Methods and materials for containment and cleaning up

Do NOT wash away into sewer. Carefully collect remainder, then remove to safe place. Do NOT let this chemical enter the environment.

## SECTION 7: Handling and storage

### Precautions for safe handling

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### Conditions for safe storage, including any incompatibilities

Well closed. Provision to contain effluent from fire extinguishing. Store in an area without drain or sewer access. NO open flames.

## SECTION 8: Exposure controls/personal protection

### Control parameters

### Occupational Exposure limit values

Component	Bis(tributyltin) oxide			
CAS No.	56-35-9			
	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Denmark	0,002	0,05	0,004	0,1
Germany (AGS)	0,0018 (1)	0,009 (1)	0,0018 (1)(2)	0,009 (1)(2)
Germany (DFG)	0,0021	0,05	0,0021	0,05
Switzerland	0,0021	0,05	0,0021	0,05
United Kingdom	?	0,1	?	0,2
	Remarks			
Germany (AGS)	(1) Inhalable fraction and vapour (2) 15 minutes average value			

### Biological limit values

no data available

### Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear safety spectacles, face shield or eye protection in combination with breathing protection.

#### Skin protection

Protective gloves. Protective clothing.

#### Respiratory protection

Use ventilation, local exhaust or breathing protection.

#### Thermal hazards

no data available

## SECTION 9: Physical and chemical properties and safety characteristics

Physical state:	PHYSICAL DESCRIPTION: Clear pale yellow liquid. Toxic by skin absorption or inhalation of vapors. Used as a bactericide, fungicide and chemical intermediate.
Colour:	Slightly yellow liquid.
Odour:	Weak odor
Melting point/freezing point:	-45°C
Boiling point or initial boiling point and boiling range:	180°C/2mmHg(lit.)

Flammability:	Combustible.
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	190° C
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH:	no data available
Kinematic viscosity:	4.8 Centistokes at 25 deg C
Solubility:	less than 1 mg/mL at 70.7° F (NTP, 1992)
Partition coefficient n-octanol/water:	log Kow= 3.84
Vapour pressure:	<0.01 mm Hg ( 25 °C)
Density and/or relative density:	1.17g/mL at 25°C(lit.)
Relative vapour density:	no data available
Particle characteristics:	no data available

## SECTION 10: Stability and reactivity

### Reactivity

Decomposes on burning. This produces toxic fumes.

### Chemical stability

no data available

**Possibility of hazardous reactions**

Combustible. BIS(TRIBUTYL TIN) OXIDE may react vigorously with oxidizing agents and with reducing agents.

**Conditions to avoid**

no data available

**Incompatible materials**

no data available

**Hazardous decomposition products**

When heated to decomposition it emits acrid and irritating fumes.

**SECTION 11: Toxicological information****Acute toxicity**

Oral: LD50 Rat oral 194 mg/kg

Inhalation: no data available

Dermal: no data available

**Skin corrosion/irritation**

no data available

**Serious eye damage/irritation**

no data available

**Respiratory or skin sensitization**

no data available

**Germ cell mutagenicity**



no data available

### **Carcinogenicity**

WEIGHT OF EVIDENCE CHARACTERIZATION: Classification -- D, not classifiable as to human carcinogenicity. Basis -- There are no data in humans concerning development of cancer following exposure to tributyltin oxide (TBTO). Cancer bioassays following oral exposure have been conducted in rats and mice. The bioassay in rats shows increases in benign pituitary tumors, pheochromocytomas, and parathyroid tumors at the highest doses tested. The significance of these tumors, which normally occur in this strain of rat with variable incidence, is unclear. The bioassay in mice showed no increase in tumors at any site. There are no structure-activity relationships suggesting that TBTO might be a carcinogen. Because of the questionable data from the bioassay in rats, EPA assigns TBTO to category D or to the "cannot be determined" category. HUMAN CARCINOGENICITY DATA: none

### **Reproductive toxicity**

no data available

### **STOT-single exposure**

The substance is irritating to the eyes and skin. Inhalation of the aerosol may cause lung oedema. See Notes. The substance may cause effects on the thymus. This may result in depression of the immune function.

### **STOT-repeated exposure**

no data available

### **Aspiration hazard**

A harmful contamination of the air can be reached on evaporation of this substance at 20°C on spraying.

## **SECTION 12: Ecological information**

### **Toxicity**

Toxicity to fish: LC50 Pimephales promelas (fathead minnow) 2.7 ug/l/96 hr (confidence limit 2.4 - 3.0 mg/l), flow-through bioassay with measured concentrations, 24.0 deg C, dissolved oxygen 7.5 mg/l, hardness 51.5 mg/l calcium carbonate, alkalinity 41.1 mg/l calcium carbonate, and pH 7.5.

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

### **Persistence and degradability**

Tributyltin degraded with a half-life of 20 weeks in Toronto Harbor (Canada) water in the dark at 20 deg C; dibutyltin, monobutyltin and inorganic tin was detected as products(1). The half-life increased when the water was spiked with high levels of tributyltin (1 mg/l) presumably because the higher tin concns inhibited or killed the microorganisms(1). The half-life of tributyltin present in sediment-water mixtures was shorter than in water alone, 16 weeks at 20 deg C in the dark(1). Bis(tributyltin) oxide biodegrades in soil and wood by stepwise dealkylation(2). Degradation is more rapid under aerobic than anaerobic conditions(2). Degradation in wood could be due to wood rotting fungi that have been shown to degrade bis(tributyltin) oxide in pure cultures(2). The detection of small quantities of methyltributyltin in the experiments with non-sterile mixtures of Toronto Harbor (Canada) water and sediment and in water alone indicates that microorganisms are present that can methylate tributyltin(1). Half-lives as low as 6 and 7 days have been reported for incubation in water from a yacht harbor in San Diego Bay (California) in the presence of light and absence of light, respectively; at a clean water site, the respective half-lives were 9 and 19 days(3). The experimenters ruled out direct photolysis in these experiments as a cause of the increased degradation rate(3). In a marine mesocosm experiment, the biodegradation rate calculated from the gross removal rate less adsorption and volatilization transport rates was 0.08/day (half-life 9 days) at 20 deg C(3). Other reported degradation half-lives for tributyltin include: 5.5 mo (marine sediment); 4 mo (aerobic freshwater/sediment); 2 mo (seawater at 5 deg F); 6-19 days (estuarine waters) 6 days (freshwater at 5 deg F); 6-17 days estuarine water; 4-13 days (estuarine water)(4). Several fungi have reported to dealkylate bis(tributyltin) oxide yielding a dibutyltin compound as the primary product(5).

### **Bioaccumulative potential**

The BCFs in crucian carp (*Carassius carassius grandoculis*) obtained in a 7-day experiment were 589 (muscle), 457 (vertebra); 5012 (liver); and 3162 (kidney)(1). Marine mussels bioaccumulate bis(tributyltin) oxide when it is dissolved in water or associated with phytoplankton; BCF are approximately 5000 from water and <2 from food (on a ug/g basis(2). Mantle or muscle tissue had tributyltin burdens about one third that of gills or viscera(2). Uptake was rapid, but higher when accumulation was via ingestion(2). Depuration occurred with a half-life of about 14 days(2). Neither the presence humic acids or kaolin significantly reduced accumulation(2). The different accumulation by different tissues correlate with their lipid content, suggesting that bioaccumulation is a partitioning process(2). Tributyltin was accumulated by fish at a constant rate reaching tissue concn of 1810 (muscle) and 4580 (gall bladder) expressed as bis(tributyltin) oxide but did not reach a steady state concn in the 38-day experiment(3). BCFs for tributyltin in oysters ranged from 1000 (water concn 0.15 ug/l) and 5000 (water concn 1.25 ug/l)(4). In 56-day experiments, the BCF of bis(tributyltin) oxide in three marine species of fish ranged from 2400-11,000(5). The elimination rate constants ranged from 0.024 to 0.094 and the biological half-lives ranged from 7.4 to 28.8 days(5). In studies in which the bioaccumulation and elimination of tributyltin in red sea bream (*Pagrus major*) was by direct uptake from water, from diet, and from both simultaneously, about a quarter of the bioaccumulation was due to dietary uptake(6). The accumulation factor for dietary uptake was 0.26-0.38 on a dry wt basis(6). The elimination rate was 0.031-0.037/day and was independent of the source of uptake, water or diet(6). Bioaccumulation was also independent of the form of tributyltin in the diet(6). Marine mussels (*Mytilus graynus*) collected in a lightly contaminated area and transplanted to a highly contaminated area had a BCF of 10,500 for tributyltin; the half-life was 4.68 days(6). Blue mussels (*Mytilus edulis*) collected from a highly contaminated area and transplanted to a lightly contaminated area had

a BCF of 10,400 for tributyltin; the half-life was 4.82 days(7). Oligochaetes accumulate sediment-associated tributyltin, thus making it available to bottom feeding fish(2).

### **Mobility in soil**

No leaching of tributyltin was observed in several soils (clay, sand, topsoil and silt) during periods as long as 16 weeks(1). Tributyltin binds strongly to sediment with the distribution constant for Toronto Harbor sediment and water as 2180 at 20 deg C(2). Very little tributyltin or inorganic tin was released from unshaken sediment in 10 months(2). However, other studies have shown that tributyltin does not adsorb appreciably to suspended particulate matter and that it is primarily associated with the dissolved fraction of estuarine water(3,4). This is in line with the observation that addition of humic acids or kaolin clay material does not significantly affect the measured bis(tributyltin) BCF in mussels(5), suggesting that bis(tributyltin) species are only weakly bound to these materials(SRC). Studies on the adsorption of tributyltin to a wide variety of sorbents yield sorption coefficients ranging from 110 to 350,000 l/kg, but the majority of sorption coefficients are about 1,000 l/kg(6). Adsorption is relatively fast (hours) and reversible(6). In a 278-day marine mesocosm experiment, the transport rate from the water column to sediment was 0.045/day(7). The distribution coefficient between dissolved state and particulate matter calculated from data between days 2-19 was 60,000 (standard deviation 30,000)(7). Other investigators obtained distribution constants for adsorption of tributyltin to particulate matter and sediment of 3400-9300 l/kg and 200-55,000 l/kg, respectively; values were a function of sediment type and location(7). The Freundlich parameters, log k and 1/n, for tributyl tin to sediment was 1.07 and 0.359, respectively(8). In soil microcosm experiments, small bis(tributyltin) oxide releases from wood treated with the compound was observed to migrate >10 cm from the wood with 86% of the compound residing within 5 cm of the wood; none of the compound was found in any layer below 10 cm nor in groundwater at the bottom of the microcosm chamber(8). These data suggest that bis(tributyltin) oxide can strongly bind to soil and sediment but that adsorption to suspended particulate and humic matter may be much weaker(SRC).

### **Other adverse effects**

no data available

## **SECTION 13: Disposal considerations**

### **Disposal methods**

#### **Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### **Contaminated packaging**

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas

scrubbing is possible for combustible packaging materials.

## SECTION 14: Transport information

### UN Number

ADR/RID: UN2788 (For reference only, please check.)

IMDG: UN2788 (For reference only, please check.)

IATA: UN2788 (For reference only, please check.)

### UN Proper Shipping Name

ADR/RID: ORGANOTIN COMPOUND, LIQUID, N.O.S. (For reference only, please check.)

IMDG: ORGANOTIN COMPOUND, LIQUID, N.O.S. (For reference only, please check.)

IATA: ORGANOTIN COMPOUND, LIQUID, N.O.S. (For reference only, please check.)

### Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

### Packing group, if applicable

ADR/RID: I (For reference only, please check.)

IMDG: I (For reference only, please check.)

IATA: I (For reference only, please check.)

### Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

### Special precautions for user

no data available

### Transport in bulk according to IMO instruments

no data available

### **SECTION 15: Regulatory information**

**Safety, health and environmental regulations specific for the product in question**

**European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

**EC Inventory**

Listed.

**United States Toxic Substances Control Act (TSCA) Inventory**

Listed.

**China Catalog of Hazardous chemicals 2015**

Listed.

**New Zealand Inventory of Chemicals (NZIoC)**

Listed.

**(PICCS)**

Listed.

**Vietnam National Chemical Inventory**

Listed.

**IECSC)**

Listed.

**Korea Existing Chemicals List (KECL)**

Listed.

### **SECTION 16: Other information**

### **Abbreviations and acronyms**

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### **References**

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

### **Other Information**

The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Immediate administration of an appropriate inhalation therapy by a doctor, or by an authorized person, should be considered.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any