

Chemical Safety Data Sheet MSDS / SDS

Divanadium pentaoxide SDS

Revision Date:2024-04-25 Revision Number:1

Section 1	Section 2	Section 3	Section 4	Section 5	Section 6	Section 7	Section 8
Section 9	Section 10	Section 11	Section 12	Section 13	Section 14	Section 15	Section 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name: Divanadium pentaoxide

CAS: 1314-62-1

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: For R&D use only. Not for medicinal, household or other use.

Uses advised against: none

Company Identification

Company: Chemicalbook.in

Address: 5 vasavi Layout Basaveswara Nilayam Pragathi Nagar Hyderabad, India -500090

Telephone: +91 9550333722

SECTION 2: Hazards identification**Classification of the substance or mixture**

Acute toxicity - Category 4, Oral

Acute toxicity - Category 4, Inhalation

Specific target organ toxicity - single exposure, Category 3
Germ cell mutagenicity, Category 2
Specific target organ toxicity - repeated exposure, Category 1
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 2
Reproductive toxicity, Category 2

GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

Hazard statement(s)

H302 Harmful if swallowed
H332 Harmful if inhaled
H335 May cause respiratory irritation
H341 Suspected of causing genetic defects
H372 Causes damage to organs through prolonged or repeated exposure
H411 Toxic to aquatic life with long lasting effects

Precautionary statement(s)

Prevention

P264 Wash ... thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.
P203 Obtain, read and follow all safety instructions before use.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P273 Avoid release to the environment.

Response

P301+P317 IF SWALLOWED: Get medical help.
P330 Rinse mouth.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P317 Get medical help.
P319 Get medical help if you feel unwell.

P318 IF exposed or concerned, get medical advice.
P391 Collect spillage.

Storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

Substance

Chemical name:	Divanadium pentaoxide
Common names and synonyms:	Divanadium pentaoxide
CAS number:	1314-62-1
EC number:	215-239-8
Concentration:	100%

SECTION 4: First aid measures

Description of necessary first-aid measures

If inhaled

Fresh air, rest. Half-upright position. Refer for medical attention.

Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower.

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Give one or two glasses of water to drink. Refer for medical attention .

Most important symptoms/effects, acute and delayed

Probable oral lethal dose for humans is between 5 and 50 mg/kg or between 7 drops and 1 teaspoonful for a 70 kg (150 lb.) person. Toxicity is about the same magnitude as pentavalent arsenic. A person with chronic respiratory disease is at greater risk when exposed to this substance. (EPA, 1998)

Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on the left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Poisons A and B

SECTION 5: Firefighting measures**Suitable extinguishing media**

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards arising from the chemical

Container may explode in heat of fire. When heated to decomposition, it emits acrid smoke and fumes of vanadium oxides. Material is not flammable but it may increase the intensity of the fire when in contact with combustible materials. Avoid chlorine trifluoride; lithium; peroxyformic acid; and calcium, sulfur, water complexes. Hazardous polymerization may not occur. (EPA, 1998)

Special protective actions for fire-fighters

In case of fire in the surroundings, use appropriate extinguishing media.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

Environmental precautions

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

Methods and materials for containment and cleaning up

ACCIDENTAL RELEASE MEASURES: Personal precautions, protective equipment, and emergency procedures: Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Separated from food and feedstuffs. Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

TLV: (inhalable fraction): 0.05 mg/m³, as TWA; A3 (confirmed animal carcinogen with unknown relevance to humans).MAK: carcinogen category: 2; germ cell mutagen group: 2

Biological limit values

no data available

Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety goggles or eye protection in combination with breathing protection if powder.

Skin protection

Protective gloves.

Respiratory protection

Use ventilation, local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state: Vanadium pentoxide is a yellow to red crystalline powder. Slightly soluble in water and denser than water. Contact may cause severe irritation to skin, eyes, and mucous membranes. May be toxic by ingestion, inhalation and skin absorption.

Colour: Yellow to rust-brown orthorhombic crystals

Odour: Odorless

Melting point/freezing point: 690°C

Boiling point or initial boiling point and boiling range:	1750°C
Flammability:	Noncombustible Solid
Lower and upper explosion limit/flammability limit:	no data available
Flash point:	1750°C
Auto-ignition temperature:	no data available
Decomposition temperature:	1750°C
pH:	pH = 2.7, saturated aqueous solution at 20 deg C
Kinematic viscosity:	no data available
Solubility:	less than 1 mg/mL at 68° F (NTP, 1992)
Partition coefficient n-octanol/water:	no data available
Vapour pressure:	Approximately 0 at 68F (EPA, 1998)
Density and/or relative density:	3.35g/mL at 25°C (lit.)
Relative vapour density:	no data available
Particle characteristics:	no data available

SECTION 10: Stability and reactivity

Reactivity

Upon heating, toxic fumes are formed. Decomposes on heating. This produces toxic fumes. Reacts with combustible substances.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Not combustible but will increase the intensity of an existing fire. ... Vanadium pentoxide itself does not burn, but dust may increase the intensity of fire when in contact with combustible materials. VANADIUM PENTOXIDE is acidic in many reactions. Hence, soluble in bases. [Kirk-Othmer]. Can react with ClF₃, Li, peroxyformic acid and (Ca+S+H₂O). Also reacts with strong acids. (NTP, 1992)

Conditions to avoid

no data available

Incompatible materials

Incompatible materials: Strong acids

Hazardous decomposition products

Decomposes at 1750 deg C

SECTION 11: Toxicological information

Acute toxicity

Oral: LD50 Rat oral 10 mg/kg

Inhalation: LC50 Rat (albino) inhalation 70 mg/cu m/1 hr Vanadium pentoxide fume

Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

A3; Confirmed animal carcinogen with unknown relevance to humans. Vanadium pentoxide, as V, inhalable particulate matter

Reproductive toxicity

no data available

STOT-single exposure

The aerosol is irritating to the eyes, skin and respiratory tract. Inhalation of high concentrations may cause lung oedema, bronchitis and bronchospasm. The effects may be delayed.

STOT-repeated exposure

Repeated or prolonged inhalation of high concentrations of dust or fumes may cause effects on the lungs. The substance may cause a greenish-black discolouration of the tongue.

Aspiration hazard

Evaporation at 20°C is negligible; a harmful concentration of airborne particles can, however, be reached quickly when dispersed.

SECTION 12: Ecological information

Toxicity

Toxicity to fish: LC50; Species: *Oncorhynchus mykiss* (Rainbow trout) eyed eggs; Conditions: renewal; Concentration: 118 mg/L for 96 hr; effects on embryonic survival and hatching

Toxicity to daphnia and other aquatic invertebrates: LC50; Species: *Daphnia magna* (Water flea); Concentration: 2.387 mg/L for 48 hr /Conditions of bioassay not specified in source examined

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN2862 (For reference only, please check.)

IMDG: UN2862 (For reference only, please check.)

IATA: UN2862 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: VANADIUM PENTOXIDE, non-fused form (For reference only, please check.)

IMDG: VANADIUM PENTOXIDE, non-fused form (For reference only, please check.)

IATA: VANADIUM PENTOXIDE, non-fused form (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

Packing group, if applicable

ADR/RID: III (For reference only, please check.)

IMDG: III (For reference only, please check.)

IATA: III (For reference only, please check.)

Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

(PICCS)

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC)

Listed.

Korea Existing Chemicals List (KECL)

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:
http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:
<http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Other Information

Depending on the degree of exposure, periodic medical examination is suggested. The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Immediate administration of an appropriate inhalation therapy by a doctor or a person authorized by him/her, should be considered.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any